

Electronic LED cord dimmer T28.08

Art-Nr.: 2800x0800(i) (transparent) | 2820x0800(i) (black) | 2860x0800(i) (white)



LED multi dimmer for reliable dimming, , regardless of producer and type of LED

Suitable for dimmable filament LEDs, LED lamps, incandescent and HV-halogen lamps

Silent technology – Operates utterly quiet

Opportunities for optimized and flicker-free dimming of LED lamps in min. and max. area

Comfortable operation through twisting the dimmer (twist-dim)

Electronic overload/short-circuit protection, over-temperature protection through thermal fuse

Memory function plus (even after zero voltage e.g. switchable outlets)


No stand-by consumption because of real on / off switch

Free positioning because of symmetric geometry possible

EHMANN advantage – 100 % quality checks, 5 years warranty, German manufacturer







EHMANN service – LED recommendation list can be downloaded via QR-code anytime

EHMANN quality – High-grade manufacturing and reliable function



LED cord dimmer T28.08

Technical data

3 – 35 W LED rated power	5 – 100 W/VA Rated power	230 V ~ (+/- 10%) / 50 Hz Rated voltage
Suitable for dimmable filament LEDs, LED lamps, incandescent and HV-halogen lamps		
<p>Operating principle: leading edge</p> <p>Function: On/off/dim by twisting the housing</p> <p>Temperature protection: thermal fuse</p> <p>Overload/short-circuit protection: Electronic</p> <p>Max. cord diameter: 8 mm</p> <p>Cut-off: Small contact cut μ</p> <p>Cycle of operation: > 25.000</p> <p>Connection: Screw terminal 0,5 - 1,5 mm² (flexible)</p> <p>Mode of operation: S1</p> <p>Protection class: 2</p> <p>Safety class: IP20</p> <p>Contamination level: 1</p>		  
<p>Opportunities for optimized and flicker-free dimming of LED lamps</p> <p>In emergence of flickering-effects during dimming an LED lamp, there is the possibility of adjusting the minimum and maximum brightness in order to optimize the dimming behaviour.</p> 	<p>LED recommendation</p> <p>Shows which LEDs are compatible with this dimmer.</p> <p>Available via QR code or online at www.ehmann-gmbh.de</p> 	<p>Connection diagram</p> 
<p>Item-no. 2800x0800(i) (transparent) EAN 401209600559 9 PU 10</p> <p>Item-no. 2820x0800(i) (black) EAN 401209600506 3 PU 10</p> <p>Item-no. 2860x0800(i) (white) EAN 401209600507 0 PU 10</p>	<p>Ø 33 x 110 mm Dimensions (diameter x L)</p>	