



Flexo Print

TLK 40W/10R 25PK

Flexo print TL lamps emit almost all of their light (99.9%) in the useful UVA and visible blue wavebands – between 350 and 400 nm – and have peak intensity at 370 nm (except for the /03 version). This makes them ideal for flexo printing equipment and photopolymerization processes. In addition, the 'R' lamps in the family have an internal 200-degree reflector to further optimize the lamp's overall efficiency.

Warnings and Safety

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.
- Lamp contains mercury.
- Manage in Accord with Disposal Laws.
- See: www.lamprecycle.org or 1-800-555-0050

Product data

General information	
Base	G13 [Medium Bi-Pin Fluorescent]
Main Application	Reprography (R)
Life to 50% Failures (Nom)	2000 h
Useful Life (Nom)	2000 h
Light technical	
Color Code	10-R
Color Designation	Ultra Violet A
Chromaticity Coordinate X (Nom)	220
Chromaticity Coordinate Y (Nom)	200
UV Depreciation at 500 h	10 %
UV Depreciation at 1000 h	20 %


UV Depreciation at 2000 h	30 %
Operating and electrical	
Power (Rated) (Nom)	40.5 W
Lamp Current (Nom)	0.86 A
Voltage (Nom)	50 V
Mechanical and housing	
Bulb Shape	T12 [T12]
UV	
UV-B/UV-A (IEC)	0.1 %
UV-A Radiation 100Hr (IEC)	7.4 W

Flexo Print

UV-A Radiation 0Hr (IEC)	8.0 W
Product data	
Order product name	TL-K 40W UVA-1
EAN/UPC - Product	8711500612236
Order code	246751
Numerator - Quantity Per Pack	1

Local code description	REPROGRAPHI FLUORESCENT LAMPS
Numerator - Packs per outer box	25
Material Nr. (12NC)	928004101029
Net Weight (Piece)	0.344 lb


Dimensional drawing




Product	D (max)	A (max)	B (max)	B (min)	C (max)
TL-K 40W UVA-1	1-5/8 in	23-1/4 in	23-1/2 in	23-7/16 in	23-13/16 in

TL-K 40W UVA-1

Photometric data



XDPB_XUVATLK_10-R-Spectral power distribution B/W



XDPO_XUVATLK_10-R-Spectral power distribution Colour

