



MASTER LEDspot PAR

MAS LEDspot D 13-100W E27 927 PAR38 25D

With its robust design and warm-white beam of light, these new-generation PAR lamps are ideal for general lighting and spot lighting in the hospitality industry. There is a choice of dimmable and non-dimmable versions. They are especially suitable for public areas such as lobbies, corridors, stairwells, where the light is always on.


Product data

| General Information | |
|---------------------------------------|-----------------|
| Cap-Base | E27 [E27] |
| EU RoHS compliant | Yes |
| Nominal Lifetime (Nom) | 25000 h |
| Switching Cycle | 25000X |
| Technical Type | 13-100W |
| Light Technical | |
| Color Code | 927 |
| Beam Angle (Nom) | 25 ° |
| Luminous Flux (Nom) | 1000 lm |
| Luminous Intensity (Nom) | 4000 cd |
| Color Designation | Warm White (WW) |
| Correlated Color Temperature (Nom) | 2700 K |
| Luminous Efficacy (rated) (Nom) | 76.92 lm/W |
| Color Consistency | <6 |
| Color Rendering Index (Nom) | 90 |
| LLMF At End Of Nominal Lifetime (Nom) | 70 % |
| Operating and Electrical | |
| Input Frequency | 50 to 60 Hz |
| Power (Nom) | 13 W |
| Lamp Current (Nom) | 65 mA |

| Wattage Equivalent | 100 W |
|---------------------------------|---|
| Starting Time (Nom) | 0.5 s |
| Warm Up Time to 60% Light (Nom) | 0.5 s |
| Power Factor (Nom) | 0.9 |
| Voltage (Nom) | 220-240 V |
| Controls and Dimming | |
| Dimmable | Yes |
| Approval and Application | |
| Energy Efficiency Label (EEL) | A+ |
| Suitable For Accent Lighting | Yes |
| Energy Consumption kWh/1000 h | 13 kWh |
| Product Data | |
| Full product code | 871869671410200 |
| Order product name | MAS LEDspot D 13-100W E27 927 PAR38 25D |
| EAN/UPC - Product | 8718696714102 |
| Order code | 929001322508 |
| Numerator - Quantity Per Pack | 1 |
| Numerator - Packs per outer box | 6 |
| Material Nr. (12NC) | 929001322508 |
| Net Weight (Piece) | 0.385 kg |

MASTER LEDspot PAR


Dimensional drawing




PAR38 220-240V 13-100W 2700K E27 D

| Product | D | C |
|---|--------|--------|
| MAS LEDspot D 13-100W E27 927 PAR38 25D | 122 mm | 134 mm |

Photometric data




© 2020 Philips Lighting B.V. All rights reserved. Page 1/1



MASTER LEDspot PAR 100W E27 827 25D

MASTER LEDspot PAR 100W E27 827 25D




MASTER LEDspot PAR 100W E27 827 25D

MASTER LEDspot PAR

Lifetime



MASTER LEDspot PAR 50W E27 827 25D



MASTER LEDspot PAR 50W E27 827 25D

