



CorePro LEDspot MV

CorePro LEDspot 4-35W GU10 830 36D DIM

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with a GU10 or E27 base and are designed as a retrofit replacement for halogen or incandescent spots. CorePro LEDspots deliver significant energy savings and minimize maintenance cost.

Product data

| General Information | |
|---------------------------------------|---------------------|
| Cap-Base | GU10 [GU10] |
| EU RoHS compliant | Yes |
| Nominal Lifetime (Nom) | 15000 h |
| Switching Cycle | 50000X |
| Technical Type | 4-35W |
| Light Technical | |
| Color Code | 830 [CCT of 3000K] |
| Beam Angle (Nom) | 36 ° |
| Luminous Flux (Nom) | 260 lm |
| Luminous Intensity (Nom) | 540 cd |
| Color Designation | White (WH) |
| Correlated Color Temperature (Nom) | 3000 K |
| Luminous Efficacy (rated) (Nom) | 65.00 lm/W |
| Color Consistency | <6 |
| Color Rendering Index (Nom) | 80 |
| LLMF At End Of Nominal Lifetime (Nom) | 70 % |
| Luminous Flux in 90° Cone (Rated) | 260 lm |
| Operating and Electrical | |
| Input Frequency | 50 to 60 Hz |
| Power (Nom) | 4 W |


| Lamp Current (Nom) | 19 mA |
|---------------------------------|--|
| Wattage Equivalent | 35 W |
| Starting Time (Nom) | 0.5 s |
| Warm Up Time to 60% Light (Nom) | 0.5 s |
| Power Factor (Nom) | 0.7 |
| Voltage (Nom) | 220-240 V |
| Temperature | |
| T-Case Maximum (Nom) | 65 °C |
| Controls and Dimming | |
| Dimmable | Yes |
| Approval and Application | |
| Energy Efficiency Label (EEL) | A+ |
| Suitable For Accent Lighting | Yes |
| Energy Consumption kWh/1000 h | 4 kWh |
| Product Data | |
| Full product code | 871869672135300 |
| Order product name | CorePro LEDspot 4-35W GU10 830 36D DIM |
| EAN/UPC - Product | 8718696721353 |
| Order code | 929001363902 |

CorePro LEDspot MV

| | |
|---------------------------------|--------------|
| Numerator - Quantity Per Pack | 1 |
| Numerator - Packs per outer box | 10 |
| Material Nr. (12NC) | 929001363902 |

| | |
|--------------------|----------|
| Net Weight (Piece) | 0.038 kg |
|--------------------|----------|


Dimensional drawing




GU10 230V 4-35W 260lm 36D 3000K GU10 D

| Product | D | C |
|--|-------|-------|
| CorePro LEDspot 4-35W GU10 830 36D DIM | 50 mm | 54 mm |


Photometric data



LEDspot,PAR38 11W 900lm 3000K



Classic LEDspotMV 35W GU10 830 36D



CorePro LEDspotMV 35W GU10 830 36D CLA

CorePro LEDspot MV

Lifetime



CLA LEDspotMV 50W GU10 827 36D ND

CLA LEDspotMV 50W GU10 827 36D ND

