# **PHILIPS** Lighting



## **Essential LED bulbs**

### ESS LEDBulb 19W E27 6500K A80 1CT/12 CN

Essential LEDbulbs are compatible with existing fixtures with a E27 holder and are designed for retrofit replacement of incandescent, halogen and energy saving bulbs. They deliver huge energy savings and minimize initial investment

#### **Product data**


General Information	
Cap-Base	E27 [E27]
EU RoHS compliant	Yes
Nominal lifetime	12,000 hour(s)
Switching Cycle	50,000
Rated Lifetime (Hours)	12,000 hour(s)
Lighting Technology	LED
Brand	Philips
Light Technical	
Color Code	865 [CCT of 6500K]
Color Code	865 [CCT of 6500K]
Beam Angle (Nom)	150 degree(s)
Luminous Flux	2,300 lumen
Color Designation	Cool Daylight
Correlated Color Temperature (Nom)	6500 K
Luminous Efficacy (rated) (Nom)	121.00 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Line Frequency	50 to 60 Hz

Power Consumption	19 W
Lamp Current (Nom)	170 mA
Wattage Equivalent	160 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.51
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	90 ℃
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Shape	A80 [A 80mm]
Product Data	
Full product code	694793914929200
Order product name	ESS LEDBulb 19W E27 6500K A80 1CT/12 CN
Order code	929002004109
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	12
Material number (12NC)	929002004109

#### **Essential LED bulbs**

Net weight	0.147 kg
Full product name	ESS LEDBulb 19W E27 6500K A80 1CT/12 CN
EAN/UPC - Case	6947939149308


#### **Dimensional drawing**



#### Photometric data



Philps Lighting B.V.



ESS LEDBulb 19W E27 6500K A80 1CT/12 CN

Product


Spectral Power Distribution Colour - ESS LEDBulb 19W E27 6500K A80 1CT/12 CN

D

80 mm

с


155 mm



Light Distribution Diagram - ESS LEDBulb 19W E27 6500K A80 1CT/12 CN

#### **Essential LED bulbs**

#### Lifetime



Lumen Maintenance Diagram - ESS LEDBulb 19W E27 6500K A80 1CT/12 CN

Life Expectancy Diagram - ESS LEDBulb 19W E27 6500K A80 1CT/12 CN



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.