



TrueForce Core LED Industrial and Retail (Highbay – HPI/SON/HPL)

TrueForce Core HB 30W E27 865 GN3

Philips TrueForce Core LED I&R lamps offer an easy and short payback LED solution to replace High Intensity Discharge (HID) lamps. The products bring the energy efficiency and long lifetime benefits of LED to HID replacement and provide instant saving and low initial investment. With the right lamp size and light distribution, you can easily retrofit TrueForce Core LED I&R lamps and bypass the existing ballast while enhancing the lighting quality.

Product data

General Information	
Cap-Base	E27 [E27]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000X
Technical Type	30-45W
Light Technical	
Color Code	865 [CCT of 6500K]
Beam Angle (Nom)	180 °
Luminous Flux (Nom)	3200 lm
Color Designation	Cool Daylight
Correlated Color Temperature (Nom)	6500 K

Luminous Efficacy (rated) (Nom)	106.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	30 W
Lamp Current (Nom)	245 mA
Wattage Equivalent	45 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.5

Datasheet, 2021, June 1 data subject to change

TrueForce Core LED Industrial and Retail (Highbay - HPI/SON/HPL)

Voltage (Nom)	220-240 V	
Temperature		
T-Case Maximum (Nom)	80 ℃	
Controls and Dimming		
Dimmable	No	
Mechanical and Housing		
Bulb Finish	Frosted	
Bulb Shape	T-shape	
Approval and Application		
Energy Efficiency Label (EEL)	Not applicable	

Energy Consumption kWh/1000 h	- kWh
Product Data	
Full product code	871869978061600
Order product name	TrueForce Core HB 30W E27 865 GN3
EAN/UPC - Product	8718699780616
Order code	929002408408
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6
Material Nr. (12NC)	929002408408
Net Weight (Piece)	0.078 kg


Dimensional drawing




Tforce HB Non-CE GIII 3200lm E27 865 15K

Product D C TrueForce Core HB 30W E27 865 GN3 100 mm 165 mm

Photometric data




LEDTForce Core HB 30W Tshape E27 865-GUL



LEDTForce Core HB 30W Tshape E27-LDD


TrueForce Core LED Industrial and Retail (Highbay - HPI/SON/HPL)


Photometric data



LEDTForce Core HB 30W Tshape E27 865-POC

Lifetime





15K LED 15K LMP



© 2021 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.