



CorePro LEDspot MV

Corepro LEDspot 4.6-50W GU10 865 36D

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with a GU10 or E27 base and are designed as a retrofit replacement for halogen or incandescent spots. CorePro LEDspots deliver significant energy savings and minimize maintenance cost.

Product data

General Information	
Cap-Base	GU10 [GU10]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000X
Technical Type	4.6-50W
Light Technical	
Color Code	865 [CCT of 6500K]
Beam Angle (Nom)	36 °
Luminous Flux (Nom)	390 lm
Luminous Intensity (Nom)	770 cd
Color Designation	Cool Daylight
Correlated Color Temperature (Nom)	6500 K
Luminous Efficacy (rated) (Nom)	84.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Luminous Flux in 90° Cone (Rated)	390 lm
Operating and Electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	4.6 W

36D
36D


Datasheet, 2020, June 8 data subject to change

CorePro LEDspot MV

Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001218302

Net Weight (Piece)	0.038 kg


Dimensional drawing




GU10 230V 4W-35W 260lm 100D 4000K GU10ND

Product	D	С
Corepro LEDspot 4.6-50W GU10 865 36D	50 mm	54 mm

Photometric data




CONTRACTOR DELICATION OF THE PARTY.



CorePro LEDspotMV 50W GU10 830 36D CLA


CorePro LEDspotMV 50W GU10 865 36D




CorePro LEDspotMV 50W GU10 865 36D

CorePro LEDspot MV

Lifetime





CLA LEDspotMV 50W GU10 827 36D ND

CLA LEDspotMV 50W GU10 827 36D ND

