

FEATURES

- Tubular MCC indicator light
- BA915d base
- 1,000 hr life
- Luminosity of 30lm
- Voltage rating of 24VAC
- Current rating of 200mA
- Length of 35mm
- Diameter of 16mm
- Conforms to ANSI/ESD S20.20:2014 and BS EN 61340-5-1:200 on electrostatic discharge

BA15d Indicator Light, Clear, 24 V ac, 200 mA, 1000h

RS Stock No.: 339-33383



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Incandescent Light Bulbs



Product Description

Need an indicator light to use in the automotive or gambling machine industries? This tubular BA15D lamp from the RS PRO range will give you 1,000 hours of life before it needs replacing. The clear, incandescent light provides a luminosity of 30 lm. It also has a voltage rating of 24 V ac and a current rating of 200 mA.

This is a T16 size lamp which is 35 mm in length by 16 mm in diameter. The BA15d base features a bayonet fixing for easy installation.

General Specifications

| Lamp Base | BA915d |
|------------------|---|
| Lamp Size | T16 |
| Lens Colour | Clear |
| Luminosity | 30lm ±20% |
| Life hours | 1000h |
| Housing Material | Glass |
| Applications | Automotive industry; Gambling machine industry; Car indicator; Garden lights; Paper lanterns; Battery-powered flashlights |

Electrical Specifications

| Voltage Rating | 24VAC |
|----------------|-------|
| Current Rating | 200mA |
| Light Output | 30lm |

Mechanical Specifications

| Diameter | 16mm |
|----------|------|
| Length | 35mm |



Approvals

Compliance/Certifications

RoHS, ANSI/ESD S20.20:2014, BS EN 61340-5-1:200



Dimensions: (mm)

