

FEATURES

- Indicator light
- Midget groove base
- 10,000 hours life
- Luminosity of 3.8lm
- Voltage rating of 28V
- Current rating of 40mA
- Length of 15.87mm
- Diameter of 5.84mm
- Clear light

Midget Groove Indicator Light, Clear, 28 V, 40 mA, 10000h



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

Looking for a miniature indicator lamp to illuminate a switch? A tubular S6S lamp from the RS PRO range will provide light for 10,000 hours before it needs replacing. It has a luminosity of 3.8 lm, with a voltage rating of 28 V and a current rating of 40 mA.

General Specifications

Lamp Base	Midget Groove
Lamp Size	T1 ¾
Lens Colour	Clear
Luminosity	3.8lm ±20%
Life hours	10000h
Filament Type	Vacuum Type C-2F
Housing Material	Glass
Applications	Automotive industry; Gambling machine industry; Car indicator; Garden lights; Paper lanterns; Battery-powered flashlights, warning or signal lighting

Electrical Specifications

Voltage Rating	28V
Current Rating	40mA
MSCP	0.3CP±20%
Light Output	3.8lm

Mechanical Specifications

Diameter	5.84mm
Length	15.87mm


Approvals

Compliance/Certifications

RoHS, ANSI/ESD S20.20:2014, BS EN 61340-5-1:200



DRAWING - I



Unit : mm

1. Structure	Bulb Diameter	5.84mm Max.
	Length	15.87mm Max.
	Base Type	Midget Groove
2. Design Characteristics	Voltage	28V
	Amperage	40mA ± 10%
	Filament Type	C-2F
		Vacuum type
	MSCP	0.3 CP ± 20%
Life Hours	10000 Hrs	