

COVENANT Security Equipment



DRIVE THRU & TRANSACTION WINDOWS







DRIVE THRU & TRANSACTION WINDOWS

HANDS-FREE **AUTOMATIC WINDOWS**



SS-4035E

UNIT SIZE/SERVICE OPENING SIMILAR MODELS

SS-4035E



Unit Size: 48"W x 41"H

Service Opening: 20-3/4"W x 29"H

SS-4538E

Unit Size: 45-1/2"W x 38"H Service Opening: 19"W x 26"H

SS-36E



Unit Size: 36"W x 41"H

Service Opening: 15"W x 29"H

BP-7241E MIAMI DADE COUNTY





Unit Size: 72"W x 41"H Service Opening: 29-1/2"W x 31"H

BP-7236E



Unit Size: 72"W x 36"H

Service Opening: 29-1/2"W x 26-1/2"H

BP-4841E

Unit Size: 48"W x 41"H

Service Opening: 17"W x 29"H

Our automatic bi-parting window series is ideal for customers looking for a large and centered service opening to enhance the face-to-face interaction with their customer. The centered opening is also ideal for facilities with a constrained interior layout.

DESCRIPTION

Our most popular automatic window

series! This side sliding window provides

the convenience of 'hands-free' operation

maintaining safe food safety standards

in restaurant applications. Great for any

goods and increase throughput.

for a swift & easy exchange of goods while

application looking to ease the exchange of



BP-7241E

FM-42E

FM-42E

Unit Size: 42"W x 40"H

Service Opening: 15-1/2"W x 27"H

FM-54E

Unit Size: 53-1/2"W x 40"H

Service Opening: 18-1/2"W x 26-5/8"H

The FM Series provides a 'hands-free' biparting operation with a staging area for prepped orders, utensils and condiments for improving the speed of delivery in your drive-thru.





PW-54E

PW-54E

Unit Size: 53-1/2"W x 40"H

Service Opening: 18-1/2"W x 26-5/8"H

Looking for a way to stand out? A projected window allows passing customers to quickly recognize that you offer drive-thru service while allowing you to see oncoming traffic in the drive-thru lane. Automatic operation ensures the swift exchange of goods for customers and expedites your speed of service.



SUI Heavy Duty Vertical Lift Window

Unit Size: 24"W x 48"H

Service Opening: 20"W x 17-3/4"H

IL Low Profile Vertical Lift Window

Unit Size: 24"W x 48"H

Service Opening: 20-1/2"W x 16-1/2"H

Perfect for walk-up and service kiosks, the vertical lift windows are ideal in locations with constraints on the width of your service window. These windows are available in automatic or manual operation.

DRIVE THRU & TRANSACTION WINDOWS

MANUAL SELF CLOSING WINDOWS



SC-4030

UNIT SIZE/SERVICE OPENING SIMILAR MODELS

SC-4030

MIAMI DADE COUNTY APPROVED

Unit Size: 48"W x 36"H

Service Opening: 20-1/4"W x 29"H

SC-3030

MIAMI DADE COUNTY

Unit Size: 36"W x 36"H

Service Opening: 14-1/2"W x 29"H

IFSC-4040

Unit Size: 48"W x 48"H

Service Opening: 20-1/4"W x 41"H

DESCRIPTION

Our inline side sliding window includes a gravity-fed self-closing moving panel with our proprietary self-latching handle. This robust and economical design provides an easy to use window that also complies with local laws requiring a self-closing operation. The window can also remain open when fully extended for those transactions that take a bit longer! The IFSC-4040 includes insulated glass to better manage your heating and cooling costs in your facility.



BPSC-4236

BPSC-4236

Unit Size: 42"W x 36"H

Service Opening: 14"W x 28-1/2"H

BPSC-4836

Unit Size: 48"W x 36"H

Service Opening: 16-1/4"W x 28-5/8"H

BPSC-7241

Unit Size: 72"W x 41"H

Service Opening: 29-1/2"W x 33-1/2"H

The inline bi-parting self-closing series provides a large, centered opening to enhance the face to face interaction with the customer while also useful in facilities with constrained interior layouts.



BPSC-4840

BPSC-4840

Unit Size: 48"W x 40"H

Service Opening: 16-1/2"W x 30-1/4"H

The BPSC-4840 combines the inline design of our bi-parting window with a built-in stainless steel shelf base. Perfect for kitchens with limited counterspace, it includes a staging area for prepared orders and utensils to improve speed of service in your drive-thru.



BPSC-5440

BPSC-5440

Unit Size: 53-1/2"W x 40"H

Service Opening: 17-3/4"W x 31"H

This model combines a self-closing operation with a projected design to allow passing customers to identify your available drive-thru service and provide you with the means to see oncoming traffic in the drive-thru lane. It also includes a large base for a staging area and enhances the amount of daylight entering the building.



SC-4030-LP

SC-4030-LP

Unit Size: 48"W x 36"H

Service Opening: 20-1/4"W x 29"H

Looking for a slim, aesthetic appeal to your transaction window? Look no further. This window is perfectly suited when surrounded by storefront glazing with this lo-profile design that also maximizes the amount of daylight that can enter the building.

DRIVE THRU & TRANSACTION WINDOWS

SEMI-AUTOMATIC BI-FOLD



UNIT SIZE/SERVICE OPENING SIMILAR MODELS

FM-1

Unit Size: 24"W X 38-1/2"H Service Opening: 16"W x 32"H

PW1-16

Unit Size: 27-3/4"W X 40"H Service Opening: 20"W x 19"H

PW2-16:

Unit Size: 27-3/4"W X 40"H Service Opening: 20"W x 24-1/4"H

PW5-16

Unit Size: 27-3/4"W X 40"H Service Opening: 20"W x 32"H

DESCRIPTION

These models provide a completely mechanical 'hands-free' operation with our patented push bar mechanism. They also include a base which can be used as a staging area to help expedite speed of service and the PW Series includes 3 different service opening heights to accommodate your unique service delivery requirements.

MANUAL BI-FOLD WINDOWS





CM-1

Unit Size: 24"W X 38-1/2"H Service Opening: 16"W x 32"H

PW3-16

Unit Size: 27-3/4"w X 40"H Service Opening: 20"W x 18-1/4"H

PW4-16

Unit Size: 27-3/4"w X 40"H Service Opening: 20"W x 24-1/4"H

Our manual bi-fold windows provide the most cost-effective option for a robust, easy to use and long-lasting transaction window.

The CM-1 is an inline window whereas the PW3-16 and PW4-16 offer a projected design to allow passing customer to identify your drive-thru service and assist you in seeing traffic in the drive-thru lane.

WALK-UP WINDOW



SCDS-6056

Unit Size: 60"W x 56"H Service Opening: 12-1/2"W x 24"H

Perfect for locations with high volume and multiple service points, the SCDS-6056 has two built-in side sliding windows for two customer service points to increase speed of service and throughput.

AIR CURTAIN







SERVICE DOOR AIR CURTAIN

A necessity for any company looking to maintain the sanitation and energy efficiency in their building, air curtains repel heat /cold air, dust, insects and other contaminants from outside the building. We offer a variety of sizes and models fit for every customers needs including heated and unheated options.

SHELVES



WINDOW SHELF

Need a little extra counter space? We have a variety of shelf sizes to accompany your window for extra storage space or to provide easy access to prepared orders and utensils

WE PUT MORE IN - YOU GET MORE OUT



QUALITY CRAFTSMANSHIP Superior materials and craftsmanship ensure you receive a long-lasting and reliable product.



PLUG & PLAY

Our products come fully assembled & glazed, ready for easy installation and operation.



CUSTOM CAPABILITIES

We have a wide array of options to tailor the perfect solution for your project.



CUSTOMER ORIENTED

Our customers are our first priority and we always strive to provide you the best customer service.



ENVIRONMENTAL PROTECTION

Our products are designed to fully protect your building from the elements and keep out wind, rain, and snow.



PRODUCT GUARANTEE We stand behind all of our products and offer a 1 year warranty including parts and labor.

RESPONSIVE. ETHICAL. EFFICIENT.





Additional Product Offerings:

Ticket Windows
Bullet Resistant Glazing
Bullet Resistant Panels
Combination Window & Drawer Units Baffle
Windows
California Windows
Package Receivers
Transaction Drawers
Deal Trays
and much more!

Select standard products are ready to ship in 5-7 business days



SALES@ COVENANTSECURITY EQUIPMENT.COM







RESPONSIVE. ETHICAL. EFFICIENT.