

TRUNDLES

AUTOMOTIVE LTD

NOTE: IF YOU ARE UNSURE ABOUT GENERAL FITMENT PLEASE CONTACT US BEFORE YOU START FITTING THIS COMPONENT TO YOUR VEHICLE.

TRUNDLES CANNOT BE HELD RESPONSIBLE FOR ANY FURTHER MODIFICATIONS OR DEVIATIONS FROM THE GIVEN INSTRUCTIONS LAID OUT IN THIS FITTING GUIDE.

RECOVERY POINT (RPNAV40) FITTING GUIDE

NISSAN NAVARA D40 TOYOTA LANDCRUISER 80/105 SERIES

Fitted to D40 Navara

1. Fitted to factory retained nuts on L/H side.
2. M12x1.25 Hi tensile Bolts and retained nuts supplied for R/H side.
3. Ensure 2 bolts per tow point are fitted and torqued to recommended settings to ensure tow points meet tested standards.
4. 2 bolts per side as supplied, can be mounted to front or rear of vehicle.

Fitted to Toyota 80/105 Series

105 Landcruiser requires 4 x M12x1.25 bolts
100 Landcruiser requires 4 x M14x1.5 bolts
80 Landcruiser requires 4 x M12x1.25 bolts

1. All models have nuts retained in chassis, ready for fitment, 2 bolts per side as supplied, can be mounted to front or rear of vehicle.
2. Ensure 2 bolts per tow point are fitted and torqued to recommended settings to ensure tow points meet tested standards.

All bolts to be tightened to the appropriate torque value based on nominal size, pitch and grade, or OE manufacturer's specs.

| | 8.8 | 10.9 | 12.9 |
|------------|------------|------------|------------|
| M10 | 41-60 Nm | 59-85 Nm | 65-94 Nm |
| M12 | 71-105 Nm | 102-150 Nm | 114-164 Nm |
| M14 | 112-168 Nm | 161-240 Nm | 182-265 Nm |
| M16 | 175-260 Nm | 250-371 Nm | 282-406 Nm |

HARDWARE SUPPLIED WITH RPNAV40

- 1x RPNAV40L Tow Point
- 1x RPNAV40R Tow Point
- 4x M12 x 1.25 Bolts - Landcruisers & Navara D40
- 2x M12 x 1.25 Nuts on wires - Navara D40



TESTED TO 5000KGS PER TOW POINT

NOTE: Always use tow points as a matched pair teamed with an equalising bridle during any recovery situation.



Ensure all supplied and specified components are used during the installation of tow points. Failure to do so will significantly reduce the Working Load Limit (WLL) specified for each individual point (5000kgs), which can result in serious injury or death.