

**CATALOGUE 2021/2022**



**REAL  
SUSTAINABLE  
FUTURE**



**MASTER  
WAX**

**WAX, ADDITIVES, ACCESSORIES, SPORTWEARS**

WAX, ADDITIVES, ACCESSORIES, SPORTWEARS







## ABOUT MASTER POWER COLD APPLICATION

PARAFFINATURA A FREDDO

5

ENGINE KIT - MANUAL KIT



## MASTER POWER SYSTEM COLD APPLICATION

PARAFFINATURA A FREDDO

7

ULTRA 8 PP4 POWER

8

PROFESSIONAL ECOPOWER - LOW FLUOR

9

RACING FLUORFREE

11

KIT



## PROFESSIONAL TRADITIONAL APPLICATION

PARAFFINATURA A CALDO

13

ECO POWDER

15

RACING LIQUID FLUORO

16

RACING HIGH FLUOR

17

RACING LOW FLUOR

18

RACING FLUORFREE

19

MARATHON



## KIT & ACCESSORIES

KIT & ACCESSORI

21

KIT & ACCESSORIES



## NEWS

NOVITÀ

24

ARIETE



## WEAR


ABBIGLIAMENTO

27

WEAR



COLD APPLICATION



# THE ORIGINAL MASTER POWER



I nuovi prodotti sono esenti da PFOA e quindi ecocompatibili alle norme UE. **Master Power** è la paraffina High Tech ad alto contenuto di fluoro (HF) che garantisce elevate prestazioni in termini di scorrevolezza per tutte le discipline. Grazie al sistema di paraffinatura Master Power lo sci risulta subito più maneggevole e veloce, permettendo una sciata più fluida con minore dispendio di energie.


Il sistema Master Power è lo strumento ideale per agonisti, sci club o semplici appassionati nelle discipline della discesa, sci di fondo e snowboard. La sua facile applicazione a FREDDO, che ha anche la pregevole caratteristica di essere esente da fumi nocivi dannosi per l'ambiente, permette di ottenere eccellenti risultati e di scegliere la paraffinatura più adatta direttamente sul campo gara anche pochi minuti prima del via. Bastano infatti 4 minuti per preparare con cura un paio di sci.




The new products are PFOA free and for this reason they are environmentally adapted to UE rules.

**Master Power wax is an hightech waxes, applied in a cold way just with a rotor wool applicator (Master Power) that allows a rapid and complete application of wax choice from today type of snow.** The ideal wax system for agonists, ski clubs and amateurs athletes, something to contribute for saving time and resources. Without smoke emission, easy to use, without being detrimental to the environment. The new chemical-mechanics apply system for waxing skis, is designed to give optimal glide. Durable and guaranteed for both short and long distance.


## ENGINE KIT



SKI CLEANING




COLD WAX APPLICATION ON THE WOOL APPLIER




WAX APPLY ON THE SKI AND SKI POLISH


## MANUAL KIT



SKI CLEANING



COLD WAX APPLICATION ON THE WOOL APPLIER



WAX APPLY ON THE SKI AND SKI POLISH



**CROSS COUNTRY SKI - BIATHLON**



**SKI ALP**



**SNOWBOARD**



**ALPINE SKI**



**SKI JUMP**





## ULTRA 8 PP4 POWER



Le paraffine Ultra 8 PP4 Power rappresentano il top della gamma master Power, studiate per competizioni di altissimo livello. Hanno dimostrato risultati sbalorditivi in termini di scorrevolezza e durata; da usare anche senza l'aggiunta di additivi in polvere.



Ultra 8 PP4 Power waxes represent Masterpower top level, studied for high level competitions. Astonishing results in terms of fluidity and duration. They can be used without any powered additive.

### WET WET OLD DARK

For old, wet and dirty snow.  
Dirt and water repellent.



- Cod. UWET801001 **10G**
- Cod. UWET8 **20G**
- Cod. UWETDA8 **20G**

### NEW

New and falling snow with relatively high humidity both in the air and in the snow.



- Cod. UNEW801001 **10G**
- Cod. UNEW8 **20G**

### MEDIUM TRANSFORMED

From new to transformed snow.  
Good for artificial snow.



- Cod. UMEDTR801001 **10G**
- Cod. UMEDTR8 **20G**

### MEDIUM

For little transformed snow.



- Cod. UMED801001 **10G**
- Cod. UMED8 **20G**

### COLD

For normal cold winter snow.



- Cod. UCOL801001 **10G**
- Cod. UCOL8 **20G**





## PROFESSIONAL ECOPOWER - LOW FLUOR



Primo prodotto nato della linea Masterpower, oggi reso ancora più performante dalla nuova formulazione EVO.



First product born from Masterpower line, nowadays with improved performances thanks to its new EVO formulation.

### WET WET OLD DARK

For old, wet and dirty snow.  
Dirt and water repellent.



0 -3°



60/95%



Cod. PWET02001 **20G**

Cod. PWETDA02001 **20G**

### NEW SNOW

New and falling snow with relatively high humidity both in the air and in the snow.



0 -5°



60/95%



Cod. PNEW02001 **20G**

### TRANSFORMED

From new to transformed snow.  
Good for artificial snow.



-1 -6°



60/95%



Cod. PTRAO2001 **20G**

### MEDIUM

For little transformed snow.



-4 -10°



50/95%



Cod. PMED02001 **20G**

### COLD

For normal cold winter snow.



-7 -14°



35/80%



Cod. PCOL02001 **20G**







## RACING FLUORFREE



Primo prodotto nato della linea Masterpower, oggi reso ancora più performante dalla nuova formulazione EVO. **Senza fluoro.**



First product born from Masterpower line, nowadays with improved performances thanks to its new EVO formulation. **Without fluor.**



### NEW SNOW

New and falling snow with relatively high humidity both in the air and in the snow.



Cod. RFNEW2001 **20G**



### TRANSFORMED

From new to transformed snow. Good for artificial snow.



Cod. RFTRA2001 **20G**



### MEDIUM

For normal cold winter snow.



Cod. RFMED2001 **20G**



### COLD

For scraping and very cold snow.



Cod. RFCOL2001 **20G**

### KIT FLUORFREE JUNIOR

- 4 rulli lana Merino 10 cm
- 1 impugnatura rotante 10 cm
- 4 Racing Fluorfree 20 g
- 4 Merino wool roller 10 cm
- 1 rotating handle 10 cm
- 4 Racing Fluorfree 20 g



Cod. KITFFJ

### ENTER KIT FLUORFREE

- 1 rullo lana Merino 10 cm
- 1 impugnatura rotante 10 cm
- 1 Racing Fluorfree 20 g
- 1 Merino wool roller 10 cm
- 1 rotating handle 10 cm
- 1 Racing Fluorfree 20 g



Cod. ENTERKITMED



COLD APPLICATION



# KIT

## NEW LAB KIT



Cod. KITMOTORENEW

- 1 motore da banco NEW (cm 43x22x26)
- 4 Professional Ecopower 20 g
- 5 applicatori in lana
- 1 NEW engine 220V (cm 43x22x26)
- 4 Professional Ecopower 20 g
- 5 wool appliers

## ENGINE KIT



Cod. KITMOTNEWSKIALP

- 1 motore da banco NEW (cm 43x22x26)
- 3 applicatori in lana
- 2 Professional Ecopower 20 g (TRANSFORMED - MEDIUM)
- 1 NEW engine 220V (cm 43x22x26)
- 3 wool appliers
- 2 Professional Ecopower 20 g (TRANSFORMED - MEDIUM)

## MANUAL KIT



Cod. KITMANUALE

- 1 rullo in sughero con impugnatura
- 3 Professional Ecopower 20 g
- 3 applicatori in lana
- 1 cork roller
- 3 Professional Ecopower 20 g
- 3 wool appliers

## ENTER KIT



Cod. KITENTER


- 1 rullo di sughero con impugnatura
- 1 Professional Ecopower 20 g
- 1 applicatore in lana
- 1 cork roller
- 1 Professional Ecopower 20 g
- 1 wool applier





HOT APPLICATION



 I nuovi prodotti sono esenti da PFOA e quindi ecocompatibili alle norme UE.

**Cera in polvere 100% fluorocarbon.**

Consigliata per tutte le competizioni e discipline dello sci, dove è necessario ottenere il massimo risultato.

Le cere in polvere hanno caratteristiche uniche di lunga durata, grande repellenza all'acqua e allo sporco ed eccezionali doti di scorrevolezza.

APPLICAZIONE: Distribuire in modo uniforme sullo sci già preparato con base fluorata e fondere con ferro sciolinatore a 160°. Frizionare con un rullo di sughero. Spazzolare con spazzola di crine e lucidare con panno in lana Masterpower.



The new products are PFOA free and for this reason they are environmentally adapted to UE rules.

**Wax powder 100% fluorocarbon.**

Recommended for all ski competitions and disciplines, where you need to get the best result.

The powder waxes have unique characteristics of long duration, large water and dirt repellency and exceptional low friction characteristics.

APPLICATION: Distribute evenly on the ski base already prepared with fluorinated wax and melt with waxing iron at 160°. Rub with a roller cork. Brush with horsehair brush and polish with Masterpower woolen cloth.

**ECO POWDER WET**



 -4 -10°  50/95%

Cod. RADPWET 

**ECO POWDER WET DARK**



 0 -4°  50/95%


Cod. RADPWETDA 

**ECO POWDER MEDIUM**




 -4 -10°  50/95%

Cod. RADPMED 

 Cera in polvere per tutte le competizioni. Da utilizzare per condizioni di neve in trasformazione e vecchia trasformata, da bagnata a molto umida. Temperatura aria da 0° a -4°C. Umidità dell'aria da 50% a 95%.

Cera in polvere per tutte le competizioni. Da utilizzare per condizioni di neve sporca vecchia trasformata, da bagnata a ghiacciata. Temperatura aria da 0° a -4°C. Umidità dell'aria da 50% a 95%.

Cera in polvere per tutte le competizioni. Da utilizzare per condizioni di neve nuova, in trasformazione e neve artificiale abrasiva. Temperatura aria da -4°C. a -10°C. Umidità dell'aria da 50% a 95%.

 Powder wax for all competitions. Very good for little transformed to transformed old snow conditions, from very wet to moist snow. Air temperature from 0° to -4° C. Air humidity from 50% to 95%.

Powder wax for all competitions. Very good for dirty transformed old snow conditions, from very wet to frozen snow. Air temperature from 0° to -4° C. Air humidity from 50% to 95%.

Powder wax for all competitions. Very good from fine new snow to little transformed snow conditions and artificial snow. Air temperature from -4° to -10° C. Air humidity from 50% to 95%.

**ECO POWDER ALL CONDITION**



 0 -5°  50/95%

Cod. RADPALL 

**ECO POWDER COLD**



 -7 -18°  50/95%


Cod. RADPCOLD 

**ECO POWDER ARTIFICIAL SNOW**




 -4 -14°  50/95%

Cod. RADPART 

 Cera in polvere per tutte le competizioni. Da utilizzare per condizioni di neve nuova a neve in trasformazione, da bagnata a molto umida. Temperatura aria da 0° a -5°C. Umidità dell'aria da 50% a 95%.

Cera in polvere per tutte le competizioni. Da utilizzare per condizioni di neve nuova, in trasformazione e neve artificiale abrasiva. Temperatura aria da -7°C. a -18°C. Umidità dell'aria da 50% a 95%.

Cera in polvere per tutte le competizioni. Da utilizzare per condizioni di neve in trasformazione e neve artificiale abrasiva. Temperatura aria da -4°C. a -10°C. Umidità dell'aria da 50% a 95%.

 Powder wax for all competitions. Good for new snow conditions snow in transformation from wet to moist snow. Air temperature from 0° to -4° C. Air humidity from 50% to 95%.

Powder wax for all competitions. Very good from fine new snow to little transformed snow conditions and artificial snow. Air temperature from -7° to -18° C. Air humidity from 50% to 95%.


Powder wax for all competitions. Very good for little transformed snow conditions and artificial snow. Air temperature from -4° to -10° C. Air humidity from 50% to 95%.



HOT APPLICATION





 I nuovi prodotti sono esenti da PFOA e quindi ecocompatibili alle norme UE.

**Cera liquida 100% fluorocarbon.**

Consigliata per tutte le competizioni e discipline dello sci, dove è necessario ottenere il massimo risultato. Molto usata per gare sprint o competizioni di sci alpino e snowboard.

APPLICAZIONE: Distribuire in modo uniforme sullo sci già preparato con base fluorata e frizionare con un un tappo o un rullo di sughero. Spazzolare con spazzola di crine e lucidare con panno in lana Masterpower.



The new products are PFOA free and for this reason they are environmentally adapted to UE rules.

**Liquid Wax 100% fluorocarbon.**

Recommended for all ski competitions, where you need to get the best result. Widely used for sprint races or in Alpine and snowboard competitions.

APPLICATION: Distribute evenly on the ski base already prepared with fluorinated wax and rub with a capcork or a rollercork. Brush with a horsehair brush and polish with Masterpower woolen cloth.

**RACING LIQUID FLUORO WET**



0 -4° 50/95%

Cod. RLFWET 30ML

**RACING LIQUID FLUORO WET DARK**



0 -4° 50/95%


Cod. RLFWETDA 30ML

**RACING LIQUID FLUORO MEDIUM**



-5 -15° 50/95%


Cod. RLFMED 30ML

 Cera liquida per tutte le competizioni. Da utilizzare per condizioni di neve in trasformazione e vecchia trasformata, da bagnata a molto umida.

Temperatura aria da 0° a -4°C. Umidità dell'aria da 50% a 95%. Ottima come accelerante.

Cera liquida per tutte le competizioni. Da utilizzare per condizioni di neve sporca vecchia trasformata, da bagnata a ghiacciata. Temperatura aria da 0° a -4°C. Umidità dell'aria da 50% a 95%. Ottima come accelerante.

Cera liquida per tutte le competizioni. Da utilizzare per condizioni di neve nuova, in trasformazione e neve artificiale abrasiva. Temperatura aria da -5°C. a -15°C. Umidità dell'aria da 50% a 95%. Ottima come accelerante.

 Liquid wax for all competitions. Very good for little transformed to transformed old snow conditions, from very wet to moist snow. Air temperature from 0° to -4° C. Air humidity from 50% to 95%. Excellent as accelerator.

Liquid wax for all competitions. Very good for dirty transformed old snow conditions, from very wet to frozen snow. Air temperature from 0° to -4° C. Air humidity from 50% to 95%. Excellent as accelerator.

Liquid wax for all competitions. Very good from fine new snow to little transformed snow conditions and artificial snow. Air temperature from -5° to -15° C. Air humidity from 50% to 95%. Excellent as accelerator.





## RACING HIGH FLUOR



Paraffine ad alto contenuto di fluoro (HF) altamente performanti, che garantiscono elevate prestazioni in termini di scorrevolezza ed utilizzabili in tutte le discipline. Possono essere utilizzate da sole o come base per le cere fluorurate in polvere.



Professional high fluor hydrocarbon (HF) glider line with very high performances in terms of fluidity and suitable for all disciplines. They can be used alone or as base for the powder additives.



### WET WET DARK

For old, wet and dirty snow. Dirt and water repellent.



0 -3°



60/95%



- Cod. RWEO16001 100C
- Cod. RWEO16001 100C
- Cod. RWEO06001 50C
- Cod. RWEOA06001 50C



### NEW

New and falling snow with relatively high humidity both in the air and in the snow.



0 -5°



60/95%



- Cod. RNEW16001 100C
- Cod. RNEW06001 50C



### TRANSFORMED

From new to transformed snow. Good for artificial snow.



-1 -6°



60/95%



- Cod. RTRA16001 100C
- Cod. RTRA06001 50C



### MEDIUM

For little transformed snow. For all condition.



-4 -10°



50/95%



- Cod. RMED16001 100C
- Cod. RMED06001 50C



### COLD

For normal cold winter snow.



-7 -14°



35/80%



- Cod. RCOL16001 100C
- Cod. RCOL06001 50C

In compliance with Regulations (EC) 1907/2006 and (EU) 2019/1021 as required by IBU & FIS for their events



## RACING LOW FLUOR

Paraffine a medio contenuto di fluoro (LF) indicate per tutte le discipline che richiedono la massima scorrevolezza e durata. Possono essere utilizzate da sole o come base per le cere fluorate in polvere.

Low fluor hydrocarbon (LF) glider line suitable for all disciplines; they can be used alone or as base for the powder additives.

### TRANSFORMED

-1 -6°

From new to transformed snow.  
Good for artificial snow.

35/80%



Cod. STRA16001

Cod. STRA06001

### MEDIUM

-4 -10°

For little transformed snow.  
For all condition.

35/80%



Cod. SMED16001

Cod. SMED06001

### COLD

-7 -14°

For normal cold winter snow.

35/80%



Cod. SCOL16001

Cod. SCOL06001

In compliance with Regulations (EC) 1907/2006 and (EU) 2019/1021 as required by IBU & FIS for their events





# RACING GLIDE WAX



## RACING FLUORFREE




Paraffina base senza fluoro.



Hydrocarbon glider line without fluor.

### TRANSFORMED


From new to transformed snow.  
Good for artificial snow.



- Cod. TTRA096001 **1KG**
- Cod. TTRA16001 **100G**
- Cod. TTRA06001 **50G**

### MEDIUM


For little transformed snow. For all condition.



- Cod. TMED096001 **1KG**
- Cod. TMED16001 **100G**
- Cod. TMED06001 **50G**

### COLD

For normal cold winter snow.



- Cod. TCOL096001 **1KG**
- Cod. TCOL16001 **100G**
- Cod. TCOL06001 **50G**

### HIT HOT APPLICATION FLUORFREE



Cod. KITHOTAFF

In compliance with Regulations (EC) 1907/2006 and (EU) 2019/1021 as required by IBU & FIS for their events

# MARATHON


## ULTRA 8 · ECO POWDER · HIGH FLUOR

Kit marathon.

Kit marathon.

### **WET**


For old, wet and dirty snow.  
Dirt and water repellent.



Cod. UWET801001M **10G**

### **ALL CONDITION**


Good for new snow conditions snow in transformation from wet to moist snow.



Cod. RADPWETEXM **20G**

### **TRANSFORMED**


From new to transformed snow.  
Good for artificial snow.



Cod. RTRA06001M **50G**

### **MEDIUM**


For little transformed snow.



Cod. UMED801001M **10G**

### **MEDIUM**


Very good from fine new snow to little transformed snow conditions and artificial snow.



Cod. RADPMEDM **20G**

### **MEDIUM**


For little transformed snow.  
For all condition.



Cod. RMED06001M **50G**

### **COLD**


For normal cold winter snow.



Cod. UCOL801001M **10G**

### **COLD**


Very good from fine new snow to little transformed snow conditions and artificial snow.



COD. RADPCOLDM **20G**

### **COLD**

For normal cold winter snow.



Cod. RCOL06001M **50G**







## ECO POWDER KIT



Cod. KITECOPOWDER

- 1 Wet 30 gr
- 1 Wet Dark 30 gr
- 1 All Condition 30 gr
- 1 Medium 30 gr
- 1 Cold 30 gr
- 1 Artificial Snow 30 gr

## KIT MARATHON



Cod. KITMARATHON

- 1 Eco Powder Wet 20 gr
- 1 Eco Powder Medium 20 gr
- 1 Eco Powder Cold 20 gr
- 1 High Fluor Wet 50 gr
- 1 High Fluor Medium 50 gr
- 1 High Fluor Cold 50 gr
- 1 Ultra 8 Wet 10 gr
- 1 Ultra 8 Medium 10 gr
- 1 Ultra 8 Cold 10 gr

## ROTO HIT POWDER



Cod. ROTKITPW

- 1 rullo di sughero con impugnatura
- 1 rotante crine corto
- 1 rotante nylon gold corto
- 1 rotante Merino
- 
- 1 cork roller
- 1 rotary horsehair brush
- 1 rotary nylon gold brush
- 1 rotary Merino

## SKIMAN TABLE



Cod. SMTABLE

- Tavolo per sciolinatora
- Skiman table

## SKI VISE CROSS COUNTRY



Cod. CROSSCOUWC

- Corpo in alluminio ad alta resistenza
- Leggero e pratico per viaggiare
- Per la messa a punto di tutti i tipi e forme di sci nordico
- High-tensile aluminium body
- Light and practical for travelling
- For tuning all types & shapes of nordic skis

## ENGINE



Cod. ACMOTORE

- Motore da banco
- Engine
- cm 43x22x26 - 220 V

Cod. ACMOTORE110

- Motore da banco
- Engine
- cm 43x22x26 - 110 V

## WOOL APPLIER



Cod. PPEL125

- Applicatore Lana
- Wool applier mm 120x85

Cod. PPEL115

- Applicatore Lana
- Wool applier mm 115x75

## WOOL MERINO



Cod. LM13100

- Lana Merino
- Wool Merino
- mm 13x100

## CORK ROLLER



Cod. PRULSUG

- Rullo sughero
- Cork roller
- cm 12



**PULISKY LIQUID**



Cod. ACPUL05

- Liquido puliski lt. 0,5
- Pulisky liquid lt 0,5

**PULISKY LIQUID**



Cod. ACPUL1

- Liquido puliski lt. 1
- Pulisky liquid lt. 1

**PULISKY LIQUID**



Cod. ACPUL5

- Liquido puliski lt. 5
- Pulisky liquid lt. 5


**PLEXIGLASS SPATULA**



Cod. ACSPA3

- Spatola in plexiglass
- Plexiglass spatula

**IRON**



Cod. ACIRON15 mm 15

Cod. ACIRON25 mm 25

- Ferro sciolinatore
- Iron

**TIME TEST HIT**



Cod. KITTIMETEST

**SPAZZOLE ROTANTI**

ROTARY BRUSH

**ROTARY HORSEHAIR BRUSH**



Cod. ACSPARC

- AR82 rotante crine corto
- Rotary horsehair brush

**ROTARY NYLON GOLD BRUSH**



Cod. ACSPARN

- AR78 rotante nylon gold corto
- Rotary nylon gold brush

**ROTARY CORK BRUSH**



Cod. ACRSUG

- AR84 rotante sughero cm 10
- Rotary cork brush 10 cm

**OVAL HORSEHAIR BRUSH**



Cod. ACOVCRI

- Ovale crine
- Oval horsehair brush

**OVAL NYLON**



Cod. ACOVNY

- Ovale nylon
- Oval nylon

**OVAL BRASS**



Cod. ACOVOT

- Ovale ottone
- Oval brass

**OVAL HARD NYLON BRUSH**



Cod. ACRETNV

- Rettangolare duro nylon
- Rectangular hard nylon brush

**RECTANGULAR HORSEHAIR BRUSH**



Cod. ACRETCRI

- Rettangolare crine
- Rectangular horsehair brush

**RECTANGULAR NYLON BRASS**



Cod. ACRETNVOT

- Rettangolare nylon/ottone
- Rectangular nylon brass

**RECTANGULAR STEEL**



Cod. ACRETAC

- Rettangolare acciaio
- Rectangular steel

**RECTANGULAR WHITE NYLON**



Cod. ACSPRONY5

- Rettangolare nylon bianco 5 mm
- Rectangular white nylon

**SYNTHETIC CORK**



Cod. ACSUGS

- Sughero sintetico
- Synthetic cork

HANDLE  
**IMPUGNATURE**

**FOR ROTARY BRUSH**



Cod. ACIMP10

- AR98 per spazzola rotante
- For rotary brush - cm 10

**FOR ROTARY BRUSH**



Cod. ACIMP12

- Per spazzola rotante
- For rotary brush - cm 12

**FOR ROTARY BRUSH**



Cod. ACIMP20

- Per spazzola rotante
- For rotary brush - cm 20





## **ALLENAMENTO SCI NORDICO NORDIC SKI TRAINING**

Alexander Bolshunov - Author: FILA | from Comox, Canada



**ALEXANDER BOLSHUNOV,  
AWARD-WINNING  
RUSSIAN CROSS-COUNTRY SKIER.  
TRAINS WITH 'ARIETE'**

### **Macchina multifunzione ad intensità variabile per l'allenamento del fondista.**

Con le nuove guide lineari è posizionabile a diverse altezze per potenziare tutta la parte alta e bassa del corpo.

**La confezione include:** borsa per il trasporto, staffa di supporto, binari da muro, ganci e corde elastiche.

**Come optional** è prevista una pedana antiscivolo in alluminio con binari lunghi per ottimizzare il posizionamento dell'Ariete.

### **Multifunctional machine with variable intensity for cross-country skier training.**

With new linear rails it can be positioned at different heights to enhance the upper and lower part of the body.

**The package includes:** carrying bag, support bracket, linear wall rails, hooks and elastic cords.

**As optional** is available an aluminum anti-slip platform with long rails to optimize the positioning of the Ariete machine.



**ALEXANDER BOLSHUNOV,  
PLURIPREMIATO  
FONDISTA RUSSO.  
SI ALLENA CON 'ARIETE'**

**Caratteristiche tecniche**  
**Technical data**

Peso / Weight: 12 kg

Dimensioni / Dimensions:  
600 x 250 x 250 mm (LxPxA)

Corpo in alluminio / Aluminum body

**ALLENAMENTO SCI NORDICO**  
**NORDIC SKI TRAINING**





**CROSS  
COUNTRY SKI**



**BIATHLON**




**SKI ALP**



**SNOWBOARD**



**ALPINE SKI**



**SKI JUMP**

In compliance  
with Regulations (EC)  
1907/2006 and (EU)  
2019/1021 as required  
by IBU & FIS  
for their events

**MASTERWAX**



Masterwax Sagi  
Via Cantonale 121 - Fornasette  
6998 Monteggio (CH) - tel. (+41) 78 214.81.00  
e-mail: info@masterwax.ch

Commercial Director: Silvano Barco  
tel. +39 351 745 68 48

**MASTERWAX**

## **UN'AUTENTICA EVOLUZIONE NEL CAMPO DELLE SCIOLINE**

MASTERWAX nasce nel 2000, aprendo il nuovo secolo con una rivoluzionaria e innovativa idea: **un nuovo concetto di applicazione a freddo di scioline.**

Il concept nasce all'Università di Lione e viene in seguito sviluppato e commercializzato dalla famosa BRIKO.

I vantaggi eccezionali di questa nuova tecnologia sono molteplici: **velocità e facilità di applicazione, senza fumi e gas dannosi, pochissimo spreco e bassissimo impatto sulla natura.**

### **Grandi pregi per alte prestazioni!**

Anche le squadre nazionali hanno sfruttato da subito i vantaggi di questa nuova concezione.

Ricordiamo che **siamo già presenti in coppa del mondo biathlon e cross country** dove numerose squadre utilizzano regolarmente i prodotti MASTERWAX.

MASTERWAX dal 2020 ha una nuova proprietà il cui obiettivo è rinnovare costantemente i prodotti per restare al passo con le nuove normative.



<https://www.youtube.com/watch?v=MEJW1lwteUM>

## **DIMOSTRAZIONE PRATICA PRESSO LA VOSTRA SEDE**



SILVANO BARCO, fondista della squadra nazionale italiana di Coppa del Mondo e vincitore dell'edizione del 1995 dell'Engadina Ski Marathon, sarà a disposizione per una **dimostrazione pratica** dei prodotti e del corretto utilizzo presso la Vostra sede.





**SUIT 'DENMARK'  
BICOLOR UNISEX**



**SUIT 'DENMARK' FULL ZIP  
BICOLOR UNISEX**




**VEST 'DENMARK'  
BICOLOR UNISEX**



**FORMAZZA SUIT**



**HEAD-BAND 'DENMARK'  
HAT 'DENMARK'**





**MASTER  
WAX**



[www.masterwax.pro](http://www.masterwax.pro)  
[info@masterwax.pro](mailto:info@masterwax.pro)

Masterwax Sagl  
Via Cantonale 121 - Fornasette  
6998 Monteggio (CH) - tel. (+41) 78 214.81.00

*Commercial Director*  
Silvano Barco - tel. +39 351 745 68 48