

360° HID Retrofit

CERTIFICATIONS



PRODUCT FEATURES



Construction

E39 Mogul base, die cast aluminum body with white finish

Application

- Factory
- Gym
- Warehouse
- Workshop
- Other industrial applications

Mounting

- E39 Mogul Base

Warranty

5-Year Limited Warranty

BENEFITS

- Available in multiple wattages
- Energy-efficient replacement for traditional high-pressure sodium and metal halide sources
- Easy E39 Mogul base allows for quick install
- Instant-on technology with zero flicker



SPECIFICATIONS

Available Wattage	60W - 100W
Available CCT	5000K
Efficacy Average	110 LM/W - 115 LM/W
Lumen Output	6,473 LM - 11,462 LM
Input Voltage	AC100-277V
Input Frequency	50/60HZ
CRI	>80
Power Factor	0.8
THD	> 15%
Working Temp	-22F to 131F (-30C to 55C)
Lens	Clear
IP Rating	IP64
Dimming	No
Life Span (Hours)	>50,000




360° HID Retrofit

Order Code	DLC Model #	Watts	CCT	LM/Watt	Total LM	Voltage
04306	MES-CLW-E39-60WB 5000K	60W	5000K	110 LM/W	6,473 LM	100-277V
04308	MES-CLW-80WB 5000K	80W	5000K	115 LM/W	9,298 LM	100-277V
04310	MES-CLW-100WB 5000K	100W	5000K	114 LM/W	11,462 LM	100-277V


↑ When placing your order, please use **Order Code**.

PHOTOMETRIC DATA

Polar Curve




Cone Chart



360° HID Retrofit

DIMENSIONS



Wattage	A - Length	B - Width
60W	11.2"	3.7"
80W	10.6"	4.9"
100W	11.4"	4.9"