

HID Post Top Retrofit

CERTIFICATIONS



PRODUCT FEATURES



Construction

Die cast aluminum body with white finish and polycarbonate lens

Applications

- Warehouses,
- Shopping centers
- Gymnasiums

Mounting

- E39 Mogul Base

Warranty

5-Year Limited Product Warranty

BENEFITS

- Replaces metal halide lamps in post top fixtures. Perfect for retrofitting your post top fixtures while providing 360° of high output LED light.
- Reversible E39 mogul base allows choice of either up or down light.



SPECIFICATIONS

Available Wattage	30W - 60W
Available CCT	4000K, 5000K
Efficacy Average	117 LM/W
Lumen Output	3,699 LM - 7,260 LM
Input Voltage	AC100-277V
Input Frequency	50/60HZ
CRI	>80
Power Factor	0.9
THD	> 15%
Working Temp	-40 F to 122F (-40C to 50C)
Lens	Clear
IP Rating	IP44
Dimming	No
Life Span (Hours)	>50,000



HID Post Top Retrofit


Order Code	DLC Model #	Watts	CCT	LM/Watt	Total LM	Voltage
04425	MES-PTB-30AC[-E;-EX]-40K	30W	4000K	117	3,699 LM	100-277V
04426	MES-PTB-30AC[-E;-EX]-50K	30W	5000K	117	3,710 LM	100-277V
04427	MES-PTB-60AC[-E;-EX]-40K	60W	4000K	117	7,214 LM	100-277V
04428	MES-PTB-60AC[-E;-EX]-50K	60W	5000K	117	7,260 LM	100-277V

↑ When placing your order, please use **Order Code**.

PHOTOMETRIC DATA


Polar Curve

Luminous Intensity Distribution Curve



Cone Chart

The Average Illuminance Effective Figure



HID Post Top Retrofit

DIMENSIONS

