


LED Garage Canopy Light (Kodiak G)

CERTIFICATIONS



PRODUCT FEATURES



Construction

Die-cast aluminum with prismatic polycarbonate lens

Applications

- Warehouses
- Factories
- Workshops
- Gas Stations
- Parking Garages

Mounting

- Soffit
- Canopy
- Surface Mount

Warranty

7-Year Limited Product Warranty (Optional 10-Year Warranty available)

BENEFITS

- Capable of being mounted in any soffit/canopy or even surface mounted.
- Great outdoor lighting fixture applicable to any industrial or commercial premise but most particularly for gas stations.
- 160° beam angle is perfect for illuminating large spaces without leaving dark spots.
- 0-10V dimming.

SPECIFICATIONS



Available Wattage	15W - 60W
Available CCT	5000K
Efficacy Average	121 LM/W - 127 LM/W
Lumen Output	1,905 LM - 7,299 LM
Input Voltage	AC100-277V
Input Frequency	50/60HZ
CRI	>80
Power Factor	0.9
THD	> 15%
Working Temp	-30F to 113F (-30C to 45C)
Lens	Stripe
IP Rating	IP65
Dimming	Yes
Life Span (Hours)	>70,000

LED Garage Canopy Light (Kodiak G)

Order Code	DLC Model #	Color	Watts	CCT	LM/Watt	Total LM	Voltage
05819	MES-CL-KG-15WJSPIDA1	Bronze	15W	5000K	127 LM/W	1,905 LM	100-277V
05819	MES-CL-KG-20WJSPIDA1	Bronze	20W	5000K	127 LM/W	2,599 LM	100-277V
05820	MES-CL-KG-30WJSPIDA1	Bronze	20W	5000K	124 LM/W	2,490 LM	100-277V
05820	MES-CL-KG-30WJSPIDA1	Bronze	30W	5000K	124 LM/W	3,720 LM	100-277V
05820	MES-CL-KG-40WJSPIDA1	Bronze	45W	5000K	124 LM/W	5,241 LM	100-277V
05821	MES-CL-KG-50WJSPIDA1	Bronze	40W	5000K	121 LM/W	4,960 LM	100-277V
05821	MES-CL-KG-50WJSPIDA1	Bronze	50W	5000K	121 LM/W	6,083 LM	100-277V
05821	MES-CL-KG-60WJSPIDA1	Bronze	60W	5000K	121 LM/W	7,299 LM	100-277V
05816	MES-CL-KG-15WJSPIDA1	White	15W	5000K	127 LM/W	1,905 LM	100-277V
05816	MES-CL-KG-20WJSPIDA1	White	20W	5000K	127 LM/W	2,599 LM	100-277V
05817	MES-CL-KG-30WJSPIDA1	White	20W	5000K	124 LM/W	2,490 LM	100-277V
05817	MES-CL-KG-30WJSPIDA1	White	30W	5000K	124 LM/W	3,720 LM	100-277V
05817	MES-CL-KG-40WJSPIDA1	White	45W	5000K	124 LM/W	5,241 LM	100-277V
05818	MES-CL-KG-50WJSPIDA1	White	40W	5000K	121 LM/W	4,960 LM	100-277V
05818	MES-CL-KG-50WJSPIDA1	White	50W	5000K	121 LM/W	6,083 LM	100-277V
05818	MES-CL-KG-60WJSPIDA1	White	60W	5000K	121 LM/W	7,299 LM	100-277V



↑ When placing your order, please use **Order Code**.

PHOTOMETRIC DATA



LED Garage Canopy Light (Kodiak G)

DIMENSIONS



LIGHT SIZE	A	B	C
15W - 40W	8.03"	8.03"	3.6"
40W - 60W	10"	10"	4.1"

ACCESSORIES

Order Code	Description	Size	Hole	Voltage
05880	Canopy Flat Plate	18x18	8x8 Square Hole	-
05882	Canopy Flat Plate	18x18	-	-
05883	Canopy Flat Plate	24x24	8x8 Square Hole	-
05884	Canopy Flat Plate	24x24	-	-
08360	Step Down Transformer	-	-	480V to 277V