




Ceramic Media

S = Standard (no minimum order required)

N = Non Standard (1,000 min. order for non-stock)

Ceramic Media Formulations	Formula Code	Color	Purpose	Media Wear	Surface Finish	Weight Per Cubic Foot
Polish	P	White	Polish	Excellent	Bright	85-90
Light Cut	LC	Gray	Lt. Deburr	Exceptional	Good	85-90
General Purpose	M	Gray	Gen. Deburr	Exceptional	Good	85-90
Fast Cutting	SF	Gray	Fast Deburr	Good	Good	85-90
Extra Fast Cutting	XF	Tan	Extra Fast Deburr	Moderate	Matte Fine	85-90
Dense Super Fast Cutting	DF	Brown	Dense Fast	Moderate	Matte	95-100
Silicon Carbide	SC	Gray	No Al Oxide	Good	Good	85-90
Ultra Aggressive	UFX	Blue Gray	Aggressive	Moderate	Matte	85-90


Angle Cut Cylinder 22°



Angle Cut Cylinder 22° Formulations

Size Shape	P	LC	M	SF	XF	UFX	DF	SC	2	3	4
1/8 x 11/32	N	N	N	N	N	N	N	N			
5/32 x 5/16	N	N	N	N	N	N	N	N			
3/16 x 3/8	S	N	S	S	N	N	N	N			
1/4 x 5/8	N	N	S	S	N	N	N	N			
5/16 x 5/8	N	N	S	S	N	N	N	N	N	S	N
3/8 x 5/8	S	N	S	N	N	N	S	S	N	N	N
7/16 x 7/8	N	N	S	N	N	N	N	N	S	N	N
1/2 x 7/8	N	N	S	N	N	N	N	N	N	N	N
5/8 x 1 1/8	N	N	S	S	N	N	N	N	N	N	N
5/8 x 1 1/2	N	N	S	N	N	N	N	N	S	N	N
7/8 x 1 1/2	N	N	S	N	N	N	N	N			
7/8 x 1 3/4	N	N	S	N	N	N	N	N	S	N	N

Angle Cut Cylinder 45° & 60°



Angle Cut Cylinder 45° & 60° Formulations

Size Shape	P	LC	M	SF	XF	UFX	DF	SC	2	3	4
3/8 x 5/8 (45°)	N	N	S	N	N	N	N	N	N	N	N
5/8 x 1 1/8 (45°)	N	N	S	N	N	N	N	N	N	N	N
1/4 x 9/16 (60°)	N	N	N	N	N	N	N	N			



Ceramic Media

S = Standard (no minimum order required)
 N = Non Standard (1,000 min. order for non-stock)


Angle Cut Triangle 22°



22° Cut Triangle Formulations

Size Shape	P	LC	M	SF	XF	UFX	DF	SC	2	3	4
1/4 x 3/16	N	N	N	S	N	N	N	N			
1/4 x 1/4	N	N	S	N	N	N	N	N			
3/8 x 1/4	N	N	S	S	N	N	N	N	N	N	S
3/8 x 3/8	N	N	S	S	N	S	N	N	N	N	S
5/8 x 3/8	N	N	S	N	N	N	N	N			
5/8 x 5/8	N	N	S	S	N	S	N	N	S	S	S
7/8 x 5/16	N	N	N	N	N	N	N	N	N	N	N
7/8 x 3/8	N	N	S	S	S	N	N	N	S	N	N
7/8 x 7/8	N	N	S	S	S	S	S	N	N	N	S
1-1/8 x 3/8	N	N	S	S	N	N	N	N	N	N	N
1-1/8 x 5/8	N	N	N	N	N	N	N	N			
1-1/8 x 7/8	N	N	S	N	N	N	N	N	N	N	N
1-1/8 x 1-1/8	N	N	S	N	N	S	N	N	N	N	N
1-3/8 x 1/2	N	N	S	N	N	N	N	N	S	N	N
1-3/8 x 5/8	N	N	N	N	N	N	N	N			
1-1/2 x 1/2	N	N	N	N	N	N	N	N			
1-1/2 x 1-1/2	N	N	N	N	N	N	N	N			
1-7/8 x 5/8	N	N	S	N	N	N	N	N	S	N	S
1-7/8 x 7/8	N	N	N	N	N	N	N	N			
2 x 5/8									N	N	N
2 x 7/8	N	N	N	N	N	N	N	N	N	N	N

Straight Cut Triangle



Straight Cut Triangle Formulations

Size Shape	P	LC	M	SF	XF	UFX	DF	SC	2	3	4
1/4 x 1/4	N	N	N	N	N	N	N	N			
7/8 x 5/8	N	N	N	N	N	N	N	N			




Ceramic Media

S = Standard (no minimum order required)

N = Non Standard (1,000 min. order for non-stock)


Angle Cut Ellipse



Angle Cut Ellipse Formulations

Size Shape	P	LC	M	SF	XF	UFX	DF	SC	2	3	4
3/8 x 5/8 x 5/8	N	N	N	N	N	N	N	N	N	N	N
3/4 x 9/16 x 7/8									N	N	N
5/8 x 1 1/8 x 7/8	N	N	N	N	N	N	N	N			
1/4 x 9/16 x 1	N	N	N	N	N	N	N	N			

Angle Cut Tristar



Angle Cut Tristar Formulations

Size Shape	P	LC	M	SF	XF	UFX	DF	SC	2	3	4
5/8 x 1/4	N	N	S	S	N	N	N	N	N	N	S
7/8 x 5/16	N	N	S	S	N	N	N	N			
7/8 x 3/8	N	N	S	S	N	N	N	N	N	N	S
1 1/8 x 3/8	N	N	S	S	N	N	N	N	N	N	N
1 1/8 x 5/8	N	N	N	N	N	N	N	N			
1 3/8 x 1/2	N	N	N	N	N	N	N	N			
1 7/8 x 5/8	N	N	S	N	N	N	N	N			




Ceramic Media

S = Standard (no minimum order required)

N = Non Standard (1,000 min. order for non-stock)


Cylindrical Wedge



Cylindrical Wedge Formulations

Size Shape	P	LC	M	SF	XF	UFX	DF	SC	2	3	4
7/16 x 7/16	N	N	N	N	N	N	N	N			
3/8 x 3/8									N	N	N
5/8 x 5/8	N	N	S	S	N	N	N	N	N	N	N
3/4 x 3/4	N	N	S	S	N	S	N	N	N	N	S
7/8 x 7/8									N	N	N
1 x 1	N	N	S	S	N	N	S	N	S	N	N
1 1/8 x 1 1/8	N	N	S	S	N	N	N	N	N	N	N
1 1/4 x 1 1/4									N	N	N
1 1/2 x 1 1/2									S	N	N
2 x 2	N	N	N	N	N	N	N	N	N	N	N

Cones



Cones Formulations

Size Shape	P	LC	M	SF	XF	UFX	DF	SC	2	3	4
3/4 x 7/8	N	N	S	S	N	N	N	N			
1 x 1 1/4	N	N	S	N	N	N	N	N			
1 3/16 x 1 3/16	N	N	S	N	N	N	N	N			



Precision Ceramic Media

S = Standard (no minimum order required)

N = Non Standard (1,000 min. order for non-stock)

Formulations	Formula Code	Color	Purpose	Media Wear	Surface Finish	Weight Per Cubic Foot
Polish	P	White	Polish Light Deburr	Excellent	Bright	115-120
Fast Cut	FC	Gray	Fast Cut	Good	Good	100-110

Polishing Pins (White)



Formulations

Diameter x Length	P
1.3 x 3 mm	S
1.7 x 5.2 mm	S
2.5 x 8 mm	S
3 x 10 mm	S
4.5 x 14 mm	S
7 x 23 mm	S

Polishing Spheres (White)



Formulations

Diameter x Length	P
2 mm	S
3 mm	S
4 mm	S
5 mm	S
6 mm	S
8 mm	S
10 mm	S
12 mm	S

Polishing Triangle



Formulations

Diameter x Length	P
2 x 2mm	S
3 x 3mm	S
4 x 4mm	S
6 x 6 mm	S



Precision Ceramic Media

S = Standard (no minimum order required)

N = Non Standard (1,000 min. order for non-stock)

Fast Cutting Pins (Gray)



Formulations

Diameter x Length	P
1.5 x 5 mm	S
2.5 x 8 mm	S
3 x 6 mm	S

Fast Cut Spheres (Gray)



Formulations

Diameter x Length	P
2 mm	S
4 mm	S
5 mm	S
6 mm	S
9 mm	S

Fast Cut Triangles (Gray)



Formulations

Diameter x Length	P
2 x 2 mm	S
3 x 2.5 mm	S
3 x 3 mm	S
3 x 6 mm	S
4 x 4 mm	S
4 x 8 mm	S