

# Installation Guide

# Tago, Plus & Minus Bathroom Accessories

## **OVERVIEW**

Avenir has developed unique installation systems to help solve the problems usually associated with bathroom accessories working loose over time. However these unique aspects of the installation procedure are often overlooked and result in unsatisfactory results. Please read and follow this guide carefully and use the supplied hardware.

NOTE: Epoxy glue is an essential part of this installation procedure and MUST be used for all accessories with single mounting points

### SUPPLIED FIXING KIT

The supplied fixing kit includes wall plugs, stainless steel screws, epoxy glue (single wall mounting point) and a diamond drill bit. These are suitable for the below wall types. We suggest drilling the holes as far from the edge of the tile as possible. It is not recommended to drill the fixing holes on the grout lines. When supplied, it is ESSENTIAL to use the epoxy glue. Failure to use the supplied hardware and the epoxy glue will void the warranty.

- · Masonry walls with or without tiles.
- · Non-Masonry walls (stud walls) with tiles

## OPTIONAL FIXING KITS

## **Plasterboard Fixing Kit:**

Most Avenir accessories can be mounted onto plasterboard using the optional plasterboard fixing kit (sold separately). This includes a backing flange and expanding plasterboard toggles. This kit is always required for installation onto plasterboard, even if studs are provided behind the plasterboard.

## **Glass Fixing Kit:**

Most Avenir accessories can be mounted onto toughened glass provided both sides of the glass are accessible (e.g. shower screens). Provision must be made for a single hole (10mm diameter) at each fixing location. The hole must be drilled prior to the glass being toughened. Please consult your glass supplier for more information. Avenir produces a glass fixing kit (sold separately) for this purpose.

# **FAQ**

What does the warranty cover? Avenir warrants all our products against defective materials or workmanship for a period of ten (10) years from the date of purchase. Please note this warranty does not cover installation issues - if you are having difficulties installing this product, we are happy to assist telephonically but we do not come to site.

**Missing parts?** Please give us a call – we are always happy to assist over the phone or send you free replacement parts if missing or lost.



# Installation Guide

# Tago, Plus & Minus Bathroom Accessories

## **OVERVIEW**

Avenir has developed unique installation systems to help solve the problems usually associated with bathroom accessories working loose over time. However these unique aspects of the installation procedure are often overlooked and result in unsatisfactory results. Please read and follow this guide carefully and use the supplied hardware.

NOTE: Epoxy glue is an essential part of this installation procedure and MUST be used for all accessories with single mounting points

### SUPPLIED FIXING KIT

The supplied fixing kit includes wall plugs, stainless steel screws, epoxy glue (single wall mounting point) and a diamond drill bit. These are suitable for the below wall types. We suggest drilling the holes as far from the edge of the tile as possible. It is not recommended to drill the fixing holes on the grout lines. When supplied, it is ESSENTIAL to use the epoxy glue. Failure to use the supplied hardware and the epoxy glue will void the warranty.

- · Masonry walls with or without tiles.
- · Non-Masonry walls (stud walls) with tiles

## OPTIONAL FIXING KITS

## **Plasterboard Fixing Kit:**

Most Avenir accessories can be mounted onto plasterboard using the optional plasterboard fixing kit (sold separately). This includes a backing flange and expanding plasterboard toggles. This kit is always required for installation onto plasterboard, even if studs are provided behind the plasterboard.

## **Glass Fixing Kit:**


Most Avenir accessories can be mounted onto toughened glass provided both sides of the glass are accessible (e.g. shower screens). Provision must be made for a single hole (10mm diameter) at each fixing location. The hole must be drilled prior to the glass being toughened. Please consult your glass supplier for more information. Avenir produces a glass fixing kit (sold separately) for this purpose.

# **FAQ**

What does the warranty cover? Avenir warrants all our products against defective materials or workmanship for a period of ten (10) years from the date of purchase. Please note this warranty does not cover installation issues - if you are having difficulties installing this product, we are happy to assist telephonically but we do not come to site.

**Missing parts?** Please give us a call – we are always happy to assist over the phone or send you free replacement parts if missing or lost.






## **WARRANTY**

Avenir warrants all our products against defective materials or workmanship for a period of ten (10) years from the date of purchase. Please note this warranty does not cover installation issues - if you are having difficulties installing this product, we are happy to assist telephonically but we do not come to site.





## **WARRANTY**

Avenir warrants all our products against defective materials or workmanship for a period of ten (10) years from the date of purchase. Please note this warranty does not cover installation issues - if you are having difficulties installing this product, we are happy to assist telephonically but we do not come to site.