

# avenir<sup>®</sup>

## Technical Specifications

VERSION 2022.01



# Teno

Heated & Non-Heated Towel Rails

## VARIATIONS

Heated Version	Non-Heated Version	Height x Width	Volts	Watts/rail
TFH1-83	TNH1-83	900 x 830 mm	24V	66 Watts

## NOTES

- This is a Low Voltage product - Safe to be installed in Zone 1 (wet areas)
- Transformer included
- Concealed wiring available through either foot.
- Wire specifications: Use flexible multistrand 1.5mm<sup>2</sup> - Do not exceed 5 meters in length.
- Non Heated version available (Less \$50)
- Plug-In version not available

## STANDARD FINISHES

### Mirror Polished

Stainless Steel

RRP

### Brushed

Stainless Steel

+20% (Stocked)

### Matt Black/White

Painted

+40% (Stocked)

### Gunmetal

PVD

+50% (Stocked)

### Brushed Gold

PVD

+60% (Stocked)

## SPECIFICATIONS

### Voltage

24 Volts

### Standards

AS/NZ 60335.2.43

### Material

Stainless Steel 304

### Electrical Connection

Concealed Wiring std - any leg

### Finish

Mirror Polished

### Heating Method

Dry Internal Heating Element

### Ingress Protection

IPX5 (Suitable for wet areas)

### Options

Non Heated

DEVELOPED IN  
AUSTRALIA



HEATING TIME  
30 MINUTES



WARRANTY  
10 YEAR



