


Xylo

Heated & Non-Heated Towel Rails

DETAILED DIMENSIONS



VARIATIONS




Heated Version	Non-Heated Version	Height x Width	Rails	Watts/rail
TRH5-45	TRN5-45	30 x 450 mm	1 to 5	10 Watts
TRH5-65	TRN5-65	30 x 650 mm	1 to 5	14 Watts
TRH5-90	TRN5-90	30 x 900 mm	1 to 5	18 Watts

TRCF105 In-wall kit required - accommodates up to 5 rails. Can be cut to length or in 2 for split locations


STANDARD FINISHES

Chrome	Brushed Nickel	Matt Black	Matt White	Electroplated
Electroplated	Electroplated	Painted	Painted	e.g. Graphite
RRP	+60%**	+40%**	+40%**	+60% (Made to Order)

SPECIFICATIONS

Voltage 12V	Standards AS/NZ 60335.2.43	MADE IN AUSTRALIA 
Material Brass	Electrical Connection Concealed Wiring only - any leg (TRCF105 required)	HEATING TIME 30 MINUTES 
Finish Chrome	Heating Method Dry Internal Heating Element	WARRANTY 10 YEAR 
Safety SELV (Separated Extra Low Voltage)	Non-Heated version available	

* For electroplated finishes, please enquire (POA) ** Calculated on heated version



VARIATIONS

Heated Version	Non-Heated Version	H1 (Spacing)	W1 (Overall)	W2 (Fixings)
TRH5-45	TRN5-45	40mm x Spaces	450mm	435mm
TRH5-65	TRN5-65	40mm x Spaces	650mm	635mm
TRH5-90	TRN5-90	40mm x Spaces	900mm	885mm

TRCF105 In-wall kit required. Accommodates up to 5 rails. Can be cut to length or in 2 pieces for split installation locations