



Küschall[®] Compact Price List and Order Form

NDIS Number:

Customer	Name:

Date: ___

_____ Mobile: _____ Customer Email: _____

Address:	City:	State:		Postcode:
Code	Description		Price	
DCA 0012			\$4,635	
DCA 0002		Complete all information at end of script	94,035 POA	
SEATING		complete di miornation di end of script	FUA	
FRONT FI				
DCA 1100	Swing-Away Frame		N/C	
DCA 1110	Fixed Frame Active, 70°		N/C	
DCA 1120	Fixed Frame Dynamic, 80°		N/C	
DCA 1130	Fixed Frame Tapered, 70°		N/C	
DCA 1140	Fixed Frame Tapered, 80°		N/C	
SEAT WID			N/C	
DCA 1300		Single cross brace	N/C	-
DCA 1305			N/C	
DCA 1310	32cm	Single cross brace Single cross brace	N/C	
DCA 1310	34cm	Single cross brace	N/C	
DCA 1313		Single cross brace	N/C	1
DCA 1325		Single cross brace	N/C	
DCA 1323		Single cross brace	N/C	
DCA 1335		Single cross brace	N/C	
DCA 1340		Double cross brace	N/C	
DCA 1340		Double cross brace	N/C	
DCA 1345		Double cross brace	N/C	
DCA 1350		Double cross brace	N/C	
SEAT DEF			N/C	
DCA 1400		Not with ang-adj back set at 82°-86°	N/C	
DCA 1400		Not with ang-adj back set at 82°-86°	N/C	
DCA 1403	36cm		N/C	
DCA 1415			N/C	
DCA 1425			N/C	
DCA 1435 DCA 1445			N/C	
DCA 1445			N/C	
DCA 1480			N/C	
DCA 1470			N/C	
DCA 1490			N/C	
BACK HE		Not with foldable back	NIC	
DCA 1615	30cm	Not with foldable back	N/C	
DCA 1620			N/C	
DCA 1625		Not with foldable back	N/C	
DCA 1630			N/C N/C	
DCA 1635				
DCA 1640			N/C N/C	
DCA 1645				
DCA 1650			N/C	-
DCA 1655			N/C	-
DCA 1660			N/C	
DCA 1665			N/C	1
DCA 1670			N/C	
DCA 1675			N/C	
DCA 1680			N/C	
DCA 1685	51cm		N/C	

1 · ·	T-TO-FLOOR-HEIGHT (FSTF)		4
DCA 1705	38cm Special Hemi swing-away frame; not with fixed frames	N/C	4
DCA 1710	39cm Special Hemi swing-away frame; not with fixed frames	N/C	_
DCA 1715	40cm Special Hemi swing-away frame; not with fixed frames	N/C	
DCA 1720	41cm Special Hemi swing-away frame; not with fixed frames	N/C	
DCA 1725	42cm Special Hemi swing-away frame; not with fixed frames	N/C	
DCA 1730	43cm Special Hemi swing-away frame; not with fixed frames	N/C	
DCA 1735	44cm	N/C	
DCA 1740	45cm	N/C	
DCA 1745	46cm	N/C	
DCA 1745	46cm	N/C	1
DCA 1755	48cm	N/C	-
+ +	49cm	N/C	-
	50cm	N/C	-
	51cm	N/C	-
	52cm	N/C	-
	53cm Not with 80° fixed frames	N/C	-
1 1		N/C	1
1 1	TO-FLOOR-HEIGHT (RSTF)	NI/C	-
	36cm Only with 22" rear wheels and swing-away frame; Not with anti-tippers	N/C	
1 1	39cm Only with 22" rear wheels and swing-away frame; Not with anti-tippers	N/C	RSTF / Rear wheel s 22": 36-47 cm
	39cm Only with 22" rear wheels	N/C	24" : 39-49 cm
	39cm Only with 22" or 24" rear wheels	N/C	25" : 42-50 cm 26" : 42-50 cm
	40cm Only with 22" or 24" rear wheels	N/C	
<u> </u>	41cm Only with 22" or 24" rear wheels	N/C	70° and 80° legrest RSTF = [FSTF-10cm]
DCA 1830	42cm	N/C	[FSTF-Ocm]
DCA 1835	43cm	N/C	70° fixed frame:
DCA 1840	44cm	N/C	RSTF = [FSTF-10cm]
DCA 1845	45cm	N/C	[FSTF-0cm]
DCA 1850	46cm	N/C	80° fixed frame:
DCA 1855	47cm	N/C	RSTF = [FSTF-10cm] [FSTF-3cm]
DCA 1860	48cm Not with 22" rear wheels	N/C	1
DCA 1865	49cm Not with 22" rear wheels	N/C	
DCA 1870	50cm Not with 22" or 24" rear wheels	N/C	
	Not with 22 of 24 fedr wheels	10/0	
LOWER LEG		100	1
	LENGTH (LLL) 70° : LLLmax = [FSTF-2cm] ; 80° : LLLmax = [FSTF-3cm]	N/C	-
DCA 1900	LENGTH (LLL) 70° : LLLmax = [FSTF-2cm] ; 80° : LLLmax = [FSTF-3cm]		-
DCA 1900 DCA 1902	LENGTH (LLL) 70°: LLLmax = [FSTF-2cm]; 80°: LLLmax = [FSTF-3cm] 20cm Depending on the configuration, the footplate may be high mounted; Not with swing-away frame	N/C	-
DCA 1900 DCA 1902 DCA 1904	LENGTH (LLL) 70° : LLLmax = [FSTF-2cm] ; 80° : LLLmax = [FSTF-3cm] 20cm Depending on the configuration, the footplate may be high mounted; Not with swing-away frame 21cm Depending on the configuration, the footplate may be high mounted 22cm Depending on the configuration, the footplate may be high mounted	N/C N/C	-
DCA 1900 DCA 1902 DCA 1904 DCA 1906	LENGTH (LLL) 70° : LLLmax = [FSTF-2cm] ; 80° : LLLmax = [FSTF-3cm] 20cm Depending on the configuration, the footplate may be high mounted; Not with swing-away frame 21cm Depending on the configuration, the footplate may be high mounted 22cm Depending on the configuration, the footplate may be high mounted 23cm Depending on the configuration, the footplate may be high mounted	N/C N/C N/C N/C	-
DCA 1900 DCA 1902 DCA 1904 DCA 1906 DCA 1908	LENGTH (LLL) 70° : LLLmax = [FSTF-2cm] : 80° : LLLmax = [FSTF-3cm] 20cm Depending on the configuration, the footplate may be high mounted; Not with swing-away frame 21cm Depending on the configuration, the footplate may be high mounted 22cm Depending on the configuration, the footplate may be high mounted 23cm Depending on the configuration, the footplate may be high mounted 24cm Depending on the configuration, the footplate may be high mounted	N/C N/C N/C N/C N/C	-
DCA 1900 DCA 1902 DCA 1904 DCA 1906 DCA 1908 DCA 1910	LENGTH (LLL) 70°: LLLmax = [FSTF-2cm]; 80°: LLLmax = [FSTF-3cm] 20cm Depending on the configuration, the footplate may be high mounted; Not with swing-away frame 21cm Depending on the configuration, the footplate may be high mounted 22cm Depending on the configuration, the footplate may be high mounted 23cm Depending on the configuration, the footplate may be high mounted 23cm Depending on the configuration, the footplate may be high mounted 24cm Depending on the configuration, the footplate may be high mounted 25cm Depending on the configuration, the footplate may be high mounted	N/C N/C N/C N/C N/C N/C	-
DCA 1900 DCA 1902 DCA 1904 DCA 1906 DCA 1908 DCA 1910 DCA 1912	LENGTH (LLL) 70°: LLLmax = [FSTF-2cm]; 80°: LLLmax = [FSTF-3cm] 20cm Depending on the configuration, the footplate may be high mounted; Not with swing-away frame 21cm Depending on the configuration, the footplate may be high mounted 22cm Depending on the configuration, the footplate may be high mounted 23cm Depending on the configuration, the footplate may be high mounted 23cm Depending on the configuration, the footplate may be high mounted 24cm Depending on the configuration, the footplate may be high mounted 25cm Depending on the configuration, the footplate may be high mounted 26cm Depending on the configuration, the footplate may be high mounted 26cm Depending on the configuration, the footplate may be high mounted 26cm Depending on the configuration, the footplate may be high mounted	N/C N/C N/C N/C N/C N/C N/C	- - - - - - -
DCA 1900 DCA 1902 DCA 1904 DCA 1906 DCA 1908 DCA 1910 DCA 1912 DCA 1914	LENGTH (LLL) 70° : LLLmax = [FSTF-2cm] ; 80° : LLLmax = [FSTF-3cm] 20cm Depending on the configuration, the footplate may be high mounted; Not with swing-away frame 21cm Depending on the configuration, the footplate may be high mounted 22cm Depending on the configuration, the footplate may be high mounted 23cm Depending on the configuration, the footplate may be high mounted 24cm Depending on the configuration, the footplate may be high mounted 25cm Depending on the configuration, the footplate may be high mounted 26cm Depending on the configuration, the footplate may be high mounted 27cm Depending on the configuration, the footplate may be high mounted	N/C N/C N/C N/C N/C N/C N/C N/C	
DCA 1900 DCA 1902 DCA 1904 DCA 1906 DCA 1908 DCA 1910 DCA 1912 DCA 1914 DCA 1916	LENGTH (LLL) 70° : LLLmax = [FSTF-2cm] ; 80° : LLLmax = [FSTF-3cm] 20cm Depending on the configuration, the footplate may be high mounted; Not with swing-away frame 21cm Depending on the configuration, the footplate may be high mounted 22cm Depending on the configuration, the footplate may be high mounted 23cm Depending on the configuration, the footplate may be high mounted 23cm Depending on the configuration, the footplate may be high mounted 24cm Depending on the configuration, the footplate may be high mounted 25cm Depending on the configuration, the footplate may be high mounted 26cm Depending on the configuration, the footplate may be high mounted 27cm Depending on the configuration, the footplate may be high mounted 28cm Depending on the configuration, the footplate may be high mounted	N/C N/C N/C N/C N/C N/C N/C N/C N/C	
DCA 1900 DCA 1902 DCA 1904 DCA 1906 DCA 1908 DCA 1910 DCA 1912 DCA 1914 DCA 1916 DCA 1918	LENGTH (LLL) 70° : LLLmax = [FSTF-2cm] ; 80° : LLLmax = [FSTF-3cm] 20cm Depending on the configuration, the footplate may be high mounted; Not with swing-away frame 21cm Depending on the configuration, the footplate may be high mounted 22cm Depending on the configuration, the footplate may be high mounted 23cm Depending on the configuration, the footplate may be high mounted 23cm Depending on the configuration, the footplate may be high mounted 24cm Depending on the configuration, the footplate may be high mounted 25cm Depending on the configuration, the footplate may be high mounted 26cm Depending on the configuration, the footplate may be high mounted 27cm Depending on the configuration, the footplate may be high mounted 28cm Depending on the configuration, the footplate may be high mounted 28cm Depending on the configuration, the footplate may be high mounted 29cm Depending on the configuration, the footplate may be high mounted	N/C	
DCA 1900 DCA 1902 DCA 1904 DCA 1906 DCA 1908 DCA 1910 DCA 1912 DCA 1914 DCA 1918 DCA 1920	LENGTH (LLL) 70° : LLLmax = [FSTF-2cm] ; 80° : LLLmax = [FSTF-3cm] 20cm Depending on the configuration, the footplate may be high mounted; Not with swing-away frame 21cm Depending on the configuration, the footplate may be high mounted 22cm Depending on the configuration, the footplate may be high mounted 23cm Depending on the configuration, the footplate may be high mounted 23cm Depending on the configuration, the footplate may be high mounted 24cm Depending on the configuration, the footplate may be high mounted 25cm Depending on the configuration, the footplate may be high mounted 26cm Depending on the configuration, the footplate may be high mounted 27cm Depending on the configuration, the footplate may be high mounted 28cm Depending on the configuration, the footplate may be high mounted 29cm Depending on the configuration, the footplate may be high mounted 30cm Depending on the configuration, the footplate may be high mounted	N/C	
DCA 1900 DCA 1902 DCA 1904 DCA 1906 DCA 1908 DCA 1910 DCA 1912 DCA 1914 DCA 1916 DCA 1920 DCA 1922	LENGTH (LLL) 70° : LLLmax = [FSTF-2cm] ; 80° : LLLmax = [FSTF-3cm] 20cm Depending on the configuration, the footplate may be high mounted; Not with swing-away frame 21cm Depending on the configuration, the footplate may be high mounted 22cm Depending on the configuration, the footplate may be high mounted 23cm Depending on the configuration, the footplate may be high mounted 23cm Depending on the configuration, the footplate may be high mounted 24cm Depending on the configuration, the footplate may be high mounted 25cm Depending on the configuration, the footplate may be high mounted 26cm Depending on the configuration, the footplate may be high mounted 27cm Depending on the configuration, the footplate may be high mounted 28cm Depending on the configuration, the footplate may be high mounted 29cm Depending on the configuration, the footplate may be high mounted 30cm Depending on the configuration, the footplate may be high mounted 31cm Depending on the configuration, the footplate may be high mounted	N/C	- - - - - - - - - - - -
DCA 1900 DCA 1902 DCA 1904 DCA 1906 DCA 1908 DCA 1910 DCA 1912 DCA 1914 DCA 1916 DCA 1918 DCA 1920 DCA 1924	LENGTH (LLL) 70° : LLLmax = [FSTF-2cm] ; 80° : LLLmax = [FSTF-3cm] 20cm Depending on the configuration, the footplate may be high mounted; Not with swing-away frame 21cm Depending on the configuration, the footplate may be high mounted 22cm Depending on the configuration, the footplate may be high mounted 23cm Depending on the configuration, the footplate may be high mounted 24cm Depending on the configuration, the footplate may be high mounted 25cm Depending on the configuration, the footplate may be high mounted 26cm Depending on the configuration, the footplate may be high mounted 27cm Depending on the configuration, the footplate may be high mounted 28cm Depending on the configuration, the footplate may be high mounted 29cm Depending on the configuration, the footplate may be high mounted 30cm Depending on the configuration, the footplate may be high mounted 30cm Depending on the configuration, the footplate may be high mounted 30cm Depending on the configuration, the footplate may be high mounted 30cm Depending on the configuration, the footplate may be high mounted 30cm Depending on the configuration, the footplate may be high mounted 30cm	N/C	
DCA 1900 DCA 1902 DCA 1904 DCA 1908 DCA 1910 DCA 1912 DCA 1914 DCA 1916 DCA 1920 DCA 1922 DCA 1924 DCA 1926	LENGTH (LLL) 70° : LLLmax = [FSTF-2cm] ; 80° : LLLmax = [FSTF-3cm] 20cm Depending on the configuration, the footplate may be high mounted; Not with swing-away frame 21cm Depending on the configuration, the footplate may be high mounted 22cm Depending on the configuration, the footplate may be high mounted 23cm Depending on the configuration, the footplate may be high mounted 24cm Depending on the configuration, the footplate may be high mounted 25cm Depending on the configuration, the footplate may be high mounted 26cm Depending on the configuration, the footplate may be high mounted 27cm Depending on the configuration, the footplate may be high mounted 28cm Depending on the configuration, the footplate may be high mounted 29cm Depending on the configuration, the footplate may be high mounted 30cm Depending on the configuration, the footplate may be high mounted 31cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be high mounted 31cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be high mounted 32cm	N/C	
DCA 1900 DCA 1902 DCA 1904 DCA 1908 DCA 1910 DCA 1912 DCA 1914 DCA 1918 DCA 1920 DCA 1922 DCA 1924 DCA 1928	LENGTH (LLL) 70° : LLLmax = [FSTF-2cm] ; 80° : LLLmax = [FSTF-3cm] 20cm Depending on the configuration, the footplate may be high mounted; Not with swing-away frame 21cm Depending on the configuration, the footplate may be high mounted 22cm Depending on the configuration, the footplate may be high mounted 23cm Depending on the configuration, the footplate may be high mounted 24cm Depending on the configuration, the footplate may be high mounted 25cm Depending on the configuration, the footplate may be high mounted 26cm Depending on the configuration, the footplate may be high mounted 27cm Depending on the configuration, the footplate may be high mounted 28cm Depending on the configuration, the footplate may be high mounted 29cm Depending on the configuration, the footplate may be high mounted 30cm Depending on the configuration, the footplate may be high mounted 31cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be high mounted 31cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be high mounted 32cm	N/C	
DCA 1900 DCA 1902 DCA 1904 DCA 1908 DCA 1910 DCA 1912 DCA 1914 DCA 1916 DCA 1918 DCA 1920 DCA 1922 DCA 1924 DCA 1928 DCA 1930	LENGTH (LLL) 70° : LLLmax = [FSTF-2cm] ; 80° : LLLmax = [FSTF-3cm] 20cm Depending on the configuration, the footplate may be high mounted; Not with swing-away frame 21cm Depending on the configuration, the footplate may be high mounted 22cm Depending on the configuration, the footplate may be high mounted 23cm Depending on the configuration, the footplate may be high mounted 24cm Depending on the configuration, the footplate may be high mounted 25cm Depending on the configuration, the footplate may be high mounted 26cm Depending on the configuration, the footplate may be high mounted 27cm Depending on the configuration, the footplate may be high mounted 28cm Depending on the configuration, the footplate may be high mounted 29cm Depending on the configuration, the footplate may be high mounted 30cm Depending on the configuration, the footplate may be high mounted 31cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be high mounted 31cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be high mounted 32cm	N/C	
DCA 1900 DCA 1902 DCA 1904 DCA 1908 DCA 1910 DCA 1912 DCA 1914 DCA 1916 DCA 1918 DCA 1920 DCA 1922 DCA 1924 DCA 1925 DCA 1926 DCA 1930 DCA 1932	LENGTH (LLL) 70° : LLLmax = [FSTF-2cm] ; 80° : LLLmax = [FSTF-3cm] 20cm Depending on the configuration, the footplate may be high mounted; Not with swing-away frame 21cm Depending on the configuration, the footplate may be high mounted 22cm Depending on the configuration, the footplate may be high mounted 23cm Depending on the configuration, the footplate may be high mounted 24cm Depending on the configuration, the footplate may be high mounted 25cm Depending on the configuration, the footplate may be high mounted 26cm Depending on the configuration, the footplate may be high mounted 27cm Depending on the configuration, the footplate may be high mounted 28cm Depending on the configuration, the footplate may be high mounted 29cm Depending on the configuration, the footplate may be high mounted 30cm Depending on the configuration, the footplate may be high mounted 31cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be high mounted 30cm Depending on the configuration, the footplate may be high mounted 32cm	N/C	
DCA 1900 DCA 1902 DCA 1904 DCA 1908 DCA 1910 DCA 1912 DCA 1914 DCA 1916 DCA 1918 DCA 1920 DCA 1922 DCA 1924 DCA 1925 DCA 1926 DCA 1930 DCA 1932	LENGTH (LLL) 70° : LLLmax = [FSTF-2cm] ; 80° : LLLmax = [FSTF-3cm] 20cm Depending on the configuration, the footplate may be high mounted; Not with swing-away frame 21cm Depending on the configuration, the footplate may be high mounted 22cm Depending on the configuration, the footplate may be high mounted 23cm Depending on the configuration, the footplate may be high mounted 24cm Depending on the configuration, the footplate may be high mounted 25cm Depending on the configuration, the footplate may be high mounted 26cm Depending on the configuration, the footplate may be high mounted 27cm Depending on the configuration, the footplate may be high mounted 28cm Depending on the configuration, the footplate may be high mounted 29cm Depending on the configuration, the footplate may be high mounted 30cm Depending on the configuration, the footplate may be high mounted 31cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be high mounted 31cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be high mounted 32cm	N/C	
DCA 1900 DCA 1902 DCA 1904 DCA 1906 DCA 1910 DCA 1910 DCA 1912 DCA 1914 DCA 1916 DCA 1920 DCA 1922 DCA 1924 DCA 1925 DCA 1926 DCA 1928 DCA 1932 DCA 1934	LENGTH (LLL) 70° : LLLmax = [FSTF-2cm] ; 80° : LLLmax = [FSTF-3cm] 20cm Depending on the configuration, the footplate may be high mounted; Not with swing-away frame 21cm Depending on the configuration, the footplate may be high mounted 22cm Depending on the configuration, the footplate may be high mounted 23cm Depending on the configuration, the footplate may be high mounted 24cm Depending on the configuration, the footplate may be high mounted 25cm Depending on the configuration, the footplate may be high mounted 26cm Depending on the configuration, the footplate may be high mounted 27cm Depending on the configuration, the footplate may be high mounted 28cm Depending on the configuration, the footplate may be high mounted 29cm Depending on the configuration, the footplate may be high mounted 30cm Depending on the configuration, the footplate may be high mounted 31cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be high mounted 30cm Depending on the configuration, the footplate may be high mounted 32cm	N/C	
DCA 1900 DCA 1902 DCA 1904 DCA 1906 DCA 1910 DCA 1910 DCA 1912 DCA 1914 DCA 1916 DCA 1920 DCA 1922 DCA 1924 DCA 1925 DCA 1926 DCA 1930 DCA 1934 DCA 1934 DCA 1936	LENGTH (LLL) 70° : LLLmax = [FSTF-2cm] ; 80° : LLLmax = [FSTF-3cm] 20cm Depending on the configuration, the footplate may be high mounted; Not with swing-away frame 21cm Depending on the configuration, the footplate may be high mounted 22cm Depending on the configuration, the footplate may be high mounted 23cm Depending on the configuration, the footplate may be high mounted 24cm Depending on the configuration, the footplate may be high mounted 25cm Depending on the configuration, the footplate may be high mounted 26cm Depending on the configuration, the footplate may be high mounted 27cm Depending on the configuration, the footplate may be high mounted 28cm Depending on the configuration, the footplate may be high mounted 29cm Depending on the configuration, the footplate may be high mounted 30cm Depending on the configuration, the footplate may be high mounted 31cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be high mounted 34cm	N/C	
DCA 1900 DCA 1902 DCA 1904 DCA 1906 DCA 1908 DCA 1910 DCA 1912 DCA 1914 DCA 1916 DCA 1920 DCA 1920 DCA 1922 DCA 1924 DCA 1925 DCA 1926 DCA 1930 DCA 1932 DCA 1934 DCA 1936 DCA 1938	LENGTH (LLL) 70° : LLLmax = [FSTF-2cm] ; 80° : LLLmax = [FSTF-3cm] 20cm Depending on the configuration, the footplate may be high mounted; Not with swing-away frame 21cm Depending on the configuration, the footplate may be high mounted 22cm Depending on the configuration, the footplate may be high mounted 23cm Depending on the configuration, the footplate may be high mounted 24cm Depending on the configuration, the footplate may be high mounted 25cm Depending on the configuration, the footplate may be high mounted 26cm Depending on the configuration, the footplate may be high mounted 27cm Depending on the configuration, the footplate may be high mounted 28cm Depending on the configuration, the footplate may be high mounted 29cm Depending on the configuration, the footplate may be high mounted 30cm Depending on the configuration, the footplate may be high mounted 31cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be high mounted 34cm	N/C	
DCA 1900 DCA 1902 DCA 1904 DCA 1906 DCA 1908 DCA 1910 DCA 1912 DCA 1914 DCA 1916 DCA 1918 DCA 1920 DCA 1922 DCA 1924 DCA 1925 DCA 1930 DCA 1932 DCA 1933 DCA 1934 DCA 1938 DCA 1938 DCA 1940	LENGTH (LLL) 70°: LLLmax = [FSTF-2cm] ; 80°: LLLmax = [FSTF-3cm] 20cm Depending on the configuration, the footplate may be high mounted; Not with swing-away frame 21cm Depending on the configuration, the footplate may be high mounted 22cm Depending on the configuration, the footplate may be high mounted 23cm Depending on the configuration, the footplate may be high mounted 24cm Depending on the configuration, the footplate may be high mounted 25cm Depending on the configuration, the footplate may be high mounted 26cm Depending on the configuration, the footplate may be high mounted 27cm Depending on the configuration, the footplate may be high mounted 28cm Depending on the configuration, the footplate may be high mounted 29cm Depending on the configuration, the footplate may be high mounted 30cm Depending on the configuration, the footplate may be high mounted 31cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be high mounted 34cm Depending on the configuration, the footplate may be h	N/C	
DCA 1900 DCA 1902 DCA 1904 DCA 1906 DCA 1908 DCA 1910 DCA 1912 DCA 1914 DCA 1916 DCA 1918 DCA 1920 DCA 1922 DCA 1924 DCA 1925 DCA 1930 DCA 1932 DCA 1932 DCA 1933 DCA 1934 DCA 1938 DCA 1938 DCA 1940	LENGTH (LLL) 70° : LLLmax = [FSTF-2cm] ; 80° : LLLmax = [FSTF-3cm] 20cm Depending on the configuration, the footplate may be high mounted; Not with swing-away frame 21cm Depending on the configuration, the footplate may be high mounted 22cm Depending on the configuration, the footplate may be high mounted 23cm Depending on the configuration, the footplate may be high mounted 24cm Depending on the configuration, the footplate may be high mounted 25cm Depending on the configuration, the footplate may be high mounted 26cm Depending on the configuration, the footplate may be high mounted 27cm Depending on the configuration, the footplate may be high mounted 28cm Depending on the configuration, the footplate may be high mounted 29cm Depending on the configuration, the footplate may be high mounted 29cm Depending on the configuration, the footplate may be high mounted 30cm Depending on the configuration, the footplate may be high mounted 30cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be high mounted 32cm	N/C	
DCA 1900 DCA 1902 DCA 1904 DCA 1908 DCA 1910 DCA 1910 DCA 1911 DCA 1912 DCA 1914 DCA 1918 DCA 1920 DCA 1922 DCA 1924 DCA 1925 DCA 1926 DCA 1928 DCA 1930 DCA 1932 DCA 1934 DCA 1938 DCA 1940 DCA 1944	LENGTH (LLL) 70°: LLLmax = [FSTF-2cm]; 80°: LLLmax = [FSTF-3cm] 20cm Depending on the configuration, the footplate may be high mounted. Not with swing-away frame 21cm Depending on the configuration, the footplate may be high mounted 22cm Depending on the configuration, the footplate may be high mounted 23cm Depending on the configuration, the footplate may be high mounted 24cm Depending on the configuration, the footplate may be high mounted 25cm Depending on the configuration, the footplate may be high mounted 26cm Depending on the configuration, the footplate may be high mounted 27cm Depending on the configuration, the footplate may be high mounted 28cm Depending on the configuration, the footplate may be high mounted 29cm Depending on the configuration, the footplate may be high mounted 28cm Depending on the configuration, the footplate may be high mounted 30cm Depending on the configuration, the footplate may be high mounted 31cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be high mounted 33cm Depending on the configuration, the footplate may be high mounted 34cm <	N/C	
DCA 1900 DCA 1902 DCA 1904 DCA 1908 DCA 1910 DCA 1911 DCA 1912 DCA 1914 DCA 1916 DCA 1918 DCA 1920 DCA 1922 DCA 1924 DCA 1925 DCA 1926 DCA 1927 DCA 1928 DCA 1930 DCA 1932 DCA 1934 DCA 1935 DCA 1936 DCA 1940 DCA 1940 DCA 1944 DCA 1946	LENGTH (LLL) 70° : LLLmax = [FSTF-2cm] ; 80° : LLLmax = [FSTF-3cm] 20cm Depending on the configuration, the footplate may be high mounted: Not with swing-away frame 21cm Depending on the configuration, the footplate may be high mounted 22cm Depending on the configuration, the footplate may be high mounted 23cm Depending on the configuration, the footplate may be high mounted 24cm Depending on the configuration, the footplate may be high mounted 25cm Depending on the configuration, the footplate may be high mounted 26cm Depending on the configuration, the footplate may be high mounted 27cm Depending on the configuration, the footplate may be high mounted 28cm Depending on the configuration, the footplate may be high mounted 29cm Depending on the configuration, the footplate may be high mounted 30cm Depending on the configuration, the footplate may be high mounted 31cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be high mounted 32cm	N/C	
DCA 1900 DCA 1902 DCA 1904 DCA 1908 DCA 1910 DCA 1910 DCA 1911 DCA 1912 DCA 1914 DCA 1918 DCA 1920 DCA 1922 DCA 1923 DCA 1924 DCA 1923 DCA 1930 DCA 1932 DCA 1934 DCA 1935 DCA 1938 DCA 1940 DCA 1942 DCA 1944 DCA 1948	LENGTH (LL) 70° : LLLmax = [FSTF-2cm] ; 80° : LLLmax = [FSTF-3cm] 20cm Depending on the configuration, the footplate may be high mounted; Not with swing-away frame 21cm Depending on the configuration, the footplate may be high mounted 22cm Depending on the configuration, the footplate may be high mounted 23cm Depending on the configuration, the footplate may be high mounted 24cm Depending on the configuration, the footplate may be high mounted 25cm Depending on the configuration, the footplate may be high mounted 26cm Depending on the configuration, the footplate may be high mounted 27cm Depending on the configuration, the footplate may be high mounted 28cm Depending on the configuration, the footplate may be high mounted 29cm Depending on the configuration, the footplate may be high mounted 30cm Depending on the configuration, the footplate may be high mounted 31cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be high mounted 33cm	N/C N/C	
DCA 1900 DCA 1902 DCA 1904 DCA 1908 DCA 1910 DCA 1910 DCA 1911 DCA 1912 DCA 1914 DCA 1918 DCA 1920 DCA 1922 DCA 1924 DCA 1925 DCA 1926 DCA 1927 DCA 1928 DCA 1930 DCA 1932 DCA 1933 DCA 1934 DCA 1938 DCA 1940 DCA 1944 DCA 1944 DCA 1948 DCA 1950	LENGTH (LLL) 70°: LLLmax = [FSTF-2cm] ; 80°: LLLmax = [FSTF-3cm] 20cm Depending on the configuration, the footplate may be high mounted; Not with swing-away frame 21cm Depending on the configuration, the footplate may be high mounted 22cm Depending on the configuration, the footplate may be high mounted 23cm Depending on the configuration, the footplate may be high mounted 24cm Depending on the configuration, the footplate may be high mounted 25cm Depending on the configuration, the footplate may be high mounted 26cm Depending on the configuration, the footplate may be high mounted 26cm Depending on the configuration, the footplate may be high mounted 28cm Depending on the configuration, the footplate may be high mounted 28cm Depending on the configuration, the footplate may be high mounted 30cm Depending on the configuration, the footplate may be high mounted 30cm Depending on the configuration, the footplate may be high mounted 31cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be high mounted 33cm Depending on the configuration, the footplate may be high mounted 34cm Depending on the configuration, the footplate may be h	N/C	
DCA 1900 DCA 1902 DCA 1904 DCA 1908 DCA 1910 DCA 1910 DCA 1911 DCA 1912 DCA 1914 DCA 1916 DCA 1920 DCA 1922 DCA 1924 DCA 1925 DCA 1926 DCA 1930 DCA 1932 DCA 1933 DCA 1934 DCA 1938 DCA 1940 DCA 1941 DCA 1942 DCA 1944 DCA 1945 DCA 1946 DCA 1950	LENGTH (LLL) 70°: LLLmox = [FSTF-2cm] ; 80°: LLLmox = [FSTF-3cm] 20cm Depending on the configuration, the footplate may be high mounted; Not with swing-away frame 21cm Depending on the configuration, the footplate may be high mounted 22cm Depending on the configuration, the footplate may be high mounted 23cm Depending on the configuration, the footplate may be high mounted 24cm Depending on the configuration, the footplate may be high mounted 25cm Depending on the configuration, the footplate may be high mounted 26cm Depending on the configuration, the footplate may be high mounted 26cm Depending on the configuration, the footplate may be high mounted 28cm Depending on the configuration, the footplate may be high mounted 28cm Depending on the configuration, the footplate may be high mounted 30cm Depending on the configuration, the footplate may be high mounted 30cm Depending on the configuration, the footplate may be high mounted 31cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be high mounted 31cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be h	N/C N/C	
DCA 1900 DCA 1902 DCA 1904 DCA 1908 DCA 1910 DCA 1910 DCA 1911 DCA 1912 DCA 1914 DCA 1918 DCA 1920 DCA 1921 DCA 1922 DCA 1923 DCA 1924 DCA 1925 DCA 1926 DCA 1938 DCA 1938 DCA 1938 DCA 1940 DCA 1941 DCA 1942 DCA 1944 DCA 1945 DCA 1946 DCA 1947 DCA 1948 DCA 1950	LENGTH (LLL) 70°: LLLmax = [FSTF-2cm] ; 80°: LLLmax = [FSTF-3cm] 20cm Depending on the configuration, the footplate may be high mounted; Not with swing-away frame 21cm Depending on the configuration, the footplate may be high mounted 22cm Depending on the configuration, the footplate may be high mounted 23cm Depending on the configuration, the footplate may be high mounted 24cm Depending on the configuration, the footplate may be high mounted 25cm Depending on the configuration, the footplate may be high mounted 26cm Depending on the configuration, the footplate may be high mounted 27cm Depending on the configuration, the footplate may be high mounted 28cm Depending on the configuration, the footplate may be high mounted 28cm Depending on the configuration, the footplate may be high mounted 28cm Depending on the configuration, the footplate may be high mounted 30cm Depending on the configuration, the footplate may be high mounted 31cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be high mounted 31cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be h	N/C N/C	
DCA 1900 DCA 1902 DCA 1904 DCA 1908 DCA 1910 DCA 1910 DCA 1911 DCA 1912 DCA 1914 DCA 1918 DCA 1920 DCA 1921 DCA 1922 DCA 1923 DCA 1924 DCA 1925 DCA 1926 DCA 1927 DCA 1928 DCA 1938 DCA 1938 DCA 1938 DCA 1938 DCA 1940 DCA 1941 DCA 1942 DCA 1944 DCA 1945 DCA 1946 DCA 1950 DCA 1952 DCA 1954	LENGTH (LLL) 70°: LLLmax = [FSTF-2cm] ; 80°: LLLmax = [FSTF-3cm] 20cm Depending on the configuration, the footplate may be high mounted; Not with swing-away frame 21cm Depending on the configuration, the footplate may be high mounted 22cm Depending on the configuration, the footplate may be high mounted 23cm Depending on the configuration, the footplate may be high mounted 24cm Depending on the configuration, the footplate may be high mounted 25cm Depending on the configuration, the footplate may be high mounted 26cm Depending on the configuration, the footplate may be high mounted 27cm Depending on the configuration, the footplate may be high mounted 28cm Depending on the configuration, the footplate may be high mounted 28cm Depending on the configuration, the footplate may be high mounted 28cm Depending on the configuration, the footplate may be high mounted 29cm Depending on the configuration, the footplate may be high mounted 30cm Depending on the configuration, the footplate may be high mounted 31cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be h	N/C N/C	
DCA 1900 DCA 1902 DCA 1904 DCA 1908 DCA 1910 DCA 1910 DCA 1911 DCA 1912 DCA 1914 DCA 1916 DCA 1920 DCA 1921 DCA 1922 DCA 1923 DCA 1924 DCA 1925 DCA 1926 DCA 1927 DCA 1928 DCA 1930 DCA 1931 DCA 1932 DCA 1933 DCA 1934 DCA 1938 DCA 1940 DCA 1944 DCA 1944 DCA 1945 DCA 1950 DCA 1951 DCA 1952 DCA 1954 DCA 1955 DCA 1958	LENGTH (LLL) 70°: LLLmax = [FSTF-2cm] ; 80°: LLLmax = [FSTF-3cm] 20cm Depending on the configuration, the footplate may be high mounted; Not with swing-away frame 21cm Depending on the configuration, the footplate may be high mounted 22cm Depending on the configuration, the footplate may be high mounted 23cm Depending on the configuration, the footplate may be high mounted 24cm Depending on the configuration, the footplate may be high mounted 25cm Depending on the configuration, the footplate may be high mounted 26cm Depending on the configuration, the footplate may be high mounted 27cm Depending on the configuration, the footplate may be high mounted 28cm Depending on the configuration, the footplate may be high mounted 28cm Depending on the configuration, the footplate may be high mounted 28cm Depending on the configuration, the footplate may be high mounted 30cm Depending on the configuration, the footplate may be high mounted 31cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be high mounted 31cm Depending on the configuration, the footplate may be high mounted 32cm Depending on the configuration, the footplate may be h	N/C N/C	

KUSCHALL Compact Revised November 2020

ACK TUBE	NUC
ICA 2110 Fixed straight backrest tubes standard	N/C
CA 2120 Fixed backrest with 7° lumbal bend	N/C
CA 2130 Angle-adjustable back Not with BH<34.5cm	\$243
CA 2140 Foldable back (to the front) Not with height-adj rear set push handles	\$459
ACK ANGLE ADJUSTMENT (BA) Only for angle-adj or foldable backrests	
CA 2155 Angle adjustable backrest, adjusted 82° Not with SD 32cm	N/C
CA 2160 Angle adjustable backrest, adjusted 86° Not with SD 32cm	N/C
CA 2165 Angle adjustable backrest, adjusted 90°	N/C
CA 2170 Angle adjustable backrest, adjusted 94°	N/C
CA 2175 Angle adjustable backrest, adjusted 98°	N/C
CA 2180 Angle adjustable backrest, adjusted 102° Not with foldable backrest	N/C
ACK UPHOLSTERY	
CA 2200 Standard upholstery Not with backrest stabilisation bar, without push handles, or height-adj rear-set push handles	N/C
CA 2210 Light back Not with SW<32cm and SW 50cm, BH<36cm, backrest stabilisation bar or height-adj rear-set push handles	\$90
CA 2220 Tension adjustable back, black	\$144
CA 2230 Tension adjustable back, Aero	\$288
USH HANDLES	
CA 2400 Without push handles Not with std back upholstery	N/C
CA 2410 Push handles fixed, mini Not with drum brakes	N/C
ICA 2420 Push handles fixed, long	N/C
CA 2430 Height-adjustable rear set Not with foldable back , std and light back upholstery, or tubular armrests	\$333
CA 2440 Height-adjustable, integrated Not with backrest stabilisation bar	\$333
CA 2450 Foldable push handles Not with drum brakes	\$243
ACKREST STABILISATION BAR Not with folding push handles, height-adj integrated push handles, std or light upholstery, or BH 30-39cm	
CA 2595 Backrest stabilisation bar, swing away removable	\$270
EATING	
EAT UPHOLSTERY	
CA 2610 Tension adjustable seat upholstery with 1 central velcro band (soft)	N/C
CA 2620 Tension adjustable seat upholstery with 1 central (soft) and 2 side velcro bands (rough)	N/C
EAT CUSHION	
CA 2700 Standard seat cushion, 60mm, double foam with visco top	\$126
Matrx PS Cushion Not all seat sizes available. Refer to Seating Catalogue	\$387
Matrx PSP Cushion Not all seat sizes available. Refer to Seating Catalogue	\$450
Matrx VI Cushion Not all seat sizes available. Refer to Seating Catalogue	\$567
Matrx Libra Cushion Not all seat sizes available. Refer to Seating Catalogue	\$693
EAT BAGS	
CA 2800 Seat bag, click in and removable	\$108
CA 2910 Seat upholstery bag To fix under the seat; not with SD < 36cm	\$45
EGRESTS & FOOTRESTS	
EGRESTS FOR SWING-AWAY FRAME - RIGHT	
CA 3000 Legrest, angle open, 70° RH	N/C
CA 3010 Legrest, angle mid-closed, 80° RH	N/C
CA 3020 Amputee legrest RH Not with 7" front wheels	\$90
CA 3030 Angle-adjustable legrest RH Not with SW≤40cm	\$135
CA 3040 Without RH legrest Includes adjustable footplate; Not with 6"-7" front wheels, FSTF 37-41cm or LLL 20-37cm	N/C
ICA 3040 Without RH legrest Includes adjustable footplate; Not with 6"-7" front wheels, FSTF 37-41cm or LLL 20-37cm EGRESTS FOR SWING-AWAY FRAME - LEFT	N/C
	N/C N/C
EGRESTS FOR SWING-AWAY FRAME - LEFT	
EGRESTS FOR SWING-AWAY FRAME - LEFT ICA 3100 Legrest, angle open, 70° RH	N/C
EGRESTS FOR SWING-AWAY FRAME - LEFT ICA 3100 Legrest, angle open, 70° RH ICA 3110 Legrest, angle mid-closed, 80° RH	N/C N/C
EGRESTS FOR SWING-AWAY FRAME - LEFT ICA 3100 Legrest, angle open, 70° RH ICA 3110 Legrest, angle mid-closed, 80° RH ICA 3120 Amputee legrest RH Not with 7" front wheels	N/C N/C \$90
EGRESTS FOR SWING-AWAY FRAME - LEFT ICA 3100 Legrest, angle open, 70° RH ICA 3110 Legrest, angle mid-closed, 80° RH ICA 3120 Amputee legrest RH ICA 3130 Angle-adjustable legrest RH Not with SWs40cm	N/C N/C \$90 \$135
EGRESTS FOR SWING-AWAY FRAME - LEFT ICA 3100 Legrest, angle open, 70° RH ICA 3110 Legrest, angle open, 70° RH ICA 3110 Legrest, angle mid-closed, 80° RH ICA 3120 Amputee legrest RH ICA 3130 Angle-adjustable legrest RH ICA 3140 Without RH legrest Includes adjustable footplate; Not with 6"-7" front wheels, FSTF 37-41cm or LLL 20-37cm OOTREST	N/C N/C \$90 \$135
EGRESTS FOR SWING-AWAY FRAME - LEFT ICA 3100 Legrest, angle open, 70° RH ICA 3100 Legrest, angle open, 70° RH ICA 3100 Legrest, angle mid-closed, 80° RH ICA 3120 Amputee legrest RH Not with 7" front wheels ICA 3130 Angle-adjustable legrest RH Not with SW≤40cm ICA 3140 Without RH legrest Includes adjustable footplate; Not with 6"-7" front wheels, FSTF 37-41cm or LLL 20-37cm OOTREST ICA 3260 2 pc. flip-up plastic High mount for LLL<34cm; Not with SW<34cm, LLL<26cm	N/C N/C \$90 \$135 N/C N/C
EGRESTS FOR SWING-AWAY FRAME - LEFT ICA 3100 Legrest, angle open, 70° RH ICA 3110 Legrest, angle open, 70° RH ICA 3100 Legrest, angle open, 70° RH ICA 3100 Legrest, angle mid-closed, 80° RH ICA 3120 Amputee legrest RH Not with 7" front wheels ICA 3100 ICA 3100 Mithout RH legrest Includes adjustable footplate; Not with 6"-7" front wheels, FSTF 37-41cm or LLL 20-37cm OOTREST ICA 3260 2 pc. flip-up plastic Ingle/depth-adjustable carbon High mount for LLL<34cm; Not with SW<34cm, LLL<26cm	N/C N/C \$90 \$135 N/C N/C \$441
EGRESTS FOR SWING-AWAY FRAME - LEFT ICA 3100 Legrest, angle open, 70° RH ICA 3110 Legrest, angle open, 70° RH ICA 3110 Legrest, angle mid-closed, 80° RH ICA 3120 Amputee legrest RH Not with 7" front wheels ICA 3100 ICA 3100 Mithout RH legrest Includes adjustable footplate; Not with 6"-7" front wheels, FSTF 37-41cm or LLL 20-37cm OOTREST ICA 3260 2 pc. flip-up plastic Includes adjustable footplate; Not with 6"-7" front wheels, FSTF 37-41cm or LLL 20-37cm OCTREST ICA 3260 2 pc. flip-up plastic Includes adjustable footplate; Not with 6"-7" front wheels, FSTF 37-41cm or LLL 20-37cm ICA 3260 2 pc. flip-up plastic Includes adjustable footplate; Not with 6"-7" front wheels, FSTF 37-41cm or LLL 20-37cm ICA 3260 2 pc. flip-up plastic Includes adjustable footplate; Not with 6"-7" front wheels, FSTF 37-41cm or LLL 20-26cm ICA 3260	N/C N/C \$90 \$135 N/C N/C
EGRESTS FOR SWING-AWAY FRAME - LEFT ICA 3100 Legrest, angle open, 70° RH ICA 3110 Legrest, angle open, 70° RH ICA 3110 Legrest, angle mid-closed, 80° RH ICA 3120 Amputee legrest RH Not with 7" front wheels ICA 3130 Angle-adjustable legrest RH Not with SWs40cm ICA 3140 Without RH legrest Includes adjustable footplate; Not with 6"-7" front wheels, FSTF 37-41cm or LLL 20-37cm OOTREST ICA 3260 2 pc. flip-up plastic High mount for LLL<34cm; Not with SW<34cm, LLL 226cm	N/C N/C \$90 \$135 N/C \$441 \$405
EGRESTS FOR SWING-AWAY FRAME - LEFT ICA 3100 Legrest, angle open, 70° RH ICA 3110 Legrest, angle mid-closed, 80° RH ICA 3120 Amputee legrest RH ICA 3130 Angle-adjustable legrest RH ICA 3140 Without RH legrest Includes adjustable footplate; Not with 6"-7" front wheels, FSTF 37-41cm or LLL 20-37cm OOTREST ICA 3200 2 pc. flip-up plastic ICA 3270 2 pc. angle/depth-adjustable carbon High mount for LLL<34cm; Not with SW<34cm, LLL<26cm or heel loops	N/C N/C \$90 \$135 N/C \$441 \$405 N/C
EGRESTS FOR SWING-AWAY FRAME - LEFT ICA 3100 Legrest, angle open, 70° RH ICA 3110 Legrest, angle open, 70° RH ICA 3110 Legrest, angle mid-closed, 80° RH ICA 3120 Amputee legrest RH Not with 7" front wheels ICA 3130 Angle-adjustable legrest RH Not with SW-40cm ICA 3140 Without RH legrest Includes adjustable footplate; Not with 6"-7" front wheels, FSTF 37-41cm or LLL 20-37cm OOTREST ICA 3260 2 pc. flip-up plastic High mount for LLL<34cm; Not with SW<34cm, LLL 226cm	N/C N/C \$90 \$135 N/C N/C \$441 \$405 N/C N/C N/C
EGRESTS FOR SWING-AWAY FRAME - LEFT ICA 3100 Legrest, angle open, 70° RH ICA 3110 Legrest, angle mid-closed, 80° RH ICA 3120 Amputee legrest RH Not with 7" front wheels ICA 3130 Angle-adjustable legrest RH Not with 7" front wheels ICA 3100 Without RH legrest Includes adjustable footplate; Not with 6"-7" front wheels, FSTF 37-41cm or LLL 20-37cm ICA 3260 2 pc. flip-up plastic Includes adjustable footplate; Not with 6"-7" front wheels, FSTF 37-41cm or LLL 20-37cm ICA 3260 2 pc. flip-up plastic High mount for LLL<34cm; Not with SW<34cm, LLL 226cm	N/C N/C \$90 \$135 N/C \$441 \$405 N/C
EGRESTS FOR SWING-AWAY FRAME - LEFT ICA 3100 Legrest, angle open, 70° RH ICA 3110 Legrest, angle mid-closed, 80° RH ICA 3120 Amputee legrest RH Not with 7" front wheels ICA 3130 Angle-adjustable legrest RH Not with 7" front wheels ICA 3100 Without RH legrest Includes adjustable footplate; Not with 6"-7" front wheels, FSTF 37-41cm or LLL 20-37cm ICA 3260 2 pc. flip-up plastic Includes adjustable footplate; Not with 6"-7" front wheels, FSTF 37-41cm or LLL 20-37cm ICA 3260 2 pc. flip-up plastic High mount for LLL<34cm; Not with SW<34cm, LLL 20-37cm	N/C N/C \$90 \$135 N/C N/C \$441 \$405 N/C N/C N/C
EGRESTS FOR SWING-AWAY FRAME - LEFT ICA 3100 Legrest, angle open, 70° RH ICA 3110 Legrest, angle mid-closed, 80° RH ICA 3120 Amputee legrest RH Not with 7" front wheels ICA 3130 Angle-adjustable legrest RH Not with 7" front wheels ICA 3140 Without RH legrest Includes adjustable footplate; Not with 6"-7" front wheels, FSTF 37-41cm or LLL 20-37cm OOTREST ICA 3260 2 pc. flip-up plastic High mount for LLL<34cm; Not with SW<34cm, LLL 20-37cm	N/C N/C \$90 \$135 N/C N/C \$441 \$405 N/C N/C N/C
EGRESTS FOR SWING-AWAY FRAME - LEFT ICA 3100 Legrest, angle open, 70° RH ICA 3110 Legrest, angle mid-closed, 80° RH ICA 3120 Amputee legrest RH Not with 7" front wheels ICA 3130 Angle-adjustable legrest RH Not with 7" front wheels ICA 3140 Without RH legrest Includes adjustable footplate; Not with 6"-7" front wheels, FSTF 37-41cm or LLL 20-37cm OOTREST ICA 3260 2 pc. flip-up plastic High mount for LLL<34cm; Not with SW<34cm, LLL <26cm	N/C N/C \$90 \$135 N/C N/C \$441 \$405 N/C N/C N/C N/C
GRESTS FOR SWING-AWAY FRAME - LEFT CA 3100 Legrest, angle open, 70° RH CA 3110 Legrest, angle mid-closed, 80° RH CA 3120 Ampute legrest RH Not with 7" front wheels CA 3120 Angle-adjustable legrest RH Not with 5W Not with 5W CA 3140 Without RH legrest Includes adjustable footplate; Not with 6"-7" front wheels, FSTF 37-41cm or LLL 20-37cm POTREST CA 3260 2 pc. flip-up plastic CA 3270 2 pc. angle/depth-adjustable carbon A 3280 1 pc. flip-up carbon footplate, angle/depth-adjustable Not with LLL<30cm or heel loops	N/C N/C \$90 \$135 N/C N/C \$441 \$405 N/C N/C N/C

SIDERESTS RIGHT	
	table (tools), removable, short, non-locking RH \$72
	table (tools), removable, long, non-locking RH \$72
	back, height adj, removable, swing-away RH Not with rear wheel positions 4-6 \$30
DCA 3520 Tubular armrests, hei	ght-adj, removable, padded RH Not with Alber add-on kits, push handles height-adj rear set \$18
DCA 3540 Hemi armrest, RH	Not with rear wheel positions 4-6 \$72
SIDERESTS LEFT	
DCA 3600 Armrest height adjus	table (tools), removable, short, non-locking LH \$72
DCA 3610 Armrest height adjus	table (tools), removable, long, non-locking LH \$72
	back, height adj, removable, swing-away LH Not with rear wheel positions 4-6 \$30
DCA 3620 Tubular armrests, hei	ght-adj, removable, padded LH Not with Alber add-on kits, push handles height-adj rear set \$18
DCA 3640 Hemi armrest, LH	Not with rear wheel positions 4-6 \$72
FRAME COLOUR & CUSTOMISAT	ION
FRAME COLOUR	
DCA 4000 Space Black	N/C
DCA 4010 Anthracite Grey	N/C
DCA 4020 Pure White	Not with Light Grey Bold Styling N/C
DCA 4030 Carmine Red	N/C
DCA 4040 Azure Blue	N/C
DCA 4100 Black Glossy	Extra lead time 10+ days. Tag styling only \$24
DCA 4110 Ferrite	Extra lead time 10+ days. Tag styling only \$24
DCA 4120 Slate Metallic	Extra lead time 10+ days. Tag styling only \$24
DCA 4130 Silver Grey	Extra lead time 10+ days. Tag styling only \$24
DCA 4140 Royal Blue	Extra lead time 10+ days. Tag styling only \$24
DCA 4150 Ruby Red	Extra lead time 10+ days. Tag styling only \$24
DCA 4160 Smoky Grey	Extra lead time 10+ days. Tag styling only \$24
DCA 4170 Dynamite Orange	Extra lead time 10+ days. Tag styling only \$24
DCA 4180 Forest Green	Extra lead time 10+ days. Tag styling only \$24
STYLING	· · ·
DCA 4190 Bold	N/C
DCA 4195 Tag	N/C
BOLD COLOUR	
DCA 4200 Black	N/C
DCA 4210 Dark Grey	N/C
DCA 4220 Light Grey	N/C
DCA 4230 Red	N/C
DCA 4240 Blue	N/C
DCA 4250 Gold	N/C
TAG COLOUR	
DCA 4300 Black	N/C
DCA 4310 Red	N/C
FRONT WHEEL	
FRONT WHEEL	For configuration please also see tables at end of form
DCA 5050 4" Everyday wheel, b	lack N/C
DCA 5100 4" Comfort wheel, bla	ack N/C
DCA 5150 4" Starec, black	\$17
DCA 5200 4" EPIC Softroll, black	
DCA 5250 4" EPIC Softroll, silve	
DCA 5300 5" Everyday wheel, b	
DCA 5350 5" Comfort wheel, bla	
DCA 5400 5" Starec, black	\$17
DCA 5450 5" EPIC Softroll, black	
DCA 5450 5" EPIC Softroll, black DCA 5500 5" EPIC Softroll, silve	r \$17
DCA 5450 5" EPIC Softroll, black	r \$17

ONE ARM L	PRIVE SYSTEM 24" wheels only; Not with wheel positions 4-6, fixed mudguards, drum brakes, spoke guards, 3° camber, tetra clip	
DCA 6000	One arm drive system right side (with light wheel 7bar tyres, alu handrims) Only for SW 36-50cm	\$810
DCA 6010	One arm drive system left side (with light wheel 7bar tyres, alu handrims) Only for SW 36-50cm	\$810
REAR WHE	EL FIXATION	
DCA 6020	Standard fixation Not with rear wheel positions 5-6	N/C
DCA 6040	Rear wheel extension Not with rear wheel position 1 or Alber add-on kits	\$108
REAR WHE	EL POSITION Positions 5-6 only with rear wheel extension	
DCA 6100	1st position Not with rear wheel extension, drum brakes or 3o camber	N/C
DCA 6110	2nd position Not with Alber add-on kits	N/C
DCA 6120	3rd position	N/C
DCA 6130	4th position Not with Alber add-on kits	N/C
DCA 6140	5th position Not with mud guards, one arm drive or Alber add-on kits	N/C
DCA 6150	6th position Not with mud guards, one arm drive or Alber add-on kits	N/C
	KRELEASE AXLE	
DCA 6300	Tetra Clip Not with Spinergy LXK , drum brake wheels or Alber add-on kits	\$99
REAR WHE		Ψ
DCA 6400	22"	N/C
DCA 6400	22 24"	N/C
DCA 6410 DCA 6420	25"	N/C
DCA 6420	26"	N/C
REAR WHE		
		N/C
DCA 6510		N/C
DCA 6520	24", 25" High Performance Black hub & rim; Not with solid tyres	\$450
DCA 6550	24", 25" Spinergy LXK Hub, rim & spokes black; Not with solid tyres	\$1,440
DCA 6580	24", 24", 26" Wheels w/Attendant Drum Brake Not with Alber Add-Ons	\$531
REAR WHE		NUC
	24", 25", 26" Schwalbe Rightrun black/grey	N/C
DCA 6640	24" Profile tyre 7 bar	N/C
	24", 25", 26" Schwalbe Marathon Plus SmartGuard puncture protected	\$117
DCA 6650	24" Solid tyre, profile, grey Not with High Perf or Spinergy LXK	N/C
DCA 6660	24" Solid tyre (KIK type), black Not with High Perf or Spinergy LXK	\$45
DCA 6630	24", 25" Schwalbe ONE V-Guard puncture resistant	\$117
DCA 6670	24" Solid light wheel Not with High Perf or Spinergy LXK	N/C
ANTI FLAT		
DCA 6680	Anti-flat tyre tube protection Not with Marathon Plus tyres, solid tyres or one-arm drive	\$108
HANDRIM	· · · · · · · · · · · · · · · · · · ·	
DCA 6780	24", 25", 26" Light Alu, grey, dist 3cm Short tabs with one hole at 3cm	N/C
DCA 6800	24", 25", 26" Light Alu, grey, dist 4cm Long tabs with two holes at 3cm or 4cm, mounted at 4cm	N/C
DCA 6790	24", 25", 26" Light Alu, black, dist 3cm Short tabs with one hole at 3cm	\$90
DCA 6700	24", 26" Supergripp, dist 3cm Long tabs with two holes at 3cm or 4cm, mounted at 3cm	\$189
DCA 6710	24", 26" Steel polished, dist 3cm Short tabs with one hole at 3cm	\$135
DCA 6720	24" Titanium, dist 3cm Short tabs with one hole at 3cm	\$495
DCA 6730	24" Titanium, dist 4cm Long tabs with two holes at 3cm or 4cm, mounted at 4cm	\$495
DCA 6740	24" Carbolife Gekko, dist 3cm Long tabs with two holes at 3cm or 4cm, mounted at 3cm	\$711
DCA 6750	24" Carbolife Gekko S, dist 3cm Long tabs with two holes at 3cm or 4cm, mounted at 3cm	\$711
DCA 6760	24" Carbolife Curve L, dist 3cm Long tabs with two holes at 3cm or 4cm, mounted at 3cm	\$675
DCA 6770	24" Carbolife Quadro, dist 3cm Long tabs with two holes at 3cm or 4cm, mounted at 3cm	\$810
DCA 6820	Camber 0°	N/C
DCA 6840	Camber 3° Not with 26" rear wheels, one arm drive or rear wheel 1st position	N/C
		IN/C
		¢100
	24", 26" Transparent Not with Spinergy LXK or one-arm drive	\$198
DCA 6900	Not with Spinoray I XV or one arm drive	\$198
DCA 6900 DCA 6910	24", 26" Black Not with Spinergy LXK or one-arm drive	
DCA 6900 DCA 6910 ALBER ADE	ON KIT	
DCA 6900 DCA 6910 ALBER ADE DCA 6950		\$954
DCA 6900 DCA 6910 ALBER ADE DCA 6950	ON KIT	\$954
SPOKE GUA DCA 6900 DCA 6910 ALBER ADD DCA 6950 SAFETY BRAKES	ON KIT	\$954
DCA 6900 DCA 6910 ALBER ADD DCA 6950 SAFETY BRAKES	ON KIT	\$954 N/C
DCA 6900 DCA 6910 ALBER ADE DCA 6950 SAFETY	ON KIT E-Motion & Twion adapter plate Includes 2 Alber antitippers; Only with 24" wheels and 0° camber; Not with one-arm drive	
DCA 6900 DCA 6910 ALBER ADD DCA 6950 SAFETY BRAKES DCA 7200 DCA 7210	ON KIT E-Motion & Twion adapter plate Includes 2 Alber antitippers; Only with 24" wheels and 0° camber; Not with one-arm drive Pull brake, straight lever	N/C
DCA 6900 DCA 6910 ALBER ADD DCA 6950 SAFETY BRAKES DCA 7200 DCA 7210 DCA 7220	ON KIT E-Motion & Twion adapter plate Includes 2 Alber antitippers; Only with 24" wheels and 0° camber; Not with one-arm drive Pull brake, straight lever Push brake, bent lever	N/C N/C
DCA 6900 DCA 6910 ALBER ADL DCA 6950 SAFETY BRAKES DCA 7200	ON KIT E-Motion & Twion adapter plate Includes 2 Alber antitippers; Only with 24" wheels and 0° camber; Not with one-arm drive Pull brake, straight lever Push brake, bent lever Push brake, straight lever	N/C N/C N/C
DCA 6900 DCA 6910 ALBER ADL DCA 6950 SAFETY BRAKES DCA 7200 DCA 7210 DCA 7220 DCA 7220 DCA 7220	ON KIT E-Motion & Twion adapter plate Includes 2 Alber antitippers; Only with 24" wheels and 0° camber; Not with one-arm drive Pull brake, straight lever Push brake, bent lever Push brake, straight lever Active scissor brake	N/C N/C N/C \$216


ANTITIPPER			
DCA 7500	Antitipper right Not with Alber add-on kits	\$135	
DCA 7510	Antitipper left Not with Alber add-on kits	\$135	
DCA 7520	Antitipper both sides Not with Alber add-on kits	\$261	
TRANSPOR	TATION KIT		
DCA 7600	Transportation kit inc seat belt and labels Only available for backrest heights > 40cm; Not with FSTF 37-40cm	\$135	
SEAT BELT			
DCA 7800	Seat belt Included with transportation kit	\$63	
PASSIVE LIC	GHTS (REFLECTORS)		
DCA 7900	Reflectors assembled (mounted on spokes)	\$45	
DCA 7910	Reflectors enclosed	\$45	
ACCESSOR	ES		
FRAME PRO	DTECTION		
DCA 8000	Rear frame protection	\$18	
DCA 8010	Front frame protection	\$90	
TIPPER AID	Max 2 options per side, eg antitipper, tipper aid, cane holder, transit wheel		
DCA 8100	Tipper-Aid right Not on same side as cane holder; Not with Alber add-on kits	\$81	
DCA 8110	Tipper-Aid LH Not on same side as cane holder; Not with Alber add-on kits	\$81	
DCA 8120	Tipper-Aid both sides Not possible with cane holder; Not with Alber add-on kits	\$153	
CANE HOLE	DER Max 2 options per side, eg antitipper, tipper aid, cane holder, transit wheel		
DCA 8200	Cane holder RH Not on same side as tipper-aid; Not with Alber add-on kits	\$81	
DCA 8210	Cane holder LH Not on same side as tipper-aid; Not with Alber add-on kits	\$81	
TRANSIT W	HEELS 3" Max 2 options per side, eg antitipper, tipper aid, cane holder, transit wheel		
DCA 8300	Transit wheels 3"	\$450	
TABLE TRA	/		
DCA 8450	Table Tray Not with SW < 36cm, clothes guards, mud guards, tubular or hemi armrests	\$747	
AIR PUMP			
DCA 8500	Air pump	\$90	
TOOL KIT			
DCA 8550	Tool kit	N/C	
	AND WHEEL KITS		
DCA 8650	Wheel bag	\$180	
DCA 8680	24" Mountain bike wheels with bag Mountain bike wheels and tires with alu handrims and quick-release axles	\$540	
2 0 0000		\$ 010	


SUPPORT FOR MEASUREMENTS / MYKÜSCHALL REQUESTS

CUSTOMISED MEASUREMENTS	CUSTOMISED MEASUREMENTS
sw	SW
SD	SD
ВН	ВН
FSTF	FSTF
RSTF	RSTF
LLL	ш
ВА	ВА
CAMBER	CAMBER
USER WEIGHT	SER WEIGHT
USER SIZE	USER SIZE

KUSCHALL Compact Revised November 2020

FRONT WHEEL SIZE AND FRONT SEAT TO FLOOR (FSTF)





BRAKES, SEAT DEPTH (SD), REAR WHEEL SIZE AND POSITION

		22	" REA	RWH	EEL		24" REAR WHEEL							25" REAR WHEEL							26" REAR WHEEL						
REAR WHEEL POS.	1	2	3	4	5	6	1	2	3	4	5	6	1	2	3	4	5	6	1	2	3	4	5				
Push Brakes																											
SD 32-38																								Γ			
SD 40																								Γ			
SD 42																								Γ			
SD 44																								Γ			
SD 46																								Γ			
SD 48																								T			
SD 50																								T			
Pull Brakes																											
SD 32-38																								Γ			
SD 40																											
SD 42																											
SD 44																								T			
SD 46																								T			
SD 48																								T			
SD 50																								T			
ight Active Brakes																											
SD 32-38																								Γ			
SD 40																								T			
SD 42																								Τ			
SD 44																								T			
SD 46																								T			
SD 48																								T			
SD 50																								T			
Active Brakes																											
SD 32-38																								T			
SD 40																								T			
SD 42																								T			
SD 44																								T			
SD 46																								T			
SD 48																											
SD 50																								Ŧ			

Küschall[®] Compact



Local Homologation number, ISO, MDA, TUV logos The product includes all standard features Maximum user weight: 130kg We reserve the right to deliver a + or – tolerance of +/- 10 mm on all measurements We reserve the right to make technical changes without notice





316 Hoddle St Abbotsford VIC 3067 E: info@pushmobility.com.au W: www.pushmobility.com.au SM: www.facebook.com/pushmobility ABN 61 161 571 115 National disability insurance Scheme - provider 405000058