

# Küschall® K-Series


## Price List and Order Form

Customer Name: \_\_\_\_\_ NDIS Number: \_\_\_\_\_

Date: \_\_\_\_\_ Mobile: \_\_\_\_\_ Customer Email: \_\_\_\_\_

Address: \_\_\_\_\_ City: \_\_\_\_\_ State: \_\_\_\_\_ Postcode: \_\_\_\_\_

Code	Description	Price
DKA 0067	Küschall K-Series	\$5,130
DKA 0000	MyKüschall special construction <i>Complete all information at end of script</i>	POA
<b>SEATING CHOICE</b>		
<b>FRAME MATERIAL / ANGLE / TYPE</b>		
DKA 1040	Frame angle 75° to the ground, Aluminium <i>Not with SD 47.5-52.5cm</i>	N/C
DKA 1050	Frame angle 75° to the ground, Aluminium, tapered front frame <i>Not with SD 47.5-52.5cm or FSTF 45-47cm</i>	N/C
DKA 1060	Frame angle 75° to the ground, Aluminium +5cm <i>Not with SD ≤ 40cm or FSTF 45-49cm</i>	N/C
DKA 1070	Frame angle 90° to the ground, Aluminium <i>Not with SD 47.5-52.5cm or 5" cstrs</i>	N/C
DKA 1080	Frame angle 90° to the ground, Aluminium, tapered front frame <i>Not with SD 47.5-52.5cm, FSTF 45-47cm or 5" cstrs</i>	N/C
DKA 1090	Frame angle 90° to the ground, Aluminium +5cm <i>Not with SD ≤ 40cm, FSTF 45-49cm or 5" cstrs</i>	N/C
<b>SUSPENSION</b>		
DKA 1200	User weight 40-65kg <i>Only for SW 34-36cm; Not with SD 35cm</i>	\$657
DKA 1210	User weight 65-85kg <i>Only for SW 34-36cm; Not with SD 35cm</i>	\$657
DKA 1220	User weight 85-100kg <i>Only for SW 34-36cm; Not with SD 35cm</i>	\$657
<b>SEAT WIDTH (SW)</b>		
DKA 1310	32cm <i>Not with titanium back, tens-adj/light seat upholstery</i>	N/C
DKA 1315	34cm	N/C
DKA 1320	36cm	N/C
DKA 1325	38cm	N/C
DKA 1330	40cm	N/C
DKA 1335	42cm	N/C
DKA 1340	44cm <i>Not with light seat/back upholstery</i>	N/C
DKA 1345	46cm <i>Not with light seat/back upholstery</i>	N/C
DKA 1350	48cm <i>Not with light seat/back upholstery or titanium footrest</i>	N/C
DKA 1355	50cm <i>Not with light seat/back upholstery or titanium/flip-up footrests</i>	N/C
<b>SEAT DEPTH (SD)</b>		
DKA 1410	35cm <i>Not with +5cm frame, seat positions 1-2, light seat upholstery</i>	N/C
DKA 1420	37.5cm <i>Not with +5cm frame</i>	N/C
DKA 1435	40cm <i>Not with +5cm frame</i>	N/C
DKA 1450	42.5cm	N/C
DKA 1465	45cm <i>Not with light seat upholstery</i>	N/C
DKA 1475	47.5cm <i>Only with +5cm frame; not with light seat upholstery</i>	N/C
DKA 1490	50cm <i>Only with +5cm frame; not with light seat upholstery</i>	N/C
DKA 1495	52.5cm <i>Only with +5cm frame; not with light/tens-adj seat upholstery</i>	N/C
<b>SEAT POSITION (SP)</b>		
DKA 1500	Position 1 (140mm) <i>Most active position; Not with suspension or SD 35cm</i>	N/C
DKA 1510	Position 2 (125mm) <i>Not with SD 35cm</i>	N/C
DKA 1520	Position 3 (110mm) <i>Not with suspension</i>	N/C
DKA 1530	Position 4 (95mm)	N/C
DKA 1540	Position 5 (80mm) <i>Least active position; Not with suspension</i>	N/C
<b>BACK HEIGHT (BH)</b>		
DKA 1605	27cm <i>Not with height-adj rear-set push handles; tubular armrests only with std push handles or none</i>	N/C
DKA 1610	28.5cm <i>Tubular armrests only with std push handles or none</i>	N/C
DKA 1615	30cm <i>Tubular armrests only with std push handles or none</i>	N/C
DKA 1620	31.5cm	N/C
DKA 1625	33cm	N/C
DKA 1630	34.5cm	N/C
DKA 1635	36cm <i>Not with light back upholstery</i>	N/C
DKA 1640	37.5cm <i>Not with light back upholstery</i>	N/C
DKA 1645	39cm <i>Not with light back upholstery</i>	N/C
DKA 1650	40.5cm <i>Not with light back upholstery</i>	N/C
DKA 1655	42cm <i>Not with light back upholstery</i>	N/C
DKA 1660	43.5cm <i>Not with light back upholstery</i>	N/C
DKA 1665	45cm <i>Not with light back upholstery</i>	N/C
DKA 1670	46.5cm <i>Not with light back upholstery</i>	N/C
DKA 1675	48cm <i>Not with light back upholstery</i>	N/C



# Küschall® K-Series

<b>FRONT SEAT-TO-FLOOR-HEIGHT (FSTF)</b>			
DKA 1740	45cm	<i>Not with tapered frame or 5" casters</i>	N/C
DKA 1745	46cm	<i>Not with tapered frame or 5" casters</i>	N/C
DKA 1750	47cm	<i>Not with tapered frame or 5" casters</i>	N/C
DKA 1755	48cm		N/C
DKA 1760	49cm		N/C
DKA 1765	50cm		N/C
DKA 1770	51cm		N/C
DKA 1775	52cm		N/C
<b>REAR SEAT-TO-FLOOR-HEIGHT (RSTF)</b>			
DKA 1815	39cm	<i>Not with 26" rear wheels, rear wheel extensions or siderests</i>	N/C
DKA 1820	40cm	<i>Not with rear wheel extensions or siderests</i>	N/C
DKA 1825	41cm	<i>Not with siderests</i>	N/C
DKA 1830	42cm		N/C
DKA 1835	43cm		N/C
DKA 1840	44cm		N/C
DKA 1845	45cm		N/C
DKA 1850	46cm		N/C
DKA 1855	47cm		N/C
DKA 1860	48cm		N/C
DKA 1865	49cm		N/C
<b>KNEE-TO-HEEL LENGTH (LLL) <span style="float: right;"><i>For LLL &lt; 39cm footplate may be high mounted. 75o: LLL≤ FSTF -3cm ; 90o: LLL≤ FSTF -4cm</i></span></b>			
DKA 1918	29cm		N/C
DKA 1920	30cm		N/C
DKA 1922	31cm		N/C
DKA 1924	32cm		N/C
DKA 1926	33cm		N/C
DKA 1928	34cm		N/C
DKA 1930	35cm		N/C
DKA 1932	36cm		N/C
DKA 1934	37cm		N/C
DKA 1936	38cm		N/C
DKA 1938	39cm		N/C
DKA 1940	40cm		N/C
DKA 1942	41cm		N/C
DKA 1944	42cm		N/C
DKA 1946	43cm		N/C
DKA 1948	44cm		N/C
DKA 1950	45cm		N/C
DKA 1952	46cm		N/C
DKA 1954	47cm		N/C
DKA 1956	48cm		N/C
<b>BACKREST</b>			
<b>BACKREST MATERIAL</b>			
DKA 2000	Aluminium		N/C
DKA 2050	Titanium	<i>Not with height-adj rear-set push handles or transportation kit</i>	\$468
<b>BACKREST TYPE</b>			
DKA 2100	Standard backrest w/backbrace		N/C
<b>BACK UPHOLSTERY</b>			
DKA 2210	Light back	<i>Not with height-adj rear-set push handles, SW &gt; 42cm or BH &gt; 34.5cm</i>	\$90
DKA 2220	Tension adjustable back, premium black		N/C
DKA 2230	Tension adjustable back, Aero		\$144
<b>PUSH HANDLES</b>			
DKA 2400	Without push handles		N/C
DKA 2410	Push handles fixed, short		N/C
DKA 2420	Push handles fixed, long		N/C
DKA 2430	Height-adjustable rear set	<i>Not with BH 27cm, BH 28.5-33cm with tubular armrests or light back</i>	\$333
DKA 2450	Foldable push handles	<i>Not with BH 28.5-33cm with tubular armrests</i>	\$243
<b>BACKREST ANGLE (BA)</b>			
DKA 2500	74° angle from the seat		N/C
DKA 2520	78° angle from the seat		N/C
DKA 2540	82° angle from the seat		N/C
DKA 2560	86° angle from the seat		N/C
DKA 2580	90° angle from the seat		N/C
DKA 2590	94° angle from the seat		N/C

# Küschall® K-Series

SEATING			
SEAT UPHOLSTERY			
DKA 2600	Standard		N/C
DKA 2630	Light seat upholstery	Not with SW > 42cm, SD > 42.5cm	\$90
DKA 2610	Tension adjustable with 1 central velcro band (soft)	Not with SD 52.5cm	\$144
SEAT CUSHION			
DKA 2700	Standard seat cushion, 60mm, double foam with visco top		\$126
	Matrx PS Cushion	Not all seat sizes available. Refer to Seating Catalogue	\$387
	Matrx VI Cushion	Not all seat sizes available. Refer to Seating Catalogue	\$450
	Matrx VI Cushion	Not all seat sizes available. Refer to Seating Catalogue	\$567
	Matrx Libra Cushion	Not all seat sizes available. Refer to Seating Catalogue	\$693
SEAT BAGS			
DKA 2800	Seat bag, click in and removable		\$108
DKA 2910	Seat upholstery bag	To fix under the seat	\$45
FOOTREST			
FOOTREST TYPE (TUBE/PLATE)			
DKA 3200	Footrest tube, rigid - Aluminium hydroformed		N/C
DKA 3210	Footrest tube, rigid - Titanium		\$189
DKA 3220	Carbon footplate, angle adjustable		\$315
DKA 3230	Footplate, flip-up to side, angle adjustable	Not with high mounted footrest, tapered frame or SW 48cm	\$648
FOOTREST COVER			
DKA 3290	Footrest cover	Not with carbon/flip-up footplate	\$18
SIDE GUARDS			
SIDE GUARDS			
DKA 3420	Clothes guards carbon, flip back		N/C
DKA 3440	Mudguards carbon, removable	Not with siderests	\$297
SIDERESTS			
DKA 3490	Siderest height adjustable, short, non-locking	Not with mudguards or for RSTF < 42 cm	\$135
DKA 3495	Siderest height adjustable, long, non-locking	Not with mudguards or for RSTF < 42 cm	\$135
ARMRESTS			
Not with foldable push handles in combination with BH < 31.5cm, height-adj rear-set push handles or Alber add-on kits			
DKA 3480	Tubular armrests, height adjustable, removable, swing-away, comfort padded		\$351
FRAME COLOUR & CUSTOMISATION			
FRAME COLOUR			
DKA 4000	Space Black		N/C
DKA 4010	Anthracite Grey		N/C
DKA 4020	Pure White	Not with Light Grey Bold Styling	N/C
DKA 4030	Carmine Red		N/C
DKA 4040	Azure Blue		N/C
DKA 4100	Black Glossy	Extra lead time 10+ days. Tag styling only	\$243
DKA 4110	Ferrite	Extra lead time 10+ days. Tag styling only	\$243
DKA 4120	Slate Metallic	Extra lead time 10+ days. Tag styling only	\$243
DKA 4130	Silver Grey	Extra lead time 10+ days. Tag styling only	\$243
DKA 4140	Royal Blue	Extra lead time 10+ days. Tag styling only	\$243
DKA 4150	Ruby Red	Extra lead time 10+ days. Tag styling only	\$243
DKA 4160	Smoky Grey	Extra lead time 10+ days. Tag styling only	\$243
DKA 4170	Dynamite Orange	Extra lead time 10+ days. Tag styling only	\$243
DKA 4180	Forest Green	Extra lead time 10+ days. Tag styling only	\$243
STYLING			
DKA 4190	Bold		N/C
DKA 4195	Tag		N/C
BOLD COLOUR			
DKA 4200	Black		N/C
DKA 4210	Dark Grey		N/C
DKA 4220	Light Grey		N/C
DKA 4230	Red		N/C
DKA 4240	Blue		N/C
DKA 4250	Gold		N/C
TAG COLOUR			
DKA 4300	Black		N/C
DKA 4310	Red		N/C

# Küschall® K-Series

FRONT WHEEL			
<b>FRONT WHEEL</b>		<i>For configuration please also see tables at end of form</i>	
DKA 5000	3" Supersport		N/C
DKA 5050	4" Everyday wheel, black		N/C
DKA 5100	4" Comfort wheel, black		N/C
DKA 5150	4" Starec, black		\$171
DKA 5200	4" EPIC Softroll, black		\$171
DKA 5250	4" EPIC Softroll, silver		\$171
DKA 5300	5" Everyday wheel, black		N/C
DKA 5350	5" Comfort wheel, black		N/C
DKA 5400	5" Starec, black		\$171
DKA 5450	5" EPIC Softroll, black		\$171
DKA 5500	5" EPIC Softroll, silver		\$171
REAR WHEELS			
<b>REAR WHEEL FIXATION</b>			
DKA 6020	Standard rear wheel position		N/C
DKA 6030	Light rear wheel extension (positions 1-3)	<i>Not with carbon axle or RSTF &lt; 41cm</i>	\$216
DKA 6040	Rear wheel extension (positions 1-5)	<i>Not with carbon axle or RSTF &lt; 41cm</i>	\$216
<b>CAMBER AXLE TYPE - 1st AXLE</b>			
DKA 6050	Vario-Ax, adjustable camber 1 / 3 / 7 / 10°	<i>Not with Alber add-on kits, or performance brakes</i>	\$657
DKA 6060	Standard axle		N/C
DKA 6070	Carbon axle	<i>Not with rear wheel extensions or Alber add-on kits</i>	\$270
<b>POSITION OF 1st AXLE</b>		<i>Only with rear wheel extensions</i>	
DKA 6100	1st position from front	<i>When 2nd axle selected, 1st axle must be in 1st position</i>	N/C
DKA 6110	2nd position from front		N/C
DKA 6120	3rd position from front		N/C
DKA 6130	4th position from front		N/C
DKA 6140	5th position from front		N/C
<b>CAMBER ANGLE - 1st AXLE</b>			
DKA 6200	Camber 0°		N/C
DKA 6210	Camber 3°		N/C
DKA 6220	Camber 6°	<i>Not with Alber add-on kits</i>	N/C
<b>CAMBER AXLE TYPE - 2nd AXLE</b>		<i>Only with rear wheel extension ; 2nd axle only in 5th position from front</i>	
DKA 6240	Vario-Ax, adjustable camber 1 / 3 / 7 / 10°		\$1,035
DKA 6230	Standard axle		\$306
<b>CAMBER ANGLE - 2nd AXLE</b>		<i>Max 3° difference with 1st axle; If 1st axle is Vario-Ax 2nd axle only in 0° or 3°</i>	
DKA 6250	Camber 0°		N/C
DKA 6260	Camber 3°		N/C
DKA 6270	Camber 6°	<i>Not with Alber add-on kits</i>	N/C
<b>QUAD QUICK RELEASE AXLE</b>			
DKA 6300	Tetra Clip axle	<i>Not with Spinergy LXX</i>	\$99
<b>REAR WHEEL SIZE</b>			
DKA 6410	24"		N/C
DKA 6420	25"	<i>Not with suspension, Starec wheels or spoke guards</i>	N/C
DKA 6430	26"	<i>Not with suspension or active brakes</i>	N/C
<b>REAR WHEEL TYPE</b>			
DKA 6510	24", 26" Küschall Starec, cross spoked	<i>Colourless Starec hub, black rim</i>	N/C
DKA 6520	24", 25" High Performance	<i>Black hub &amp; rim; Not with solid tyres</i>	\$450
DKA 6550	24", 25" Spinergy LXX	<i>Hub, rim &amp; spokes black; Not with solid tyres</i>	\$1,440
<b>REAR WHEEL TYRE</b>			
DKA 6600	24", 25", 26" Schwalbe Rightrun black/grey		N/C
DKA 6640	24" Profile tyre 7 bar		N/C
DKA 6620	24", 25", 26" Schwalbe Marathon Plus	<i>SmartGuard puncture protected</i>	\$117
DKA 6650	24" Solid tyre, profile, grey	<i>Not with High Perf or Spinergy LXX</i>	N/C
DKA 6660	24" Solid tyre (KIK type), black	<i>Not with High Perf or Spinergy LXX</i>	\$45
DKA 6630	24", 25" Schwalbe ONE	<i>V-Guard puncture resistant</i>	\$117
DKA 6610	24", Schwalbe Rightrun blue	<i>K-Guard puncture resistant</i>	\$81
DKA 6670	24" Solid light wheel	<i>Not with High Perf or Spinergy LXX</i>	N/C
<b>ANTI FLAT</b>			
DKA 6680	Anti-flat tyre tube protection	<i>Not with Marathon Plus or solid tyres</i>	\$108

# Küschall® K-Series

<b>HANDRIM</b>			
DKA 6780	24", 25", 26" Light Alu, grey, dist 3cm	Short tabs with one hole at 3cm	N/C
DKA 6800	24", 25", 26" Light Alu, grey, dist 4cm	Long tabs with two holes at 3cm or 4cm, mounted at 4cm	N/C
DKA 6790	24", 25", 26" Light Alu, black, dist 3cm	Short tabs with one hole at 3cm	\$90
DKA 6700	24", 26" Supergripp, dist 3cm	Long tabs with two holes at 3cm or 4cm, mounted at 3cm	\$189
DKA 6710	24", 26" Steel polished, dist 3cm	Short tabs with one hole at 3cm	\$135
DKA 6720	24" Titanium, dist 3cm	Short tabs with one hole at 3cm	\$495
DKA 6730	24" Titanium, dist 4cm	Long tabs with two holes at 3cm or 4cm, mounted at 4cm	\$495
DKA 6740	24" Carbolife Gekko, dist 3cm	Long tabs with two holes at 3cm or 4cm, mounted at 3cm	\$711
DKA 6750	24" Carbolife Gekko S, dist 3cm	Long tabs with two holes at 3cm or 4cm, mounted at 3cm	\$711
DKA 6760	24" Carbolife Curve L, dist 3cm	Long tabs with two holes at 3cm or 4cm, mounted at 3cm	\$675
DKA 6770	24" Carbolife Quadro, dist 3cm	Long tabs with two holes at 3cm or 4cm, mounted at 3cm	\$810
<b>SPOKE GUARDS</b>			
DKA 6900	24", 26" Transparent	Not with Spinergy LXX	\$198
DKA 6910	24", 26" Black	Not with Spinergy LXX	\$198
<b>ALBER ADD ON KIT</b>			
DKA 6950	E-Motion & Twion adapter plate	Only with 24" wheels and 0° camber. Includes 2 Alber antitippers	\$954
<b>SAFETY</b>			
<b>BRAKES</b>			
DKA 7210	Push brake, bent lever		N/C
DKA 7230	Performance brake		\$171
DKA 7240	Active scissor brake		\$216
DKA 7250	Light Active brake		\$531
<b>BRAKE EXTENSION LEVER</b>			
DKA 7300	Brake extension lever	Only for push brakes	\$72
<b>ANTITIPPER</b>			
<i>Max 2x Adaptions per side (Antitipper, Tipper Aid, Cane Holder, Transit Wheels)</i>			
DKA 7500	Antitipper right		\$234
DKA 7510	Antitipper left		\$234
DKA 7520	Antitipper both sides		\$459
<b>TRANSPORTATION KIT</b>			
DKA 7600	Transportation kit inc seat belt and labels	Only with backrest height > 40cm	\$135
<b>SEAT BELT</b>			
DKA 7800	Seat belt	Included with transportation kit	\$63
<b>PASSIVE LIGHTS (REFLECTORS)</b>			
DKA 7900	Passive lights assembled (mounted on spokes)		\$45
DKA 7910	Passive lights enclosed		\$45
<b>ACCESSORIES</b>			
<b>FRAME PROTECTION</b>			
DKA 8010	Front Frame Protectors, pair	Removable	\$90
<b>CANE HOLDER</b>			
<i>Max 2x Adaptions per side (Antitipper, Tipper Aid, Cane Holder, Transit Wheels)</i>			
DKA 8200	Cane holder, right	Not with Alber Add-ons	\$117
DKA 8210	Cane holder, left	Not with Alber Add-ons	\$117
<b>TRANSIT WHEELS 3"</b>			
<i>Max 2x Adaptions per side (Antitipper, Tipper Aid, Cane Holder, Transit Wheels)</i>			
DKA 8300	Transit wheels 3"	Not with Alber add-on kits	\$450
<b>AIR PUMP</b>			
DKA 8500	Air pump		\$90
<b>TOOL KITS</b>			
DKA 8550	Tool kit		N/C
DKA 8600	Rear height adjustment set		\$135
<b>WHEEL BAG AND WHEEL KITS</b>			
DKA 8650	Wheel bag		\$180
DKA 8680	24" Mountain bike wheels with bag	Mountain bike wheels and tires with alu handrims and quick-release axles	\$540

# Küschall® K-Series

## SUPPORT FOR MEASUREMENTS / MYKÜSCHALL REQUESTS

		CUSTOMISED MEASUREMENTS	
		SW	
		SD	
		BH	
		FSTF	
		RSTF	
		LLL	
		BA	
		CAMBER	
		USER WEIGHT	
		USER SIZE	

## FRAME TYPE/ANGLE/LENGTH, REAR WHEEL SIZE, LOWER LEG LENGTH, FSTF, FOOTREST TYPE

Frame	24" REAR WHEEL				25" REAR WHEEL				26" REAR WHEEL			
	FSTF	Brkt	LLL range for std mounting		FSTF	Brkt	LLL range for std mounting		FSTF	Brkt	LLL range for std mounting	
			Footube / Adj footplate	Flip-up Footplate			Footube / Adj footplate	Flip-up Footplate			Footube / Adj footplate	Flip-up Footplate
<b>Aluminium</b>												
75° Short	45	S	33-42	29-42	46	S	33-43	29-43	47	S	33-44	29-44
	46	S	34-43	30-43	47	S	34-44	30-44	48	S	34-45	30-45
	47	S	35-44	31-44	48	L	35-45	31-45	49	L	35-46	31-46
75° Std	48	S	37-45	33-45	49	S	37-46	33-46	50	S	37-47	33-47
	49	S	38-46	34-46	50	S	38-47	34-47	51	S	38-48	34-48
	50	S	39-47	35-47	51	L	39-48	35-48	52	L	39-49	35-49
75° +5cm	50	S	39-47	35-47	51	S	39-48	35-48	52	S	39-49	35-49
	51	S	40-48	36-48	52	S	40-49	36-49	53	S	40-50	36-50
	52	L	41-49	37-49	53	L	41-50	37-50	54	L	41-51	37-51
90° Short	45	S	33-41	29-41	46	S	33-42	29-42	47	S	33-43	29-43
	46	S	34-42	30-42	47	S	34-43	30-43	48	S	34-44	30-44
	47	S	35-43	31-43	48	L	35-44	31-44	49	L	35-45	31-45
90° Std	48	S	38-44	34-44	49	S	38-45	34-45	50	S	38-46	34-46
	49	S	39-45	35-45	50	S	39-46	35-46	51	S	39-47	35-47
	50	L	40-46	36-46	51	L	40-47	36-47	52	L	40-48	36-48
90° +5cm	50	S	40-46	36-46	51	S	40-47	36-47	52	S	40-48	36-48
	51	S	41-47	37-47	52	S	41-48	37-48	53	S	41-49	37-49
	52	L	42-48	38-48	53	L	42-49	38-49	54	L	42-50	38-50
75° Tapered	48	S	37-45		49	S	37-46		50	S	37-47	
	49	S	38-46		50	S	38-47		51	S	38-48	
	50	L	39-47		51	L	39-48		52	L	39-49	
90° Tapered	48	S	39-44		49	S	39-45		50	S	39-46	
	49	S	40-45		50	S	40-46		51	S	40-47	
	50	L	41-46		51	L	41-47		52	L	41-48	



Local Homologation number, ISO, MDA, TUV logos

The product includes all standard features

Maximum user weight: 130kg

We reserve the right to deliver a + or – tolerance of +/- 10 mm on all measurements

We reserve the right to make technical changes without notice



**push**  
MOBILITY

**1300 721 328**  
Always pushing the limits

316 Hoddle St Abbotsford VIC 3067

E: [info@pushmobility.com.au](mailto:info@pushmobility.com.au)

W: [www.pushmobility.com.au](http://www.pushmobility.com.au)

SM: [www.facebook.com/pushmobility](https://www.facebook.com/pushmobility)

ABN 61 161 571 115

National disability insurance Scheme - provider 4050000058