

# Küschall<sup>®</sup> KSL

Description

Price List and Order Form



#### Customer Name: \_\_\_\_

Code

Date: \_\_\_\_

Address: \_

\_\_\_\_\_ Mobile: \_\_\_\_\_ Customer Email: \_\_\_

NDIS Number: \_\_\_\_\_

	Cite

\_ City: \_\_

\_\_\_\_State: \_\_\_\_\_\_Postcode: \_\_\_\_

Price

Code	Description	Price	
DSA 0085	The KSL	\$8,100	
DSA 0000	MyKüschall special construction Complete all information at end of sc	ript POA	
FRAME			
FRAME ANG	GLE		
DSA 1000	Frame angle 75°	N/C	
DSA 1010	Frame angle 75°, Tapered front frame	N/C	
DSA 1020	Frame angle 90° Not with 5" front whe		
	Frame angle 90°, Tapered front frame Not with 5" front whe		
SEAT WIDTH		1,00	
	34cm Not with Matrx cushic	ns N/C	
DSA 1320	36cm	N/C	
DSA 1325	38cm	N/C	
DSA 1320	40cm	N/C	
DSA 1335	42cm	N/C	
DSA 1335 DSA 1340	44cm	N/C	
		IN/C	
SEAT DEPTH		N/C	
DSA 1430	38.5cm Not with Matrx cushic		
DSA 1440	41cm	N/C	
DSA 1455	43.5cm	N/C	
DSA 1470	46cm	N/C	
DSA 1485	48.5cm	N/C	
BACK HEIGH			
DSA 1605	27cm Not with light back upholste		
DSA 1610	28.5cm Not with light back upholste	ery N/C	
DSA 1615	30cm	N/C	
DSA 1620	31.5cm	N/C	
DSA 1625	33cm	N/C	
DSA 1630	34.5cm	N/C	
DSA 1635	36cm	N/C	
DSA 1640	37.5cm	N/C	
DSA 1645	39cm	N/C	
DSA 1650	40.5cm	N/C	
DSA 1655	42cm	N/C	
FRONT SEA	T-TO-FLOOR-HEIGHT (FSTF)		
DSA 1740	45cm Only with 24" rear whe	e/s N/C	
DSA 1745	46cm	N/C	
DSA 1750	47cm	N/C	
DSA 1755	48cm	N/C	
DSA 1760	49cm	N/C	
DSA 1765	50cm	N/C	
DSA 1770	51cm	N/C	
DSA 1775	52cm	N/C	
DSA 1780	53cm Only with 25" rear whe		
	TO-FLOOR-HEIGHT (RSTF) RSTF = [FSTF-10cm] to [FSTF-2c		
DSA 1820	40cm Only with 24" rear whe	1	
DSA 1820	41cm	N/C	
DSA 1823	42cm	N/C	
	42cm 43cm	N/C	
DSA 1835			
DSA 1840	44cm	N/C	
DSA 1845	45cm	N/C	
DSA 1850	46cm	N/C	
DSA 1855	47cm	N/C	
DSA 1860	48cm	N/C	

## Küschall® KSL

LOWER LEG	LENGTH (LLL) 75° frame: LLL = [FSTF -10cm] to [FSTF-3cm] ; 90° frame: LLL = [FSTF - 8cm] to [FSTF-4cm]		
DSA 1930	35cm	N/C	
DSA 1932	36cm	N/C	
DSA 1934	37cm	N/C	
DSA 1936	38cm	N/C	
DSA 1938	39cm	N/C	
DSA 1940	40cm	N/C	
DSA 1942	41cm	N/C	
DSA 1944	42cm	N/C	
DSA 1946	43cm	N/C	-
DSA 1948	44cm	N/C	-
DSA 1950	45cm	N/C	-
DSA 1952	46cm	N/C	-
DSA 1952	47cm	N/C	-
DSA 1954	48cm	N/C	-
			-
DSA 1958	49cm	N/C	
DSA 1960	50cm	N/C	
BACKREST BACK TUBE			
DSA 2110		N/C	-
	Fixed backrest in frame colour		-
DSA 2140	Foldable backrest, angle-adjustable, black	\$405	
BACK UPHC		NUC	-
	Standard upholstery	N/C	-
DSA 2210	Light back Not with RH 27-28.5cm	\$90	-
DSA 2220	Tension velcro adjustable back black	\$144	-
	Aero back, tension velcro adjustable	\$288	
PUSH HANL			-
DSA 2400	Without push handles	N/C	-
DSA 2410	Push handles fixed, short	N/C	-
DSA 2420	Push handles fixed, long	N/C	-
	Foldable push handles	\$243	
BACKREST			Atthe
	74° angle from the seat	N/C	
	78° angle from the seat	N/C	
DSA 2540	82° angle from the seat	N/C	
DSA 2560	86° angle from the seat	N/C	- Aller
DSA 2580	90° angle from the seat	N/C	<i>"" 11</i>
SEATING			1
SEAT UPHO			4
DSA 2600	Standard	N/C	-
DSA 2630	Light seat upholstery	\$90	
SEAT CUSH			-
DSA 2700	Standard seat cushion, 60mm, double foam with visco top	\$126	4
	Matrx Libra cushion Not all sizes available, refer to Seating Catalogue	\$693	4
	Matrx Vi cushion Not all sizes available, refer to Seating Catalogue	\$567	
FOOTREST			1
	TYPE (TUBE/PLATE)		-
DSA 3200	Footrest tube, aluminium New profile	N/C	-
DSA 3210	Footrest tube, titanium	\$189	-
DSA 3220	Carbon footplate, angle-adjustable	\$315	
FOOTREST			-
DSA 3290	Footrest cover Not with carbon footplate	\$18	
CALF STRAI			-
DSA 3300	Calf Strap Mounted on Frame	N/C	4
DSA 3305	Calf Strap Mounted with Bracket	N/C	
SIDE GUARI	DS		
DSA 3410	Carbon clothes guards, fixed	N/C	
	Carbon mudguards, fixed Not with performance brake	\$171	1

# Küschall® KSL


	LOUR & CUSTOMISATION		
FRAME CO			_
DSA 4000	Space Black	N/C	-
DSA 4010	Anthracite Grey	N/C	4
DSA 4020	Pure White Not with Light Grey Bold Sty	ling N/C	
DSA 4030	Carmine Red	N/C	
DSA 4040	Azure Blue	N/C	
DSA 4100	Black Glossy Extra lead time 10+ days. Tag styling o	only \$243	
DSA 4110	Ferrite Extra lead time 10+ days. Tag styling o		
DSA 4120	Slate Metallic Extra lead time 10+ days. Tag styling of		-
			-
DSA 4130	Silver Grey Extra lead time 10+ days. Tag styling o		-
DSA 4140	Royal Blue Extra lead time 10+ days. Tag styling o		_
DSA 4150	Ruby Red Extra lead time 10+ days. Tag styling o	only \$243	_
DSA 4160	Smoky Grey Extra lead time 10+ days. Tag styling a	only \$243	
DSA 4170	Dynamite Orange Extra lead time 10+ days. Tag styling of	only \$243	
DSA 4180	Forest Green Extra lead time 10+ days. Tag styling of	only \$243	
STYLING			
DSA 4190	Bold	N/C	1
DSA 4195	Tag	N/C	1
BOLD COLC		N/C	
1			
DSA 4200	Black	N/C	
DSA 4210	Dark Grey	N/C	4
DSA 4220	Light Grey	N/C	
DSA 4230	Red	N/C	
DSA 4240	Blue	N/C	
DSA 4250	Gold	N/C	
TAG COLOU			
DSA 4300	Black	N/C	-
		N/C	
DSA 4310	Red	N/C	
FRONT WH			
FRONT WH		1	_
DSA 5000	3" Supersport	N/C	
DSA 5050	4" Everyday wheel, black	N/C	
DSA 5100	4" Comfort wheel, black	N/C	
DSA 5150	4" Starec, black	\$171	
DSA 5200	4" EPIC Softroll, black	\$171	7
1	4" EPIC Softroll, silver	\$171	-
DSA 5300	5" Everyday wheel, black Not with 90° front fro		-
			-
DSA 5350			-
	5" Starec, black Not with 90° front fro		_
DSA 5450	5" EPIC Softroll, black Not with 90° front fro	ame \$171	
DSA 5500	5" EPIC Softroll, silver Not with 90° front from the second secon	ame \$171	
REAR WHE	ELS		
REAR WHE	EL POSITION (X)		
DSA 6100	140mm (position 1)	N/C	9
DSA 6110	125mm (position 2)	N/C	
DSA 6120	110mm (position 3)	N/C	S PP
DSA 6130	95mm (position 4)	\$243	•ו
DSA 6140	80mm (position 5)	N/C	
1			_
DSA 6200	Camber 0°	N/C	_
DSA 6210	Camber 3°	N/C	
DSA 6220	Camber 6° Not with Alber adapter plo	ates N/C	
QUAD QUIO	CK RELEASE AXLE		
DSA 6300	Tetra Clip axle Not with Spinergy LXK or Alber add-on	kits \$99	1
REAR WHE			
· · · · · · · · · · · · · · · · · · ·	24"	N/C	-
DSA 6410	25" Not with Starec whe	eels N/C	
DSA 6420			_
DSA 6420 REAR WHE			1
DSA 6420	EL TYPE           24", 26" Kuschall Starec, cross spoked         Starec hub, black	rim N/C	_
DSA 6420 REAR WHEE			
DSA 6420 <b>REAR WHEI</b> DSA 6510	24", 26" Kuschall Starec, cross spoked Starec hub, black	<i>rim</i> \$450	-
DSA 6420 <b>REAR WHEI</b> DSA 6510 DSA 6520	24", 26" Kuschall Starec, cross spoked     Starec hub, black       24", 25" High Performance     Black hub and       24", 25" Spinergy LXK     Hub, rim and spokes black	<i>rim</i> \$450	-
DSA 6420 <b>REAR WHEI</b> DSA 6510 DSA 6520 DSA 6550 <b>REAR WHEI</b>	24", 26" Kuschall Starec, cross spoked     Starec hub, black       24", 25" High Performance     Black hub and       24", 25" Spinergy LXK     Hub, rim and spokes bl       IEL TYRE	lack \$1,440	-
DSA 6420 <b>REAR WHEI</b> DSA 6510           DSA 6520           DSA 6550 <b>REAR WHEI</b> DSA 6600	24", 26" Kuschall Starec, cross spoked       Starec hub, black         24", 25" High Performance       Black hub and         24", 25" Spinergy LXK       Hub, rim and spokes bl         EEL TYRE         24", 25", 26" Schwalbe Rightrun black/grey	rim \$450 lack \$1,440 N/C	-
DSA 6420 <b>REAR WHEI</b> DSA 6510           DSA 6520           DSA 6550 <b>REAR WHEI</b> DSA 6600           DSA 6630	24", 26" Kuschall Starec, cross spoked       Starec hub, black         24", 25" High Performance       Black hub and         24", 25" Spinergy LXK       Hub, rim and spokes bl         EEL TYRE       24", 25", 26" Schwalbe Rightrun black/grey         24", 25" Schwalbe ONE       V-Guard puncture resist	rim \$450 lack \$1,440 N/C tant \$117	-
DSA 6420 <b>REAR WHEI</b> DSA 6510 DSA 6520 DSA 6550 <b>REAR WHEI</b> DSA 6600	24", 26" Kuschall Starec, cross spoked       Starec hub, black         24", 25" High Performance       Black hub and         24", 25" Spinergy LXK       Hub, rim and spokes bl         EEL TYRE         24", 25", 26" Schwalbe Rightrun black/grey	rim \$450 ack \$1,440 N/C tant \$117 tant \$81	



HANDRIM			
DSA 6780 24"	, 25" Light Alu, grey, dist 3cm	Short tabs with one hole at 3cm	N/C
	, 25" Light Alu, grey, dist 4cm	Long tabs with two holes at 3cm or 4cm, mounted at 4cm	N/C
	, 25" Light Alu, black, dist 3cm	Short tabs with one hole at 3cm	\$90
DSA 6700 24"	Supergripp, dist 3-4cm	Long tabs with two holes at 3cm or 4cm, mounted at 3cm	\$189
DSA 6710 24"	Steel polished, dist 3cm	Short tabs with one hole at 3cm	\$135
DSA 6720 24"	Titanium, dist 3cm	Short tabs with one hole at 3cm	\$495
DSA 6730 24"	Titanium, dist 4cm	Long tabs with two holes at 3cm or 4cm, mounted at 4cm	\$495
DSA 6740 24"	, 25" Carbolife Gekko, dist 3cm	Long tabs with two holes at 3cm or 4cm, mounted at 3cm	\$711
DSA 6750 24"	, 25" Carbolife Gekko S, dist 3cm	Long tabs with two holes at 3cm or 4cm, mounted at 3cm	\$711
DSA 6760 24"	Carbolife Curve L, dist 3cm	Long tabs with two holes at 3cm or 4cm, mounted at 3cm	\$675
DSA 6770 24"	Carbolife Quadro, dist 3cm	Long tabs with two holes at 3cm or 4cm, mounted at 3cm	\$810
SPOKE GUARDS	;		
DSA 6900 24"	Transparent		\$198
DSA 6910 24"	Black		\$198
ALBER ADD ON	КІТ	Antitipper from Alber will be installed	
DSA 6950 Alb	er adapter plate	Not with 25" wheels or 6° camber. 2 Alber antitippers included	\$954
SAFETY			
BRAKES			
DSA 7210 Pus	h brake, bent lever		N/C
DSA 7230 Per	formance brake	Not with mudguards	\$171
DSA 7240 Act	ive scissor brake Not with ST38.5-41cm of	and rear wheel position 140mm, or 25" rear wheels and position 125mm	\$216
DSA 7250 Ligh	nt Active brake		\$531
ANTITIPPER			
DSA 7500 Ant	itipper right		\$234
DSA 7510 Ant	itipper left		\$234
DSA 7520 Ant	itipper both sides		\$459
SEATBELT			
	it belt		\$63
PASSIVE LIGHTS	•	,	
	sive lights assembled (mounted on spoke	es)	\$45
	sive lights enclosed		\$45
ACCESSORIES			
FRONT FRAME		T	<b>*</b> ***
	nt frame protectors (2pc)		\$90
MANUAL AIR PU			<b>*•••</b>
	pump		\$90
	11.22		N/C
DSA 8550 Too			N/C
WHEEL BAG AN		Mountain hile whools and time with the best drives indexide a framework	¢5.40
	Mountain bike wheels with bag	Mountain bike wheels and tires with alu handrims; incl quick-release axles	\$540
DSA 8650   Wh	eel bag (for 24" - 26" rear wheels)		\$180

## Küschall<sup>®</sup> KSL

### SUPPORT FOR MEASUREMENTS / MYKÜSCHALL REQUESTS



The measurement of the rear wheel fixation (X on drawing) is done from the middle of the carbon camber axle to the middle of the backrest on a height of "rear seat-to-floor height (SHh) + 2cm, on a horizontal level.

The sideguards are fixed and mounted directly on the frame. The actual seat width corresponds to the values in the order form.

MYKÜSCHALL REQUESTS: DESCRIPTION OF THE REQUEST

Local Homologation number, ISO, MDA, TUV logos The product includes all standard features Maximum user weight: 100kg

We reserve the right to deliver a + or – tolerance of +/- 10 mm

on all measurements We reserve the right to make technical changes without notice





316 Hoddle St Abbotsford VIC 3067
E: info@pushmobility.com.au
W: www.pushmobility.com.au
SM: www.facebook.com/pushmobility
ABN 61 161 571 115
National disability insurance Scheme - provider 405000058