

Bowhead RX™ Order Form

Contact Information					
First Name:					
Last Name:					
Phone Number:					
Email:					
Address:					
City:					
State/Provence:					
Zip:					
Country:					
	Anatomic Information				
Height (include units of	f measure):				
Weight (include units o	of measure):				
Age:					
Type of Injury:					
If injury is a SCI, what le	evel?:				
	Additional Rider Information				
Reason for purchasing	RX cycle?				
What is your previous biking experience?					
Affiliate Information					
Did an adaptive program	m refer you? Yes No				
If yes, which program?					
Examp Child					
Frame Style Frame Material					
<u> </u>					
Stainless Steel (Standard) Titanium					

Seating Information:							
Seat Width							
12" 14" 15" 16" 17" 18"							
Harness Size							
☐ XS (24-26") ☐ S (26-33") ☐ M (32-36") ☐ L (35-39") ☐ XL (39-44")							
Spreader Bar Size							
8" 10" 12"							
Make your selection using the chart below based on your waist measurement in <u>INCHES</u> . Note: Consider any riding gear with your selection, make sure you have room for layers!							
riding gear with			·				
	SIZE	WAIST SIZE*	SPREADER BAR SIZE				
	X-SMALL	24 - 25	8				
	X-SMALL	26 - 27	8				
	SMALL	28 - 29	10				
	SMALL	30 - 31	12				
	MEDIUM	32 - 33	10				
	MEDIUM	34 - 35	12				
	LARGE	36 - 37	10				
	LARGE	38 - 39	12				
	X-LARGE	40 - 41	10				
	X-LARGE	42 - 44	12				
	X-LARGE	42 - 44	12				
Soot Cuchion	* Measure Around Belly But	tton					
Seat Cushion			Supracore Stimulite Slimline	(Highly			
None			recommended due to seat dimension				
		Shocks	Information:				
Shocks							
Base Perfori	mance (Standard)		Premium				
Brake Information:							
Brakes Control							
	nm rotors (Standard)		Premium + 203 mm rotor				
Brake Lever Mo		la frant brakes a	Door broke on the left hand side	front brokes on			
the left-hand sign	on the right-hand sid	ie, iront brakes oi	Rear brake on the left-hand side, front brakes on the right-hand side				
the fert hand six	ac		the right hand side				
Grip Information:							
Grip Selection	1.63.76: 1.15	T					
💹 Sensus Blacl	k Grip (Standard)		Ergon Ergonomical Grip				

Wheels/Tires Information:						
Tires – All 3 pcs						
Base – Vee (or comparable)	Upgrade – Maxxis Minion					
	IF IN STOCK					
Tubeless – rear only No (Standard) Yes						
Pattam. Information						
Battery Information:						
Additional Batteries (The RX comes with 1 PowerTube 500 horizontal battery for bikes sold in North America)						
0 additional (Standard)						
1 additional PowerTube 500 horizontal						
2 additional PowerTube 500 horizontal						
International customers will need to source PowerTube 500 horizontal batteries and chargers locally.						
Side Guards Information						
Side Guard Material						
Fiberglass (Standard)	Carbon Fiber					
Crank Arms/Handles Information:						
Handlebar/Stem						
☐ Standard	Upgrade (+ TBD)					
Accessories/Additions:						
Topeak MTX Trunk Bag EX + Bowhead attachment parts						
Pannier Bag Mount						
Tannus Armour – 3 Tires						
Seat Angle Spacers						
Pro-bolt Kit: Orange Gold Red Blue Purple (Please choose 1 color)						