

## Bowhead REACH<sup>™</sup> Order Form

Contact Information		
First Name:		
Last Name:		
Phone Number:		
Email:		
Address:		
City:		
State/Provence:		
Zip:		
Country:		

	Anatomic Information
Height (include units of measure):	
Weight (include units of measure):	
Age:	
Type of Injury:	
If injury is a SCI, what level?	

Additional Rider Information	
Reason for purchasing REACH cycle?	
What is your previous biking experience?	

Affiliate Information		
Did an adaptive program refer you?	Yes No	
If yes, which program?		

Frame Style		
Frame Material		
Stainless Steel (Standard)	Titanium	

	Seating In	formation:	
Seat Width			
□ 12″ □ 14″ □ 15″ □ 16″ □ 1	l7" 🗌 18"		
Harness Size			
🗌 XS (24-26") 🗌 S (26-33") 🗌 M	l (32-36") 🗌 L (35-3	9") 🗌 XL (39-44")	
Spreader Bar Size			
8″ 🗌 10″ 🗌 12″			
riding gear with your selection, ma	ke sure you have roo	our waist measurement in <u>INCHES</u> . Note om for layers!	: Consider any
SIZE	WAIST SIZE*	SPREADER BAR SIZE	
X-SMALL	24 - 25	8	
X-SMALL	26 - 27	8	
SMALL	28 - 29	10	
SMALL	30 - 31	12	
MEDIUM	32 - 33	10	
MEDIUM	34 - 35	12	
LARGE	36 - 37	10	
LARGE	38 - 39	12	
X-LARGE	40 - 41	10	
X-LARGE	42 - 44	12	
* Measure Around Belly B	utton		
Seat Mounting			
Solid (Standard)		Swivel	
Seat Cushion			
None		Supracore Stimulite Slimline	
		Highly recommended due to seat din	

Shocks Information:		
Shocks		
Base Performance (Standard)	Premium	

Brake Information:		
Brakes		
Base + 203mm Rotors (Standard)	Premium + 220mm Rotors	
Brake Lever Mounting		
Rear brake on the right-hand side, front brakes on	Rear brake on the left-hand side, front brakes on	
the left-hand side	the right-hand side	

Wheels/Tires Information:		
Tires – All 3 pcs		
Base – Vee (or comparable)	Upgrade – Maxxis Minion	
	IF IN STOCK	
Front Wheels		
Base – 20" Tubed		
Upgrade – 24" Tubed		
Upgrade – 24" Tubeless		
Rear Wheel		
Standard – Tube		
Upgrade – Tubeless		

Battery

International 21.5 Ah Battery, without BMS connectivity (Only International Battery - Standard)

Fender/Side Guards Information		
Fender/Side Guard Material		
Fiberglass (Standard)	Carbon Fiber	

Handlebar/Stem Information:	
Handlebar/Stem	
Race Face (Standard)	

Grip Information:		
Grip Selection		
Sensus Swayze Grip (Standard)	Ergon Ergonomical Grip	

Rear End Information:		
Rear End		
Sport (Standard)	Pannier-compatible	

Drive Information:		
Drive		
Rear-wheel (Standard)	All-wheel	
Hand Controls:		
Regular Quadriplegic Bar: Brakes controlled via entire hand rotation with a paddle throttle		
Stinger Handle Bar: Brakes are controlle	d via long rod extension, elbow control	
Thumb Throttle		

Lean Assist Kit

Note: lean limits are included in quad controls. Only the assists are extra cost.

Quadriplegic Information	
Your right-hand grip strength and mobility on a scale from 1 to 10	
Low strength, minimal mobility = 1 / High strength, Lots of mobility = 10	
Relevant notes about your right-hand function:	
Your left-hand grip strength and mobility on a scale from 1 to 10	
Low strength, minimal mobility = 1 / High strength, Lots of mobility = 10	
Relevant notes about your left-hand function:	

Accessories/Additions:		
Extra 21.5 Ah Battery with BMS		
Extra 21.5 Ah Battery without BMS		
Topeak MTX Trunk Bag EX + Bowhead attachment parts		
Tannus Armour – 3 Tires		
Seat Angle Spacers – Set of 2		
Lean Assist Bands		
Pro-bolt Kit: Orange Gold Red Purple (Please choose 1 color)		