

LUNAR

DURABLE AND PRECISE ESPRESSO SCALE CREATED FOR A COMMERCIAL ENVIRONMENT

Designed for espresso machine drip trays, the Acaia Lunar is aesthetically functional for your weighing needs. The espresso scale is built with anodized aluminum. Its electronic parts inside and the LCD display are fortified with a water-resistant spray to prevent water damage.

With an ultra-fast response time and high accuracy, you'll be able to track consistency across all of your espresso shots.

Accessories that are sold separately include the Lunar Weighing Plate, Lunar Base, and the Lunar Carrying Case. One heat pad and one 100 g calibration weight come with each Lunar. The Lunar also includes a 2-year limited manufacturers warranty, including water damage.



FEATURES

ACCURATE & SENSITIVE

Readability up to 0.1 g and an optional resolution 0.01 g. The Acaia Lunar is sensitive to even weight changes resulting from evaporation and temperature.

RECHARGEABLE USB POWER SUPPLY

A greener alternative power source, the lithium ion battery. Lasts 20-30 hrs.

DURABLE AND WATER-RESISTANT

Against standard cafe wear and tear.

FIRMWARE SUPPORTED

The scale receives periodic firmware updates, which are available through our free Lunar Updater app.

BUILT-IN AUTO-MODES

In various modes, the Lunar can automatically tare, start, and stop.

MOBILE APP COMPATIBLE

Bluetooth-enabled to sync with our apps.



MODE INTRODUCTION



WEIGHING ONLY MODE

Your daily weighing function



AUTO-TARE MODE

Automatically tares item weight for quicker measurements



DUAL DISPLAY MODE

Timer and weight dual display



TIMER STARTS WITH FLOW MODE

Timer starts when espresso flow detected



AUTO-TARE AUTO-START TIMER MODE

Timer begins when an item is placed on the scale



AUTO-TARE TIMER STARTS WITH FLOW MODE

Timer begins when the first drops of espresso hit the cup



PRODUCT SPECIFICATION

Size (WxLxH)	105 mm(W) x 105 mm(L) x 15.5 mm(H)/ 4.13 in(W) x 4.13 in(L) x 0.61 in(H)
Color	Metallic Black / Sliver (2019)
Weight	270 g / 0.6 lb
Capacity	2 kg / 4.4 lbs Max: 2000 g Min: 0.1 g
Measuring Units	g / oz
Reference Division	0.01 g
Display	8-digit LED
Electrical Requirements	5V / 500mA
Power and Battery	Lithium-ion rechargeable 3.7V 1100mA
USB	Micro-USB (increased robustness and durability)
Linearity	+/- 0.2 g
Connectivity	Bluetooth 4.0