

# SAFETY DATA SHEET

# 1. Identification

1. Identification			
Product identifier	Brakleen® Brake Parts Cleaner		
Other means of identification			
Product code	05089, 05089T, 85089, 85089AZ		
Recommended use	Brake cleaner		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier	Distributor information		
Manufactured or sold by:			
Company name Address	CRC Industries, Inc. 885 Louis Dr. Warminster, PA 18974 US		
Telephone General Information Technical Assistance	215-674-4300 800-521-3168		
Customer Service 24-Hour Emergency	800-272-4620 800-424-9300 (US)		
(CHEMTREC)	703-527-3887 (International)		
Website	www.crcindustries.com		
2. Hazard(s) identification			
Physical hazards	Gases under pressure	Compressed gas	
Health hazards	Skin corrosion/irritation	Category 2	
	Carcinogenicity	Category 1B	
	Specific target organ toxicity, single exposure	Category 3 narcotic effects	
Environmental hazards	Hazardous to the aquatic environment, long-term hazard	Category 2	
OSHA defined hazards	Not classified.		
Label elements			
Signal word	Danger		
Hazard statement	Contains gas under pressure; may explode if heated. Causes skin irritation. May cause drowsiness or dizziness. May cause cancer. Toxic to aquatic life with long lasting effects.		
Precautionary statement			
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 49°C/120°F. Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Avoid breathing mist or vapor. Avoid breathing gas. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid release to the environment.		
Response	If on skin: Wash with plenty of water. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If exposed or concerned: Get medical attention. Collect spillage.		
Storage	Store locked up. Protect from sunlight. Store in a well-ventilated place. Exposure to high temperature may cause can to burst.		
Disposal	Dispose of contents/container in accordance with local/regional/national regulations.		

#### Supplemental information

When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen chloride and possibly phosgene.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Tetrachloroethylene	Perchloroethylene	127-18-4	90 - 100
Carbon dioxide		124-38-9	1 - 5

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures	
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
Skin contact	Remove contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	In the unlikely event of swallowing contact a physician or poison control center. Rinse mouth.
Most important symptoms/effects, acute and delayed	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Irritation of eyes and mucous membranes. Irritation of nose and throat. Skin irritation. May cause redness and pain.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

#### 5. Fire-fighting measures

••••••••••••••••••••••••••••••••••••••		
Suitable extinguishing media	Dry chemical, CO2, or water spray. Do not use water jet as an extinguisher, as this will spread the fire.	
Unsuitable extinguishing media		
Specific hazards arising from the chemical	Contents under pressure. Exposure to high temperature may cause can to burst. When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen chloride and possibly phosgene.	
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.	
Fire-fighting equipment/instructions	In case of fire: Stop leak if safe to do so. Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up.	

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Avoid breathing gas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Stop the flow of material, if this is without risk. Collect spillage. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Use caution around energized equipment. The metal container will conduct electricity if it contacts a live source. This may result in injury to the user from electrical shock and/or flash fire. Avoid breathing mist or vapor. Avoid breathing gas. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Use only in well-ventilated areas. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Avoid release to the environment. Do not empty into drains. For product usage instructions, please see the product label.
Conditions for safe storage, including any incompatibilities	Level 1 Aerosol.
	Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 49 °C/120 °F. Do not handle or store near an open flame, heat or other sources of ignition. Exposure to high temperature may cause can to burst. Store in a

well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

#### 8. Exposure controls/personal protection

#### **Occupational exposure limits**

### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
Carbon dioxide (CAS 124-38-9)	PEL	9000 mg/m3	
		5000 ppm	
US. OSHA Table Z-2 (29 CFR 1910)			
Components	Туре	Value	
Tetrachloroethylene (CAS 127-18-4)	Ceiling	200 ppm	
	TWA	100 ppm	
US. ACGIH Threshold Limit Values	6		
Components	Туре	Value	
Carbon dioxide (CAS 124-38-9)	STEL	30000 ppm	
	TWA	5000 ppm	
Tetrachloroethylene (CAS 127-18-4)	STEL	100 ppm	
	TWA	25 ppm	
US. NIOSH: Pocket Guide to Chem	nical Hazards		
Components	Туре	Value	
Carbon dioxide (CAS 124-38-9)	STEL	54000 mg/m3	
		30000 ppm	
	TWA	9000 mg/m3	
		5000 ppm	
ogical limit values			
ACGIH Biological Exposure Indice	S		

#### Components Value Determinant Specimen **Sampling Time** 0.5 mg/l Tetrachloroethylene (CAS Tetrachloroethy Blood \* 127-18-4) lene 3 ppm Tetrachloroethy End-exhaled \* lene air

\* - For sampling details, please see the source document.

#### **Exposure guidelines**

#### US - Minnesota Haz Subs: Skin designation applies

	• • • •	
Tetrachloroethylene (CAS	127-18-4)	Skin designation applies.
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.	
Individual protection measures, s	such as personal protective eq	uipment
Eye/face protection	Wear safety glasses with side s	hields (or goggles).
Skin protection		
Hand protection	Wear protective gloves such as	: Viton®. Polyvinyl alcohol (PVA). Nitrile. Silver Shield®
Other	Wear appropriate chemical resi	stant clothing.
Respiratory protection	NIOSH-approved cartridge resp	easible or if exposure exceeds the applicable exposure limits, use a birator with an organic vapor cartridge. Use a self-contained I spaces and for emergencies. Air monitoring is needed to osure levels.
Thermal hazards	Wear appropriate thermal prote	ctive clothing, when necessary.
General hygiene considerations		ays observe good personal hygiene measures, such as washing before eating, drinking, and/or smoking. Routinely wash work ent to remove contaminants.

# 9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Aerosol.
Color	Colorless.
Odor	Irritating.
Odor threshold	50 ppm
рН	Not available.
Melting point/freezing point	-8.1 °F (-22.3 °C) estimated
Initial boiling point and boiling range	250.3 °F (121.3 °C) estimated
Flash point	None (Tag Closed Cup)
Evaporation rate	Very fast.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapor pressure	1352.4 hPa estimated
Vapor density	5.76 (air = 1)
Relative density	1.62
Solubility (water)	0.02 % (77 °F (25 °C))
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity (kinematic)	Not available.
Percent volatile	97.7 % estimated
Other information	
Partition coefficient (oil/water)	2.88

10. Stability and reactivity		
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.	
Chemical stability	Material is stable under normal conditions.	
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.	
Conditions to avoid	Heat, flames and sparks. Contact with incompatible materials. When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen chloride and possibly phosgene.	
Incompatible materials	Strong oxidizing agents. Strong acids. Strong bases.	
Hazardous decomposition products	Hydrogen chloride. Trace amounts of chlorine and phosgene. Carbon oxides. Halogenated materials. Carbonyl halides.	

# 11. Toxicological information

#### Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful. May cause drowsiness and dizziness. Headache. Nausea, vomiting.
Skin contact	Causes skin irritation.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Ingestion of large amounts may produce gastrointestinal disturbances including irritation, nausea, and diarrhea.
Symptoms related to the physical, chemical and toxicological characteristics	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Irritation of nose and throat. Irritation of eyes and mucous membranes. Skin irritation. May cause redness and pain.

# Information on toxicological effects

Acute toxicity	Narcotic effects.		
Product	Species	Test Results	
Brakleen® Brake Parts Cleane	r		
Acute			
Dermal			
LD50	Rabbit	3305.1284 mg/kg estimated	
Inhalation			
LC50	Rat	20.4779 mg/l, 4 Hours estimated	
Oral			
LD50	Rat	2691.8162 mg/kg estimated	
* Estimates for product ma	y be based on additional component	data not shown.	
Skin corrosion/irritation	Causes skin irritation.		
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.		
Respiratory sensitization	Not available.	Not available.	
Skin sensitization	This product is not expected to	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate pro mutagenic or genotoxic.	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	May cause cancer.	May cause cancer.	

# IARC Monographs. Overall Evaluation of Carcinogenicity

Tetrachloroethylene (CAS 127-18-4)

2A Probably carcinogenic to humans.

# US. National Toxicology Program (NTP) Report on Carcinogens

	<b>o</b> ( ) 1	•
Tetrachloroethylene (CA	6 127-18-4)	Reasonably Anticipated to be a Human Carcinogen.
Reproductive toxicity	This product is not expected to	cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	May cause drowsiness and dia	zziness.
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	May be an aspiration hazard.	

Packaging bulk

ΙΑΤΑ

12. Ecological information	n			
Ecotoxicity	Toxic to aquat	tic life with long lasting effects. Accur	mulation in aquatic organisms is expected.	
Product		Species	Test Results	
Brakleen® Brake Parts Clean	er			
Aquatic				
Fish	LC50	Fish	19.1805 mg/l, 96 hours estimated	
Components		Species	Test Results	
Tetrachloroethylene (CAS 12	7-18-4)			
Aquatic				
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	4.73 - 5.27 mg/l, 96 hours	
* Estimates for product may b	e based on addi	tional component data not shown.		
Persistence and degradability	Not available.			
Bioaccumulative potential	Not available.			
Partition coefficient n-octar		Kow)		
Tetrachloroethylene	ion / water (log i	2.88		
Mobility in soil	No data availa	able.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation			
	potential, end	ocrine disruption, global warming po	tential) are expected from this component.	
13. Disposal consideratio	ons			
Disposal of waste from residues / unused products	disposal. Con to drain into se	tents under pressure. Do not punctu	of as hazardous waste. Consult authorities befor re, incinerate or crush. Do not allow this materia ninate ponds, waterways or ditches with chemica applicable regulations.	
Hazardous waste code	D039: Waste F001: Waste I	D039: Waste Tetrachloroethylene F001: Waste Halogenated Solvent - Spent Halogenated Solvent Used in Degreasing F002: Waste Halogenated Solvent - Spent Halogenated Solvent		
US RCRA Hazardous Waste	U List: Refere	nce		
Tetrachloroethylene (CA	S 127-18-4)	U210		
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.			
14. Transport information	1			
тос				
UN number	UN1950			
UN proper shipping name Transport hazard class(es)	Aerosols, pois	on, Packing Group III, Limited Quan	tity, MARINE POLLUTANT	
Class	2.2			
Subsidiary risk	6.1(PGIII)			
Label(s)	2.2, 6.1			
Packing group		Not applicable.		
Environmental hazards				
Marine pollutant	Yes			
-	r Read safety ir	Read safety instructions, SDS and emergency procedures before handling.		
Special provisions	Not available.			
Packaging exceptions	306			
Packaging non bulk	None			
Packaging hulk	None			

None

Transport hazard class(es)	
Class	2.2
Subsidiary risk	6.1
Packing group	Not applicable.
Environmental hazards	No.
ERG Code	2P
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo	Allowed.
aircraft	Allowed
Cargo aircraft only IMDG	Allowed.
UN number	UN1950
UN proper shipping name	AEROSOLS, MARINE POLLUTANT
Transport hazard class(es)	
Class	2
Subsidiary risk	6.1
Packing group	Not applicable.
Environmental hazards	
Marine pollutant	Yes
EmS	Not available.
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
General information	DOT Regulated Marine Pollutant. IMDG Regulated Marine Pollutant.
15. Regulatory information	1

# US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

	Notification (40 CFR 707, Subp	ot. D)
Not regulated. SARA 304 Emergency released	an notification	
•••	se notification	
Not regulated.	Ilated Substances (29 CFR 19 <sup>-</sup>	10 1001-1050)
Not listed.		10.1001-1050)
	Section 313 - Toxic Chemical:	Listed substance
Tetrachloroethylene (CAS		
CERCLA Hazardous Substa		
Tetrachloroethylene (CAS	S 127-18-4)	
CERCLA Hazardous Substa	nces: Reportable quantity	
Tetrachloroethylene (CAS 127-18-4)		100 LBS
	g in the loss of any ingredient at 24-8802) and to your Local Eme	or above its RQ require immediate notification to the National rgency Planning Committee.
Clean Air Act (CAA) Section	112 Hazardous Air Pollutants	s (HAPs) List
Tetrachloroethylene (CAS	\$ 127-18-4)	
Clean Air Act (CAA) Section	112(r) Accidental Release Pre	evention (40 CFR 68.130)
Not regulated.		
Safe Drinking Water Act (SDWA)	Not regulated.	
Food and Drug Administration (FDA)	Not regulated.	
Superfund Amendments and	d Reauthorization Act of 1986	(SARA)
Section 311/312 Hazard categories	Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - Yes Reactivity Hazard - No	
SARA 302 Extremely hazardous substance	No	

	bstances. CA Department of Justice (California Health and Safet	y Code Section 11100)
Not listed.	Community Right-to-Know Act	
Carbon dioxide (CAS 124		
Tetrachloroethylene (CAS	127-18-4)	
Carbon dioxide (CAS 124		
Tetrachloroethylene (CAS		
<b>,</b>	d Community Right-to-Know Law	
Tetrachloroethylene (CAS		
Carbon dioxide (CAS 124 US. Rhode Island RTK	-38-9)	
Tetrachloroethylene (CAS	(127-18-4)	
US. California Proposition 6		
•	contains a chemical known to the State of California to cause cancer.	
•	on 65 - CRT: Listed date/Carcinogenic substance	
Tetrachloroethylene (		
latile organic compounds (VO		
EPA	,	
VOC content (40 CFR 51.100(s))	0 %	
Consumer products (40 CFR 59, Subpt. C)	Not regulated	
State		
Consumer products	This product is regulated as a Brake Cleaner. This product is not co California and New Jersey. This product is compliant in all other sta	
VOC content (CA)	0 %	
VOC content (OTC)	0 %	
ernational Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Ye
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Ye
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Ye
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Ye
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Ye
	ents of this product comply with the inventory requirements administered by t components of the product are not listed or exempt from listing on the inventor	
6. Other information, inc	uding date of preparation or last revision	

Issue date	12-20-2013
Revision date	08-07-2014
Prepared by	Allison Cho
Version #	02
Further information	CRC # 491G

**HMIS®** ratings

**NFPA** ratings

NFPA ratings





#### Disclaimer

CRC cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries.