



MAINTENANCE CHEMICALS

Product Overview



CRC Industries has been a leader for more than 50 years in the production of automotive, industrial, electrical and marine maintenance chemical products.

Our diverse range has a quality product to meet most maintenance and repair applications, allowing users to consolidate chemical purchases to one source for greatest convenience and economy.

Committed to service and quality, we price ourselves on being recognised as the leader in product quality, performance and regulatory compliance.

As an ISO-9001:2008 Certified manufacturer, CRC Industries Inc. places strict controls on every step of our product development and manufacturing process.

NSF

FOOD GRADE: NSF CODE DESCRIPTIONS

NSF H1	This product is acceptable as a lubricant with incidental food contact for use in official establishments operating under the Federal Meat & Poultry Products Inspection Program
NSF H2	This product is acceptable as a lubricant where there is no possibility of food contact in official establishments operating under the Federal Meat & Poultry Products Inspection Program
NSF C1	This product is acceptable as a general cleaner/ degreaser in inedible product processing areas, and/or exterior areas of official establishments operating under the Federal Meat & Poultry Products Inspection Program
NSF K1	This product is chemically acceptable as a solvent cleaner for use in non-processing areas of official establishments operating under the Federal Meat & Poultry Products Inspection Program
NSF K2	This product is chemically acceptable as a solvent for cleaning electronic instruments and devices which will not tolerate aqueous cleaning solutions in official establishments operating under the Federal Meat & Poultry Products Inspection Program
NSF 3H	This product is acceptable for use as a Release Agent on grills, ovens, loaf pans, boning benches, chopping boards, or other hard surfaces in contact with meat and poultry food products to prevent food from adhering during processing
NSF M1	This product is acceptable for use as a mold release agent on molds that are used to produce packaging materials that will contact food to prevent the finished product from adhering to the mold. The amount used on the equipment should be the minimum required to accomplish the effect
NSF P1	This product is acceptable for use as a leak detector in and around food processing areas. The product must be only used in such a manner as to ensure it will have neither direct nor indirect contact with food or potable water
NSF E4	This product is acceptable for use as a hand cream, lotion or cleaner in non-processing areas. The use of such products is limited to toilets, dressing rooms and other non-processing areas.
NSF R2	This product is acceptable for use as a coating where there is no possibility of food contact such as floors, walls, and ceilings

INDEX

PRECISION CLEANERS	4
INDUSTRIAL DEGREASERS & CLEANERS	6
LUBRICANTS	8
PROTECTION & CORROSION INHIBITORS	14
ENVIRONMENTALLY PREFERRED PRODUCTS	17
SPECIALITY	18
AUTOMOTIVE	24

KEY

Icons are an indication of use.
However, please refer to MSDs and TDSs for accurate information



Mining/Industrial



Flammable



Automotive



Specialised



Non-Flammable



Multi-Purpose: Lubricate / Protect /
Penetrate / De-water



Electrical



Electronic



Kauri Butanol (KB) value



Evaporative



Environmentally Preferred
Products (EPP)



360° spray valve



Aviation

PRECISION CLEANERS

PRECISION CLEANERS



Flammable

Is it Plastic Safe?



Code: 2130



Non-Flammable

Is it Plastic Safe?



Code: 2016



Code: 2140

NON-FLAMMABLE
AND SAFE FOR USE ON
MOST PLASTICS



QD CONTACT CLEANER

(12 p/box)

Code: 2130

Plastic safe, quick drying and leaves no residue. Ideal for applications where lower flash-point solvents can be used. Flammable, quick drying, complete evaporation.

Applications: Telephones, PCs, relays, edge connectors, tape heads, bus bars, circuits, contacts, printed circuit boards, switches & breakers.



CONTACT CLEANER 2000

(12 p/box)

Code: 2140

Non-flammable precision cleaner which rapidly and completely evaporates and assists with thermal stability. It also removes light contaminants, atmospheric oils, dust and lint from precision electrical and electronic equipment. Non-flammable, safe on most plastics, complete evaporation.

Applications: Contacts, circuit breakers, switches, relays, meters, light bulb sockets, control systems and coils where lubricating & corrosion protection is required.



PRECISION CLEANERS



CO CONTACT CLEANER

(12 p/box)

Code: 2016

Formula contains no known ozone depleting substances or VOCs. The non-chlorinated, non-flammable, plastic safe formula is an optimal alternative to CFC, HCFC and flammable contact cleaners.

Applications: Electrical connectors, printed circuit boards, relays, switches, scales, timers and other electrical & electronic equipment.



ISOPROPYL ALCOHOL PRECISION CLEANER

(12 p/box)

Code: 3201

A quick drying light-duty precision cleaner for use in industrial, electrical, electronic and aviation applications. Its 99% pure formula aggressively dissolves grease, dust, dirt, lint, oils and flux from most non-plastic surfaces. Recommended for light duty cleaning and degreasing.

Applications: Removal of dirt, adhesives, silicones, anti-oxidation compounds and other contaminants from the semi-conductive cores of high voltage cables when splicing and terminating cables.



FREEZE SPRAY

(12 p/box)

Code: 14086

Aerosol coolant system that instantly freezes surfaces to -51°C (-60°F), dissipating heat and cooling equipment, and also assists in locating thermal intermittent components, failures and safe to use on sensitive components and all surface niches. Dries instantly, leaves no residue and is non-abrasive.

Applications: Thermal intermittent, computers office equipment, electronics, video, audio & communication equipment, data processing equipment, circuit boards, lab equipment, clean rooms, plant machinery and more.



DUSTER

(12 p/box)

Code: 5185

Moisture-free dust and lint remover that effectively removes dirt, dust, lint and other contaminants with a dry blast of air. Safely eliminates debris from sensitive electronics, appliances and equipment.

Applications: Circuit breakers, computer components, contacts, electronics, lab equipment, light sockets, locks, office equipment, PC boards, PCs, photographic equipment, radios, PCV Valve, sensors, smoke detectors, stereos, switches, telephones, televisions, VCRs.



INDUSTRIAL DEGREASERS & CLEANERS



LECTRA CLEAN

(12 p/box)
1Gal (4 /box)

Code: 2018
Code_ 2020

Quickly and effectively removes grease, oil, tar, dirt, grime corrosion, sludge and other stubborn substances to increase operating efficiency of electric motors and equipment. It offers quick and effective degreasing action, fast evaporation and leaves no residue.

Applications: Energised electrical cleaner



HYDRO-FORCE INDUSTRIAL STRENGTH DEGREASER

(12 p/box)
5Gal (1 p/box)
1 Gal (4 /box)

Code: 14414
Code: 14417
Code: 14416

Upon contact instantly begins to hunt-down, break-up and lift-off heavy deposits of grease, oil and dirt. Non-flammable, safe on most plastics, biodegradable and non-abrasive. Perfect for machinery, motors, concrete and non-porous surfaces. Use caution on soft metals and painted surfaces.

Applications: Tools, grills, tyres, engines, drives, motors, shop equipment, lawn equipment, fabric, floors, appliances, vents, tubs, sinks, showers, plastic, fibreglass, canvas, vinyl, pressure washers, vehicle washing, walls, chrome, stainless steel, polished metals, etc.



LECTRA CLEAN II LOW VOC

(12 p/box)
5Gal (1 p/box)

Code: 2120
Code: 2121

Upon contact it instantly begins to hunt-down, break-up and lift-off heavy deposits of grease, oil and dirt. Non-flammable, safe on most plastics, biodegradable and non-abrasive. Perfect for machinery, motors, concrete and non-porous surfaces. Use caution on soft metals and painted surfaces.

Applications: Electric motors, fusible disconnects, switch-gears, transformers, circuits, insulators, relays, switches, air tools, mechanical brakes, clutches, chains, bearings, generators, compressors, pumps, tools, dies, molds and many other electrical/industrial equipment.



BRAKLEEN

(12 p/box)

Code: 5089

Quickly and safely removes brake fluid, grease, oil and other contaminants from brake linings, pads, drums and callipers. Non-staining, non-corrosive and leaves no residue. Safely settles and removes asbestos dust from brake assemblies, preventing inhalation of airborne particles.

Applications: ABS, disc, drum, brake cylinders, brake drums, brake linings, brakes shoes, callipers, clutch discs, disc brake pads, discs. Safe for use on all brake systems, including springs and wedge brakes.



INDUSTRIAL DEGREASERS & CLEANERS



T-FORCE DEGREASER

(12 p/box)

Code: 3115

Utilises revolutionary technology that combines the power of a high performance, industrial strength degreaser with lower VOCs (aerosol). It is non-conductive, non-corrosive, non-staining and has no flash-point. It quickly dissolves grease, oil and sludge for more efficient operation of mechanical and electronic equipment. Evaporates rapidly, leaves no residue, and has a good health & safety profile.

Applications: Air tools, mechanical breaks, clutches, chains, wire ropes, motors, dies, molds, parts, bearings, generators and compressors.



NATURAL DEGREASER

(12 p/box)

Code: 14005

A blend of natural citrus and organic solvents that effectively clean and degrease. Leaves no sticky residue.

Applications: Air tools, mechanical brakes, clutches, chains, wire ropes, motors, dies, molds, parts, bearings, generators and compressors.



LUBRICANTS



2-26 MULTI-PURPOSE LUBRICANT (12 p/box) Code: 92005

Plastic safe lubricant, penetrant and corrosion inhibitor that helps prevent electrical malfunctions caused by water penetration, humidity, condensation or corrosion. Restores resistance values and helps stop current leakage.

Applications: Connectors, relays, circuit breakers, transformers, switchgear, motors, generators, controls, instruments, communication assemblies, electronics, alarm systems, starters, tubing, castings, gears, weld rod, wire, fixtures, dies, jigs, shim stock, chucks.



3-36 MULTI-PURPOSE LUBRICANT (12 p/box) Code: 3005 & CORROSION INHIBITOR Standard Grade

Multi-purpose lubricant, penetrant and corrosion inhibitor. Forms a clear, thin film that lubricates, prevents corrosion, displaces moisture, penetrates and cleans.

Applications: Tubing, castings, gears, weld rod, wire, fixtures, dies, jigs, shim stock, chucks, drill rod, heat treated parts, machined surfaces, finished welds, aluminium extrusions, air actuated tools, conveyors, frozen joints, locks, hoists, etc.



3-36 MULTI-PURPOSE TECHNICAL GRADE (12 p/box) Code: 92088 RSA Technical Grade

Plastic safe lubricant, penetrant & corrosion inhibitor that helps prevent electrical malfunctions caused by water penetration, humidity, condensation or corrosion. Restores resistance values & helps stop current leakage.

Applications: Connectors, relays, circuit breakers, transformers, switchgear, motors, generators, controls, instruments, communication assemblies, electronics, alarm systems, starters, tubing, castings, gear, weld rod, wire, etc.



CHAIN & WIRE ROPE LUBRICANT (12 p/box) Code: 3050

Extends the working life of chains and wire rope and reduces wear caused by friction and corrosion. Resists water wash-off and high temperature sling-off. Absorbs pin/bushing shock and cushions rollers, pins and bushings. Can be applied with guards in place to eliminate costly downtime.

Applications: Low speed conveyor, drive chains, hoists, winches, pulleys, cushion pins, rollers, garage doors, bushings, seals, o-rings, and come-alongs.



LUBRICANTS



DRY PTFE LUBE

(12 p/box)

Code: 3044

Multi-purpose, micro-thin film lubricant containing PTFE that penetrates and bonds to most surfaces including metal, wood, rubber, plastic and glass. Prevents sticking, reducing friction and wear, while sealing out moisture.

Applications: Hinges, locks, catches, pulleys, conveyors, machine parts, chutes & slides, coin mechanisms, window guides, drawers, rollers, control buttons, switches, electrical wires and harnesses.



808 SILICONE SPRAY

(24 p/box)

Code: 3055A

Provides a thin, durable, odourless film that revives, lubricates, waterproofs and protects. It will not mark or stain, and is ideal for use on all metal, plastic, rubber, fabric, wood and painted surfaces. Lubricates door locks, hinges, linkages, window guides, brushes, etc.

Applications: In-plant conveyors, guides and Di-electric grease waterproof mechanisms.



COPPER ANTI-SEIZE

(12 p/box)

Code: 14095

A general purpose anti-seize lubricant that prevents seizing caused by high temperature, heavy loads, vibrations and corrosion. Working temperature -53°C - +982°C

Applications: Recommended to lubricate fittings, bushings, flanges, headers, nuts, screws, studs, threaded surfaces, pipes, plugs and manifolds to prevent seizing and galling of surfaces.



DI-ELECTRIC GREASE

Silicone paste
Aerosol
(12 p/box)

Code: 2085

Code: 3082

Non-curing silicone compound used for electrical sealing, lubricating, protecting and insulating. Waterproofs electrical connections and components. Improves electrical performance in adverse weather conditions.

Applications: Electrical panels, outdoor lighting, scoreboards, traffic lights, high voltage poles, transformers, disconnects, switching mechanisms, electrical contacts, spark plugs, battery terminals, fasteners, o-rings, rubber and plastic parts



HV SWITCHGEAR LUBRICANT

(12 p/box)

Code: 2060

One-step lubricant and corrosion inhibitor for metering, distribution and substation class switchgear contacts. It penetrates to coat contacts and provides corrosion protection on switchgear mechanisms.

Applications: Recommended for use on metering, distribution and substation class switchgear contacts, including URD and OVH applications.



LUBRICANTS



MARINE BOAT TRAILER & 4X4 WHEEL BEARING GREASE (10 p/box) Code: SL3120

Blue tacky, aluminium complex grease using a highly refined base oil. Formulated with a polymer to provide adhesive, non-blend & water wash-out characteristics. Will resist water under the most severe water conditions.

Applications: Anti-friction bearings, blocks, boat trailer bearings, deck equipment, marine equipment, shaft log seals, sleeve bearings, slides, steering cables, steering dockside machinery, steering quadrants, turn-buckles, wheel bearings, winches



6-56 MARINE LUBRICANT & WATER DISPLACER (12 p/box) Code: 6007

Displaces moisture in salt water. Multi-purpose, plastic-safe, moisture displacer, lubricant, penetrant and corrosion inhibitor that helps prevent electrical malfunctions caused by water penetration, humidity, condensation or corrosion. Helps to restore water damaged electrical equipment.

Applications: Fishing reels, winches, pulleys, metal components, starts wet engines, frees rusted parts, as a corrosion inhibitor.



GEL-TAC (24 p/box) Code: 3135

Ideal to use on highly loaded reciprocal moving parts. Operates in a temperature range of -35°C to +300°C. Compatible with O-ring chains. Water resistant, multi-purpose lubricant that is a specially formulated blend of high quality synthetic oils, with anti-wear additives, friction modifiers and tackiness agents.

Applications: Conveyors, hinges, forklifts, farm equipment, window mechanisms, coupling mechanisms, car-wash equipment and chains.



TAC 2® ADHESIVE CHAIN LUBRICANT (12 p/box) Code: 3076

An exceptional lubricant, with a tough adhesive quality which will bond to chain/wear surfaces to keep them in peak operating condition by reducing friction and wear that cause metal fatigue.

Applications: Drive chains, open gears, hoists, winches, pulleys, fork lifts, rollers, garage doors, bushings, seals, o-rings, and wire ropes.



5-56 & POWERLUBE MULTI-PURPOSE LUBRICANT & PENETRANT (12 p/box) Code: 5005 Code: 5005A

Multi-purpose product with superior penetrating power that breaks through rust and corrosion while it cleans away scale and dirt. Eliminates the need for many disassembly operations. Lubricates, penetrates, eliminates moisture and protects against corrosion.

Applications: Metal components, engines.





Chain Lube

CRC Chain Lube is an advanced, high-performance, synthetic lubricant providing excellent protection for chains, open gears and exposed metal surfaces subject to severe loading

Sprays on like a liquid to penetrate deep; sets up like a grease for outstanding load-bearing protection

- ⚙️ Safe on O-rings, X-rings and Z-rings
- ⚙️ Works excellent in wet conditions
- ⚙️ Won't fling off or wash out
- ⚙️ Dries fast - won't attract dirt
- ⚙️ Extends chain life
- ⚙️ Low odour
- ⚙️ Clean appearance





HOW TO REMOVE LUBRICANTS		NSF	QD Contact Cleaner	Contact Cleaner 2000	CO Contact Cleaner
		NSF	2130 K2	2140 K2	2016 K2
CODES	LUBRICANTS				
2060	HV Switchgear Lubricant				
2069	Chain & wire rope lubricant	H2	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
2085	Di Electric Grease (Silicone paste)	H1	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3005	3-36 Multipurpose	H2	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3020	Knock'er Loose	H2	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
3044	Dry PTFE Lube	H2			
3082	Di Electric Grease (aerosol)	H1	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5005	Power Lube	H2	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5037	White Lithuim Grease				
5305	Inner Slide Lube		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
6007	6-56 Marine Lubricant & Moisture Displacer	H2	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
14095	Copper Anti - Seize				
92088	3-36 Multipurpose Tech Grade	H2	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3055a	808 Silicone Spray		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3135a	Gel -tac				
5005a	5-56 Multipurpose		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
SL3120	Marine Boat Tralier and 4X4 Wheel Bearing Grease				



Clean Before to improve
Overall Equipment Effectiveness (OEE)

Natural Degreaser	Hydroforce Industrial strength degreaser	Hydroforce All Purpose Degreaser	Lectra Clean	Brakleen Brake and Parts Cleaner	T Force Degreaser	CRC Lectra Clean II	Isopropyl Alcohol Precision Cleaner	Smartwasher SW 423 Mobile Washer Start up Kit
14005	14414	14406	2018	5089	3115	2120	3201	14740
C1	C1	C1	K2		K1	K1, K2	K2	
<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>							<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
								<input checked="" type="checkbox"/>
							<input checked="" type="checkbox"/>	
<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>
			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>

PROTECTION & CORROSION INHIBITORS



SHORT TERM
(6 months)



Code: 3005



MEDIUM TERM
(2 years)



Code: 3262



Code: 3282

PROTECTION & CORROSION INHIBITORS



ZINC-IT INSTANT COLD GALVANISE

(24 p/box)
(12 p/box)

Code: 2085a
Code: 18412

Excellent touch-up for damaged galvanised coatings and actively fights rust and corrosion. Protects base metal even when scratched, abraded or dented, and has excellent weldability. Dries to touch in 20 minutes.

Applications: Threads, exposed edges, fasteners, conduit, strapping, welds, fencing, railings, grates, electrical poles, breaker panel housings, rain spouts, signs, doors, trailers, waste containers, catwalks and guard rails.



KNOCK'ER LOOSE

(12 p/box)

Code: 3020

An industrial strength, low viscosity super penetrant designed to quickly loosen and free seized, bound or frozen fasteners. Quickly permeates rust, scale, gum, grease and corrosion on nuts and bolts, pins, screws, bushings, clips, hinges, snaps, lugs, caps, locks, washers and sliding mechanisms.

Applications: Nuts and bolts, pins, screws, bushings, clips, hinges, snaps, lugs, caps, locks, washers and sliding mechanisms.



KNOCK'ER LOOSE PLUS PENETRATING SOLVENT

(12 p/box)

Code: 3027

A unique penetrant that immediately drops the temperature of the area in contact with the spray. The freeze shock action cracks rusted surfaces allowing it to reach deeper and work more effectively than other penetrants.

Applications: Nuts and bolts, pins, screws, bushings, clips, hinges, snaps, lugs, caps, locks, washers and sliding mechanisms.



RUST CONVERTER

(12 p/box)

Code: 18418

Neutralises rust and converts it to a tough, black primer in one easy step. Not more scraping or sandblasting. Protects surfaces for years. Hundreds of applications for auto, marine, RV, heavy trucking, construction, utility service, hardware and home.

Applications: Cars, truck frames/beds, boats & trailers, railings, bridges, storage tanks, transmission towers, fences, iron or steel furniture, equipment, tools, etc.



PROTECTION & CORROSION INHIBITORS



STEEL RE-NU

(12 p/box)

Code: 18211

A coating containing 316L stainless steel pigment to provide corrosion resistance and protection against sunlight, oil and water. Authorised for use in food processing plants.

Applications: On threads, exposed edges, fasteners, conduit, strapping, welds, fencing, railings, grates, electrical poles, breaker panel housings, rain spouts, signs, doors, trailers, waste containers, catwalks and guard rails.



SP-350 & SP-400: CORROSION INHIBITOR

(SP-350)

(SP-400)

(12 p/box)

Code: 3262

Code: 3282

Medium-term corrosion inhibitor for machined surfaces and assemblies subjected to long periods of storage or adverse shipping conditions. It is an easily removable film that will provide protection of all equipment subject to heat humidity, chemicals and severely corrosive atmospheres. Medium-term protection for all metals during shipment or extended storage.

Applications: Precision machine surfaces, shafts, motors, start-up lubricant for stored machinery, assemblies in storage or in shipment, equipment exposed to elements, outdoor storage of raw materials & finished stock.



URETHANE SEAL COAT

(Red)

(Clear)

(12 p/box)

Code: 18410

Code: 18411

Provides a coating that insulates electrical equipment and seals out water and moisture. This clear formulation is an excellent insulator of PC boards, since it allows visualisation of circuit paths. Red provides for a striking contrast. Dries quickly to a hard, durable, flexible and non-conductive film.

Applications: Motor windings, terminals, bus bars, commutator ends, stator coils and PC boards.



ENVIRONMENTALLY PREFERRED PRODUCTS



HYDROFORCE GLASS CLEANER (12 p/box) Code: 14412

Cuts through dirt, dust, fingerprints and haze deposits. Provides streak-free glass cleaning even on delicate glass surfaces. Biodegradable, ready to use.

Applications: Glass, mirrors



HYDROFORCE STAINLESS STEEL CLEANER (12 p/box) Code: 14424

Exclusive ultra-shine formula eliminates dirt, dust, fingerprints and watermarks. Leaves behind a protective, non-greasy barrier that resists the return of stains.



HYDROFORCE ALL PURPOSE DEGREASER (12 p/box) Code: 14406

Instantly begins to hunt-down, break-up and lift-off heavy deposits of grease, oil and dirt. Non-flammable, safe on most plastics, biodegradable and non-abrasive.



To qualify as an Environmentally Preferred Product (EPP):

Each formula will not contain:

- Ozone depleting chemicals
- SARA reportable ingredients
- Any ingredients that are listed as carcinogens
- CA Proposition 65 ingredients
- Hazardous

Each formula will have a minimum of two of these criteria:

- No VOC or low VOC content
- Not classified as a hazardous waste
- Renewable resource
- Biodegradable
- Do not contain nonylphenol
- Do not contain phosphates
- Do not contain heavy metals



Environmentally Preferred Products

SPECIALITY



TRUE TAP AQUA CUTTING FLUID (12 p/box)

Code: 3440

Water-soluble cutting fluid with excellent cooling and lubrication properties. Suitable replacement for solvent or oil-based cutting fluids. Works well in machine tools containing water-soluble coolants.

Applications: Tapping, threading, drilling, sawing, shearing, turning, reaming metal parts, pipes, conduit, screws, bolt holes, housings, aluminium sheets, strapping, gears and chains.



WELDER'S ANTI-SPATTER

(24 p/box)

Code: 3083

Prevents spatter from adhering to surrounding metal surfaces during welding. Eliminates the need to chisel, grind or wire brush after welding. Water based formula allows easy clean-up without the use of solvent cleaners. Does not contain silicone. Contains no ODCs. Rust inhibiting additive prevents flash rust on in-process and surrounding metal surfaces. Non-hazardous composition. Low odour.



WELD CHECK

Penetrant (12 p/box)

Code: 3106

Developer (12 p/box)

Code: 3107

Penetrant Remover (12 p/box)

Code: 3108

A quick drying developer for the non-destructive testing of surfaces and structures.

Applications: Non-destructive inspection of materials, parts, assemblies, equipment, surfaces or structures.



DRY GRAPHITE LUBE

(24 p/box)

Code: 3094

Ideal where a dry lubricant is required or where petroleum products must be avoided. Resists dirt, dust and oil build-up. Working temperature 454.4 °C (contant) 537.8 °C (intermittent).

Applications: Gaskets, transfer belts, conveyor belts, motors, plant machinery and handling equipment, rubber moldings, high temperature, low load, or high rpm slides, rollers, wheels, gears, chains & hoists.



SMOKE TEST

(12 p/box)

Code: 2105

A convenient, easy and safe product to test the functional ability of a smoke detector. It also checks for obstructions or debris, which clog detector vents and prevents smoke from properly entering the sensing chamber. Simulates smoke to provide a true, functional test for smoke detectors.

Applications: Commercial or residential smoke detectors.



SPECIALITY



LEAK DETECTOR

(12 p/box)

Code: 14503

Formulated for the quick detection of gas and air leaks. The water based formula contains no oils, silicones or harmful solvents. Quickly and reliably locates gas leaks and pressure losses in pipes and pressurised systems by forming highly visible bubbles when applied over any leak.

Applications: Refrigeration units, air conditioning systems, exhausts, pipes, valves, screw connectors, welding seams and compressors.



TACKLE GUARD

(10 p/box)

Code: 6028

Cleans, lubricates, drives out moisture, prevents corrosion and protects tackle even through periods of storage.

Applications: Ideal for protecting and lubricating all types of fresh and salt water reels without damaging mono-filament lines, fly fishing lines, EVA grips, seals and varnish.



INDUSTRIAL ADHESIVE REMOVER

(12 p/box)

Code: 3250

A low VOC, industrial strength adhesive remover specially formulated for quick removal of adhesives. Specially formulated to remove adhesive labels from many substrates.

Applications: Removing labelling from machinery, removing tar from equipment, softening liquid adhesive and adhesive tape residue.



AVIATION 3.36

(12 p/box)

Code: 10200

A corrosion inhibitor which helps prevent electrical and electronic malfunctions caused by water penetration, humidity, condensation, or corrosion. Displaces moisture and inhibits corrosion.

Applications: Protects seat & cargo tracks, landing gear, lower fuselage interiors, flight controls, facing surfaces, crevices, electrical connectors, relays, circuit breakers, transformers, switchgear, motors, hinges, generators, controls, instruments/ins.



AVIATION XT-2000

(12 p/box)

Code: 10315

A non-flammable, low odor, rapidly evaporating precision cleaner for use in aviation precision cleaning applications. Effectively removes dirt, light oils, and other contaminants from electrical and electronic equipment.

Applications: Recommended for the effective cleaning of light oils, dirt, dust, fingerprints, flux or polar soils from contacts, metal switches, motors, relays, generators, edge connectors, buss bars, circuit breakers, scales and sensors, etc.



SPECIALITY



QUICK DRY PRECISION CLEANER (12 p/box) Code: 10340

A petroleum distillate/alcohol based precision cleaner designed as an alternative to CFC based cleaners. Ideal for applications where lower flash-point materials can be tolerated. Cost effective, plastic safe & residue free.

Applications: Avionics, printed circuit boards, switches, motors, relays, generators, edge connectors, circuit breakers, fusible connecting devices, terminals, rheostats, aircraft instrumentation & communications equipment.



AVIATION WINDOW CLEANER (12 p/box) Code: 10420

Specifically for aircraft glass. Penetrates through film and contaminants to get glass and mirrors clean. Contains no alcohol or ammonia. Plastic safe. Cleans and safe for all electronic displays.

Applications: Electronic displays, galleys, glass, interior surfaces, mirrors, overhead compartments, plexiglas, windows.



AVIATION DEGREASER (12 p/box) Code: 10900

Effective heavy duty, non-flammable cleaner/degreaser. Evaporates quickly and leaves no residue. Airframe approved non-HAP degreaser.

Applications: Metal parts, ground support equipment, electric motors, spark plugs & valves, oxygen handling equipment, air tools, mechanical brakes, clutches, chains, wire ropes, motors, dies, molds, parts, bearings, generators & compressors.



HEAVY DUTY SPRAY APPLICATOR (12 p/box) Code: 4014a

Hand pump adjustable sprayer with a nozzle that adjusts from a fine mist to a pin point stream. Compatible with most light liquids except paints and lacquer thinners.

Applications: Suitable for CRC Brakleen, CRC Brakleen Fast Dry, CRC Lectra Clean and other strong solvents.





PIPE THREAD SEALANT

(6 p/box) **Code: SL35401**

A non-toxic, non-drying thread sealing compound consisting of a blend of non-melting grease, PTFE and other inert compounds to produce a leak proof seal. Does not contain lead, graphite, moly or clay fillers

Applications: For use on all threaded joints in plastic, aluminum, monel, or stainless steel lines for water, natural gas, LPG, gasoline and other services. Effective on connections, pipe bungs, bolts, and flange seals.



HAND CLEANER TOWELS

(6 p/box) **Code: 4100**

Hand Cleaner Towels are powerful yet safe cleaning agents work together with an absorbent, nonscratching abrasive hand cleaning towel. The result is hands that are clean, with a pleasant fragrance.

Applications: Lubricants, tar, sealants, heavy grease, oils, wax, paint, adhesives, ink, caulk, epoxy, and much more.



SPECIALITY

SMARTWASHER® MOBILE PARTS & BRAKE WASHER KIT

Environmentally friendly parts washer

The SmartWasher® Bioremediating Parts Washing System is both self-cleaning and non-hazardous

- Non-toxic
- Non-polluting
- Non-corrosive
- Non-flammable
- Non-hazardous



Code 14740
SW-423 Mobile Parts Washer Kit

(1x SW23 unit + 3 Pails SW4 Fluid +
1x FL 4 Filter)



Code 14741
**SW-437 Mobile Heavy Weight
Parts Washer Kit**

(1x SW37 unit + 5 Pails SW4 Fluid
+ 1x FL 4 Filter)

SPECIALITY

OZZYJUICE®


OZZYJUICE is a powerful, aqueous based degreasing solution that is pH-neutral, non-irritating, non-flammable, and non-toxic. Armed with superior cleaning capability, the OZZYJUICE solutions will match or surpass the performance of a premium solvent without all the associated risks. All OZZYJUICE solutions are certified by both NSF and AQMD.

THE OZZYMAT

The OZZYMAT traps particulate down to 50 microns in size but more importantly contains OZZYS (microbes). The OZZY microbes, impregnated in the OZZYMAT, are transported along with the OZZYJUICE into the SmartWasher® tank. These naturally occurring OZZY microbes eat the grease, oil, and other contaminants cleaned off the dirty parts and create the harmless by-products of carbon dioxide and water.

OZZY® MICROBES

The OZZY Microbes do their job eating the grease, oil and other contaminants, cleaning off the dirty parts, creating the harmless by-products of carbon dioxide and water, leaving the OZZYJUICE clean and strong and ready to use.



Ozzy Juice (Heavy Duty Degreaser Solution)

Code 14148

SW-4 Heavy Duty Solution (19 ℓ)



Ozzymat (Filter)

Code 14124

FL-4 Multi-layer filter (4 x filters)



Depending on usage, a pack lasts between 4 - 6 months

OzzyBooster

Code 14131

A microbial enhancer that can be used to enhance or “boost” microbial activity in the SmartWasher® system – it increases the density of the Ozzy (microbes) within the OzzyJuice.



SmartWasher® Start-up Kit

Code 14741

SW-437 Mobile Heavy weight parts washer Kit

(1x SW-37 unit +5 pails SW -4 Fluid + 1x FL Filter)



COMPARISON CHART

Details	SW 23 Mobile parts washer	SW 37 mobile heavy-weight parts washer
Overall dimensions	109cm x 68.5cm x 107cm	122cm x 89cm x 114cm
Inside sink dimensions	68.5cm x 58cm x 20cm	84cm x 68.5cm x 20cm
Capacity	57 ℓ (3 units X 19 ℓ)	95 ℓ (5 units X 19 ℓ)
Load Capacity	182 kg	454 kg
Parts Washer Structure	Heavy Duty HDPE	Heavy Duty HDPE
Controls	Toggle Switch	Toggle Switch
Pump Capacity	1 136 LPH	1 136 LPH
Adjustable Thermostat	40 °C to 46 °C	40 °C to 46 °C
Flow control timer	10 minutes	10 minutes
Certified	ETL(UL/CSA), CE, NSF	ETL(UL/CSA), CE, NSF
NSF	A1	A1

AUTOMOTIVE



THROTTLE BODY & AIR-INTAKE CLEANER (12 p/box)

Code: 5078

Effectively cleans power-robbing gums and varnishes from throttle bodies and air intake systems on fuel-injected vehicles. Improves performance, eliminates hesitation and rough idling while lubricating all moving parts. For maximum performance and MPG use, Throttle Body & Air-Intake Cleaner and MAF Sensor Cleaner every time you service your air filter.

Applications: Recommended for the cleaning of throttle bodies and air intake systems on fuel-injected vehicles. **Do not** use on vehicles equipped with superchargers, turbochargers, diesel engines and/or rotary engines.



GDI IVD INTAKE VALVE CLEANER (12 p/box)

Code: 5319

This product delivers concentrated advanced Cozoi® technology directly to the backs of intake valves. Dissolves baked-on carbon deposits, improves MPG, increases power and reduces rough idle. Effective for use on GDI and standard PTFE engines and is 150% more concentrated than premium fuel additives.

Applications: Air intake valves on GDI or standard fuel injected engines.



AUTOMOTIVE



CHAIN LUBE

(12 p/box)

Code: 5012

Advanced, high-performance, synthetic lubricant providing excellent protection for chains, open gears and exposed metal surfaces subject to severe loading. Sprays on like a liquid to penetrate deep, sets up like a grease for outstanding load-bearing protection.

Applications: Drive chains, open gears, hoists, winches, pulleys, fork lifts, rollers, garage doors, bushings, seals, o-rings, and wire ropes.

High RPM
lube



MASS AIR FLOW SENSOR CLEANER

(12 p/box)

Code: 5110

Safely cleans and protects MAF sensors and is proven to increase horsepower and improve air/fuel ratio. Reduces rough idle, hesitation and pinging and improves fuel mileage. Plastic safe and leaves no residue.

Applications: Mass air flow sensors and housing.



BRAKLEEN

(12 p/box)

Code: 5089

Quickly and safely removes brake fluid, grease, oil and other contaminants from brake linings, pads, drums and callipers. Non-staining, non-corrosive and leaves no residue. Safely settles and removes asbestos dust from brake assemblies, preventing inhalation of airborne particles.

Applications: ABS, disc, drum, brake cylinders, brake drums, brake linings, brake shoes, callipers, clutch discs, disc brake pads, discs. Safe for use on all brake systems including springs and wedge brakes.



BRAKLEEN NON-CHLORINATED LOW VOC

(12 p/box)

Code: 5084

For use where compliance calls for a chlorine-free product. Formulated to quickly remove brake fluid, grease, oil and other contaminants from brake linings and pads.

Applications: ABS, disc, drum, brake cylinders, brake drums, brake linings, brake shoes, callipers, clutch discs, disc brake pads, discs. Safe for use on all brake systems including springs and wedge brakes.



AUTOMOTIVE



1-TANK POWER RENEW DIESEL (12 p/box) **Code: 5832**

A concentrated one-tank clean-up that delivers a powerful SHOCK to your dirty fuel system. Made with the maximum available chemistry, it's the most powerful diesel fuel system cleaner on the market. Excellent clean-up for the sticky injectors frequently found in modern common rail systems. Effectively cleans terminals, connectors, cases and hold-downs.

Applications: For use in diesel engines to super-clean fuel system



K&W FIBRELOCK (6 p/box) **Code: 401224-6**

Permanent pour 'n go head gasket & block repair compatible with all types of anti-freeze. Repairs cooling system leaks w/3 unique technologies; military-strength fibres nanotechnology & Coll-X™ Conditioner - the ultimate solution for all coolant leaks.

Applications: Repairs head gaskets, engine blocks, intake gaskets, cylinder heads, freeze plugs, heater cores and coolant leaks on cars, trucks and buses.



LECTRA-MOTIVE ELECTRICAL PARTS CLEANER (12 p/box) **Code: 5018**

An aggressive cleaner specifically for energised electrical equipment. Non-flammable formula dissolves grease, oil, dirt and wax without having to remove parts.

Applications: Designed for use on energised equipment.



INNER SLIDE LUBE (12 p/box) **Code: 5305**

Specially formulated to cohere to fork lift inner slide rails, providing long lasting smooth flawless operating over extended periods. It is designed to lubricate, increase slide motion, and protect against rust and corrosion of fork lift inner slide rails.

Applications: Designed specifically for use on fork lift inner slides.



AUTOMOTIVE



QD ELECTRONIC CLEANER

(12 p/box)

Code: 5103

A petroleum distillate/alcohol based precision cleaner designed as an alternative to CFC based cleaners. Ideal for apps where lower flash-point materials can be tolerated. Cost effective, plastic safe and residue free.

Applications: Circuit breakers, circuits coin mechanisms, computer components, contacts, electronics, fibreglass, flux removal, sockets, lighting, plastics, nylon, plugs, relay switches, PVC, PTFE, tape heads, terminals.



1-TANK POWER RENEW PETROL

(6 p/box)

Code: 5815

A concentrated one-tank clean-up that delivers a powerful SHOCK to your dirty fuel system. Made with the maximum available chemistry, it's the most powerful fuel system cleaner on the market. Excellent clean-up with proven results. Up to 5.7% MPG increase, 97% total power restoration, 99% injector flow improvement and cleaner emissions. Only needed four times per year.

Applications: For use in direct or port injection engines to super-clean fuel system.



AUTOMOTIVE



BATTERY CLEANER WITH ACID INDICATOR (12 p/box)

Code: 5023

Penetrates and removes corrosion allowing for maximum current flow. Yellow foam turns pink to instantly detect acid leaks and neutralise acid. Effectively cleans terminals, connectors, cases and hold-downs.

Applications: Battery terminals, battery casings, cable connectors and hold-downs.



BATTERY TERMINAL PROTECTOR (12 p/box)

Code: 5046

Permanent pour 'n go head gasket & block repair compatible with all types of anti-freeze. Repairs cooling system leaks w/3 unique technologies; military-strength fibres nanotechnology & Coll-X™ Conditioner - the ultimate solution for all coolant leaks.

Applications: Repairs head gaskets, engine blocks, intake gaskets, cylinder heads, freeze plugs, heater cores and coolant leaks on cars, trucks and buses.



AUTOMOTIVE



MOTOR TREATMENT

(12 p/box)

Code: 5316

Cleans gum, varnish and carbon from the fuel system, injectors, pistons and combustion chamber. Removes moisture from fuel and oil systems and lubricates engine components.

Applications: For use in gasoline, diesel, ethanol and oil. Pour into fuel system, induce directly into combustion chamber via main manifold vacuum line and add to crank-case.



JUMP START

(12 p/box)

Code: 5671

Assures fast, economical starts in cold or humid conditions. Also contains an upper cylinder lubricant to minimise wear during cold starts.

Applications: For use in both gasoline and diesel engines. Spray in air intake or air cleaner while engine is off.



DE-SQUEAK CONDITIONING TREATMENT

(6 p/box)

Code: 5080

A conditioning treatment to prevent brake noise before it occurs. This uniquely formulated product contains aluminium and graphite to plate and protect metal surfaces up to temperatures of 980°C. The metallic bonding formula fills grooves and imperfections in friction surfaces that commonly cause squeaks and squeals, has a smooth texture, fine particle sizing and dries quickly. Prevents rust and oxidation build-up.

Applications: Recommended on new, old or freshly cut (turned) brake rotors and drums. Safe for use on all types of brake systems, including ABS.



WHITE LITHIUM GREASE

(12 p/box)

Code: 5037

A high purity, high quality grade white lithium based grease lubricant. Provides long lasting lubrication with excellent water and heat resistance, corrosion protection and film strength. Reduces friction and wear in metal-to-metal and metal-to-plastic application and being white in colour allows easy visual film check

Applications: Recommended to lubricate hinges, latches, overhead door tacks, open gears and chains, cables, slide conveyors, guide rails, cams and pistons. Excellent as a break-in lubrication for bearings. Also used for general purpose lubrication and corrosion protection for machinery, tools and equipment.





HOW TO REMOVE LUBRICANTS



		NSF	OD Contact Cleaner	Contact Cleaner 2000	CO Contact Cleaner
CODES	FOOD GRADE H1 LUBRICANTS	NSF	2130 K2	2140 K2	2016 K2
	NB: Only use NSF Classified Cleaners in Food Processing Plants				
	Aerosols				
3038	Food Grade White Grease	H1			
3040	Food Grade Silicone	H1			
3054	Syntha Tech Lubricant	H1			
3055	Food Grade Chain Lube	H1	☑	☑	☑
3065	Food Grade Belt Dressing	H1			
3081	Food Grade Machine oil	H1	☑	☑	☑
3085	Food Grade Lubricant and Sealant	H1	☑	☑	☑
3086	Food Grade Penetrating Oil	H1	☑	☑	☑
SL35600	Food Grade Multipurpose Grease (cartridge)	H1			
SL35906	Food Grade Anti Sieze	H1			
	Food Grade Bulk				
4206	Food Grade Synthetic Compressor Oil ISO 68	H1	☑	☑	☑
4212	Food Grade Synthetic Hydraulic Oil ISO 56	H1	☑	☑	☑
4218	Food Grade Multipurpose Oil	H1	☑	☑	☑
4232	Food Grade Synthetic Gear Oil ISO 220	H1	☑	☑	☑
4246	Food Grade Gear Oil SAE 220	H1	☑	☑	☑
4246	Food Grade Gear Oil SAE 90	H1	☑	☑	☑
4258	Food Grade Air Tool Oil	H1	☑	☑	☑
4261	Food Grade Puffer Chain Lube	H1	☑	☑	☑
4269	Food Grade Chain Lube	H1			
SL35605	Multi Purpose Food Grade Grease 35Lbs	H1			
SL35611	Synthetic Food Grade Grease 35Lbs	H1			



CRC Industries RSA (Pty) Ltd

www.crcindustries.co.za



CRC_RSA

Louis Munnick	+27 (0) 82 968 4789 - louis.munnick@crcind.com
Rick Ellis	+27 (0) 78 097 8028 - rick.ellis@crcind.com
Jacobus Booysen	+27 (0) 72 949 6688 - aj.booyesen@crcind.com
Johnny Johnson	+27 (0) 79 922 9494 - johnny.johnson@crcind.com