Issue :12 Dec, 2012 Revised:1 Nov, 2016

Page: 1 of 7

Safety Data Sheet

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY

Product name: SP-006B SHIMANO WEAR WATER REPELLENT COAT SPRAY

[OEM Product for SHIMANO]

Number: 5YJ87B100-Eng

Company Identification

Manufacture & Distributor: SHIMANO NORTH AMERICA FISHING, INC.

Address: 9560 Palmetto Commerce Parkway Ladson, South Carolina 29456 U.S.A.

Emergency Phone number : +1-949-951-5003

Manufacture & Distributor : SHIMANO EUROPE B.V.

Address: High Tech Campus 92, 5656 AG Eindhoven, The Netherlands

Emergency Phone number: +31-40-2612222

Manufacture & Distributor: SHIMANO INC.

Address: 3-77 Oimatsu-cho Sakaiku Sakai OSAKA 5908577, JAPAN

Emergency Phone number: 0570-031961

2. HAZARDS IDENTIFICATION

GHS Classification

<Physical hazards> Aerosols Category 1
Flammable liquids Category 2

<Health hazards>
Serious eye damage/eye irritation
Category 2
Category 2

Reproductive toxicity Category 2

Specific target organ toxicity following single

exposure

Category 1

Specific target organ toxicity following

repeated exposure

Category 2

Not classified

<Environmental hazards>

<Hazards symbol>

Hazardous to the aquatic environment



<Signal word> DANGER

<Hazard communication> • Extremely flammable aerosol

- · Pressurized container: may burst if heated
- Highly flammable liquid and vapor
- · Causes serious eye damage
- Suspected of damaging fertility or the unborn child
- May cause respiratory irritation
- Causes damage to organs(Central nervous system, Kidneys)
- May cause damage to organs (Lungs, Vascular system) through prolonged or repeated exposure

^{*}When there is not mention by the GHS classification, perform enough consideration about the safety measures /emergency measures / storage / disposal in reference to following information.

Issue : 12 Dec, 2012 Revised: 1 Nov, 2016

Page: 2 of 7

Cautions

<Safety measurements>

- Do not handle until all safety precautions have been read and understood.
- Keep away from ignition sources such as heat, sparks, or open flame.
- Use only non-sparking tools.
- · Do not breath mist and vapor.
- · Use only in a outdoor or well-ventilated area.
- · Avoid release to the environment.
- Do not eat, drink or smork when using this product.
- · Wear appropriate protective gloves, glasses, clothes, face shield, or mask.
- · Wash hands thoroughtly after handling.

<First-aid measures>

If inhaled: Remove victim to fresh air and keep at rest in a position comfortable

for breathing. Get medical treatment if you feel unwell.

If swallowed: Rinse mouth, do not induce vomiting. Immediately get medical

treatment.

If eye contact: Rinse cautiously with water for at least 15 minutes. Get medical

treatment.

If skin contact: Wash hands thoroughly after handling. Remove contaminated clothing

and the substance. Get medical treatment, if you feel unwell.

Storage> Store in cool, dry, well-ventilated location. Keep away from heat and

all possible source of ignition(temperature below 40°C) and keep away

from sunlight.

· Follow all regulation in your country.

<Disposal> • Follow all regulation in your country.

3. HAZARDS IDENTIFICATION

Substance/Mixture : Mixture

Chemical Product Name : AEROSOL TYPE WEAR WATER REPELLENT

Composition :

	CAS.No.	Chemical formulae	Composition Mass%
Silicone solution	Confidential	Unspecified	1 ~ 5%
Isopropanol	67-63-0	C3H8O	$87 \sim 97\%$
Carbon dioxide (Propellant)	124-38-9	CO2	$1\sim5\%$

4. FIRST AID MEASURES

Eye Contact

: Gently rinse the affected eyes with clean water for at least 15 minutes.

And refer for medical attention.

Skin Contact

: Remove all contamination with clothes and wash the affected area with water and soap. If irritation persists, or abnormal conditions are found,

arrange examination and treatment by a physician.

Inhalation

: In case of large inhalation, remove the victim from the contamination to fresh air. Keep the victims warm and quiet. If breathing is weak,

irregular or has stopped, administer artificial respiration.

Arrange examination and treatment by a physician as soon as possible. In case of vapor, gas, remove the victim from the contamination to fresh air and arrange examination and treatment by a physician as

soon as possible.

Issue : 12 Dec, 2012 Revised: 1 Nov, 2016

Page: 3 of 7

Ingestion

: Rinse mouth with water and dilute with water. Do not induce vomiting as this may increase the risk of aspiration of the liquid into the lungs causing chemical pneumonitis.

: Consumption of non-oily liquids(such as milk) may assist in delaying absorption of the liquid. Arrange examination and treatment by a physician as soon as possible.

5. FIRE FIGHTING MEASURES

Fire-Fighting

- : 1. Shut off fuel to fire.
 - 2. In case of small fire, use dry chemical powder or carbon dioxide.
 - 3. In case of large fire, foam spray is effective to stop flow-in of air.
 - 4. Watering may enlarge fire and increase risks.
 - 5. Water the neighbors for cooling.
 - 6. Keep personnel removed from and upwind fire.
 - 7. Firefighters should wear proper protective equipment.
 - 8. Evacuate personnel to safe area.
 - 9. Use extreme caution, as aerosol containers may rupture.
 - 10. Water heated containers for cooling.

Special hazards withregards to Fire-Fightingmeasures

: Toxic gases(carbon monoxide) will foam upon combustion. Pay

attention toburst of container due to heat.

Extinguishing media : Dry chemical powder, form or carbon dioxide.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

- : 1. Provide advice related to accidental spills and release of the substance or mixture such as: the wearing of suitable protective equipment (including personal protective equipment, see Section 8 of the SDS) to prevent any contamination of skin, eyes and personal clothing;
 - 2. Provide advice related to accidental spills and release of the substance or mixture such as: removal of ignition sources and provision of sufficient ventilation;
 - 3. Provide advice related to accidental spills and release of the substance or mixture such as: emergency procedures such as the necessity to evacuate the danger area or to consult an expert.

Environmental precautions

: Provide advice on any environmental precautions related to accidental spills and release of the substance or mixture, such as keeping away from drains, surface and ground water.

Methods and materials forcontainment and cleaningup

- : 1. Provide appropriate advice on how to contain and clean up a spill. Appropriate containment techniques may include: bunding, covering of drains; and capping procedures.
 - 2. Appropriate clean up procedures may include: equipment required for containment/clean up (include the use of non-sparking tools and equipment where applicable).

Issue :12 Dec, 2012 Revised:1 Nov, 2016

Page: 4 of 7

7. HANDLING AND STORAGE

Handling

Precautions for safehandling

- : 1. Provide advice that: allows safe handling of the substance or mixture; prevents handling of incompatible substances or mixtures; and minimizes the release of the substance or mixture to the environment.
 - 2. It is good practice to provide advice on general hygiene. For example: "eating, drinking and smoking in work areas is prohibited"; "wash hands after use"; and "remove contaminated clothing and protective equipment beforeentering eating

Storage

Conditions for safestorage, including anyincompatibilities

- : Ensure that the advice provided is consistent with the physical and chemical properties in Section 9 Physical and chemical properties of the SDS. If relevant, provide advice on specific storage requirements including:
 - (a) How to avoid: explosive atmospheres; corrosive conditions; flammability hazards; incompatible substances or mixtures; evaporative conditions; and potential ignition sources (including electrical equipment).
 - (b) How to control the effects of: weather conditions; ambient pressure; temperature; sunlight; humidity; and vibration.
 - (c) How to maintain the integrity of the substance or mixture by the use of: stabilizers; and anti-oxidants.
 - (d) Other advice including: ventilation requirements; specific designs for storage rooms/vessels; quantity limits under storage conditions (if relevant); and packaging compatibilities.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering measures

- : 1. For prolong works inside, provide ventilation equipment or close the source of ignition.
 - 2. For use of large quantity outside, electric equipment shall be of explore-proof and earthed.
 - 3. Make available in work area emergency shower, hand wash, eye wash and clearly indicate the location thereof.

Control parameters

:		TLV-TWA	TLV-STEL
	Isopropanol	200 ppm	400 ppm

Personal protective equipment (PPE)

Eye/face protection: Specify the type of eye protection and/or face shield required, based

on the hazard of the substance or mixture and potential for contact;

Skin protection: Specify the protective equipment to be worn (e.g. type of gloves, boots,

bodysuit) based on the hazards associated with the substance or

mixture and the potential for contact;

Respiratory protection: Specify appropriate types of respiratory protection based on the hazard

and potential for exposure, including air-purifying respirators and the proper purifying element (cartridge or canister) or breathing apparatus;

Thermal hazards: When specifying protective equipment to be worn for materials that

represent a thermal hazard, special consideration should be given to

the construction of the PPE.

Issue :12 Dec, 2012 IC. Revised:1 Nov, 2016

Page: 5 of 7

Consistent with good occupational hygiene practices, personal protective equipment (PPE) shouldbe used in conjunction with other control measures, including engineering controls, ventilation andisolation. See also Section 5 – Fire- fighting measures of the SDS for specific fire/chemical PPEadvice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state, form: Liquid

Color : Colorless Odor : Alcohol odor

pH: None Boiling point: No data

Melting point : -90° C (Isopropanol) Flash point : 11.7° C (Isopropanol) Auto-ignition point : 456° C (Isopropanol)

Exposition characteristic exposition limit

: Upper:12.0, Lower:1.1 vol% (Isopropanol)

Density: 0.789

Solubility in organic solvent: Miscible with many kind of organic solvents

Solubility in water: Insoluble

10. STABILITY/REACTIVITY

Reactivity : Describe the reactivity hazards of the substance or mixture in this

section.Provide specific test data for the substance or mixture as a whole, where available. However, the information may also be based

on general data for the class or family of chemical if such data

adequately represent the anticipated hazard of the substance or mixture.

: Indicate if the substance or mixture is stable or unstable under normal ambient and anticipated storage and handling conditions of temperature and pressure. Describe any stabilizers which are, or may need to be,

change in the physical appearance of the product.

Possibility of hazardousreactions

Chemical stability

: If relevant, state if the substance or mixture will react or polymerize,

used to maintain the product. Indicate the safety significance of any

releasing excess pressure or heat, or creating other hazardous

conditions. Describe under what conditions the hazardous reactions

may occur.

Conditions to avoid : List conditions such as heat, pressure, shock, static discharge,

vibrations or other physical stresses that might result in a hazardous

situation.

Incompatible materials : List classes of chemicals or specific substances with which the

substance or mixture could react to produce a hazardous situation (e.g. explosion, release of toxic or flammable materials, liberation

of excessive heat).

Hazardous decomposition products

: List known and reasonably anticipated hazardous decomposition

products produced as a result of use, storage and heating.

Hazardous combustion products should be included in Section 5 –

Fire-fighting measures of the SDS.

Issue: 12 Dec, 2012 Revised: 1 Nov. 2016

Page: 6 of 7

11. TOXICOLOGICAL INFORMATION

Corrosively and irritant properties

: No relevant information found

Acute toxicity - oral: No relevant information found

Acute toxicity:

LD50 (Oral rat) 3,437 g/kg Isopropanol

Chronic toxicity: No relevant information found Carcinogenic effects: No relevant information found Mutagenic effects: No relevant information found

Effects on the preproductive system

: No relevant information found

Teratogenic effects: No relevant information found

Other information: Other relevant information on adverse health effects should be

included even when not required by the GHS classification criteria.

12. ECOLOGICAL INFORMATION

Bio degradibility: This substance is not biodegradable. Bioaccumulation: No relevant information found Fish toxicity: No relevant information found

13. DISPOSAL CONSIDERATIONS

- 1. Do not throw the container into fire, as the container contains flammable gases, organics solvent of extremely high flammability.
- 2. Do not dump into sewers, on the ground or into any body of water.
- 3. Disposal shall be in accordance with the concerned rules and regulation.
- 4. Follow all regulation in your country.

14. TRANSPORT INFORMATION

UN Class: Class 2, Division 2.1 Flammable gases

UN Number: 1950 AEROSOLS (maximum 1 liter)

Specific precautionary transport measures and conditions.

Follow all regulation in your country.

15. REGULATORY INFORMATION

Follow all regulation in your country.

Issue :12 Dec, 2012 Revised:1 Nov, 2016

Page: 7 of 7

16. OTHER INFORMATION

All materials may present unknown hazard and should be used in caution.

Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.

Complied by : NICHIMOLY Div. DAIZO CORPORATION

Shimano Inc.

Reference : NICHIMOLY Div. DAIZO CORPORATION, 1 Nov 2016,

"SP-006B SHIMANO WEAR WATER REPELLENT COAT SPRAY",

Safety Data Sheet, 10662G(2), NICHIMOLY Div. DAIZO CORPORATION.

Disclaimer

The information above is believed to be accurate and represents the best information currently available to us. We have reviewed any information contained herein which we received from sources outside SHIMANO INC.. However, no warranty or representation, express or implied is made as to the accuracy or completeness of the data and information contained in this data sheet.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations.

No statement made in this data sheet shall be construed as a permission, recommendation or authorization given or implied to practice any patented invention without a valid license.

SHIMANO INC. shall not be responsible for any damage or injury resulting from abnormal use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material.