

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 08/11/2020 Version: 1.1

SECTION 1: Identification

Identification 1.1.

: Mixture Product form Product name : Chocolate Cake

Recommended use and restrictions on use 1.2.

Use of the substance/mixture : Perfume ingredient. Not for use in food or feed.

Supplier

AAA Candle Supplies, Inc. 10460 Brockwood Rd Dallas, Texas 75238 T (214) 342-9898

www.AAACandleSupply.com

Emergency telephone number

No additional information available

SECTION 2: Hazard(s) identification

Classification of the substance or mixture

GHS US classification

Flammable liquids Category 3 H226 Flammable liquid and vapor. Serious eye damage/eye irritation Category 2A H319 Causes serious eye irritation Skin sensitization, Category 1 May cause an allergic skin reaction H317 Germ cell mutagenicity Category 1B H340 May cause genetic defects

Carcinogenicity Category 1B H350 May cause cancer

Specific target organ toxicity (repeated exposure) Category 2 H373 May cause damage to organs through prolonged or repeated

exposure

Full text of H statements: see section 16

GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)







Signal word (GHS US) : Danger

Hazard statements (GHS US) Flammable liquid and vapor.

May cause an allergic skin reaction Causes serious eve irritation May cause genetic defects

May cause cancer

May cause damage to organs through prolonged or repeated exposure

Obtain special instructions before use. Precautionary statements (GHS US)

Do not handle until all safety precautions have been read and understood.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

Keep container tightly closed.

Ground and bond container and receiving equipment

Use explosion-proof equipment Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe mist, vapors and spray.

Wash hands, forearms and face thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves, protective clothing, eye and face protection

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

If exposed or concerned: Get medical attention.

Get medical attention if you feel unwell.

If skin irritation or rash occurs: Get medical attention. If eye irritation persists: Get medical attention.

Wash contaminated clothing before reuse. In case of fire: Use media other than water to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

08/11/2020 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Dispose of contents and container in accordance with applicable regulations.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	% *	GHS US classification
3-ethoxy-4-hydroxybenzaldehyde	(CAS-No.) 121-32-4	5 - 20	Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319 Aquatic Acute 3, H402
4-hydroxy-3-methoxybenzaldehyde	(CAS-No.) 121-33-5	5 - 20	Eye Irrit. 2A, H319 Aquatic Acute 3, H402 Comb. Dust
benzyl benzoate	(CAS-No.) 120-51-4	< 5	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Orange terpenes	(CAS-No.) 8028-48-6	< 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 STOT SE 3, H335 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
4-methoxybenzaldehyde	(CAS-No.) 123-11-5	< 5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Aquatic Acute 3, H402 Aquatic Chronic 3, H412
benzyl acetate	(CAS-No.) 140-11-4	< 5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 Aquatic Chronic 3, H412
coumarin	(CAS-No.) 91-64-5	< 5	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 STOT RE 2, H373
linalol	(CAS-No.) 78-70-6	< 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317 STOT SE 3, H336 Aquatic Acute 3, H402
1-methoxy-4(2-propenyl)benzene	(CAS-No.) 140-67-0	< 5	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Muta. 1B, H340 Carc. 1B, H350 Aquatic Acute 3, H402
2,3-butanedione	(CAS-No.) 431-03-8	< 5	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Inhalation: vapor), H331 Skin Irrit. 2, H315 Skin Sens. 1, H317 STOT SE 3, H335 STOT RE 2, H373 Aquatic Acute 3, H402

*Exact concentrations have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid me	neasures
----------------------------------	----------

First-aid measures general : If exposed or concerned: Get medical attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water or shower. Take off immediately all contaminated clothing. If skin irritation

or rash occurs: Get medical attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

08/11/2020 EN (English US) 2/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

Emergency procedures

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Specific hazards arising from the chemical

Fire hazard : Flammable liquid and vapor.

Reactivity : Flammable liquid and vapor.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

: No open flames, no sparks, and no smoking. Only qualified personnel equipped with suitable protective equipment may intervene. Do not breathe mist, vapors and spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground and bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Do not breathe mist, vapors and spray. Avoid contact with skin and eyes.

Hygiene measures : Separate wo

: Separate working clothes from town clothes. Launder separately. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground and bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

benzyl acetate (140-11-4)					
ACGIH	Local name	Benzyl acetate			
ACGIH	ACGIH TWA (ppm)	10 ppm			
ACGIH	Remark (ACGIH)	URT irr			
2,3-butanedione (431-03-8)					
ACGIH	ACGIH TWA (ppm)	0.01 ppm (Diacetyl; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)			
ACGIH	ACGIH STEL (ppm)	0.02 ppm (Diacetyl; USA; Short time value; TLV -			

08/11/2020 EN (English US) 3/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection : Protective gloves
Eye protection : Safety glasses

Skin and body protection : Wear suitable protective clothing Respiratory protection : Wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : Colorless to light yellow
Odor : Characteristic Chocolate Cake

Odor threshold : No data available pH : No data available Melting point : Not applicable Freezing point : No data available

Boiling point : $> 95 \,^{\circ}\text{F}$ Flash point : $> 115 \,^{\circ}\text{F}$

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Not applicable.

Vapor pressure : No data available Relative vapor density at 20 °C : No data available Specific gravity : No data available Relative density : No data available

Solubility : Insoluble in water. Soluble in oil. Soluble in organic solvents.

Log Pow No data available Auto-ignition temperature No data available : No data available Decomposition temperature Viscosity, kinematic No data available Viscosity, dynamic : No data available **Explosion limits** No data available Explosive properties No data available Oxidizing properties : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapor.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

08/11/2020 EN (English US) 4/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4-methoxybenzaldehyde (123-11-5)	
LD50 oral rat	1510 mg/kg (Rat)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)
ATE US (oral)	1510 mg/kg body weight
benzyl acetate (140-11-4)	
LD50 oral rat	2490 mg/kg (Rat)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)
ATE US (oral)	2490 mg/kg body weight
benzyl benzoate (120-51-4)	
LD50 oral rat	1870 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Experimental value; >2000 mg/kg bodyweight; Rat)
LD50 dermal rat	4400 mg/kg (Rat)
LD50 dermal rabbit	4000 mg/kg (Rabbit; Experimental value; Modification of Draize 1959 method; >2; Rabbit)
ATE US (oral)	1500 mg/kg body weight
ATE US (dermal)	4000 mg/kg body weight
coumarin (91-64-5)	
LD50 oral rat	300 - 900 mg/kg (Rat)
ATE US (oral)	300 mg/kg body weight
2,3-butanedione (431-03-8)	
LD50 oral rat	1580 mg/kg (Rat)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)
LC50 inhalation rat (mg/l)	2.25 mg/kg
ATE US (oral)	1580 mg/kg body weight
ATE US (vapors)	2.25 mg/l/4h
ATE US (dust, mist)	2.25 mg/l/4h
3-ethoxy-4-hydroxybenzaldehyde (121	-32-4)
LD50 oral rat	1590 mg/kg (Rat)
LD50 dermal rabbit	> 7940 mg/kg (Rabbit)
ATE US (oral)	1590 mg/kg body weight
linalol (78-70-6)	
LD50 oral rat	2790 mg/kg (Rat)
LD50 dermal rat	5610 mg/kg (Rat)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)
ATE US (oral)	2790 mg/kg body weight
ATE US (dermal)	5610 mg/kg body weight
1-methoxy-4(2-propenyl)benzene (140-	-67-0)
LD50 oral rat	1820 mg/kg (Rat)
ATE US (oral)	1230 mg/kg body weight
4-hydroxy-3-methoxybenzaldehyde (12	
LD50 oral rat	2800 mg/kg (Rat)
LD50 dermal rabbit	> 5010 mg/kg (Rabbit)
ATE US (oral)	2800 mg/kg body weight
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: May cause genetic defects.
Carcinogenicity	: May cause cancer.
benzyl acetate (140-11-4)	
IARC group	3 - Not classifiable
coumarin (91-64-5)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
09/44/2020	EN (Faciliah IIC)
08/11/2020	EN (English US) 5/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

benzyl acetate (140-11-4)			
STOT-single exposure	May cause respiratory irritation.		
2,3-butanedione (431-03-8)			
STOT-single exposure	May cause respiratory irritation.		
line[a] (79.70.6)			
linalol (78-70-6) STOT-single exposure	May cause drowsiness or dizziness.		
	iviay cause drowsiness of dizziness.		
Orange terpenes (8028-48-6)			
STOT-single exposure	May cause respiratory irritation.		
STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure.		
coumarin (91-64-5)			
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.		
2,3-butanedione (431-03-8)			
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.		
<u> </u>	: Not classified		
Aspiration hazard Viscosity, kinematic	: No data available		
Symptoms/effects after skin contact	May cause an allergic skin reaction.		
Symptoms/effects after eye contact	: Eye irritation.		
SECTION 12: Ecological information			
12.1. Toxicity			
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse		
	effects in the environment.		
4-methoxybenzaldehyde (123-11-5)			
LC50 fish 1	220 mg/l (LC50; 96 h)		
EC50 Daphnia 1	83 mg/l (EC50; 48 h)		
Threshold limit algae 1	43 mg/l (EC50; 72 h)		
benzyl acetate (140-11-4)			
LC50 fish 1	68 mg/l (LC50; 96 h)		
coumarin (91-64-5)			
LC50 fish 1	56 mg/l (LC50; 96 h)		
EC50 Daphnia 1	135 mg/l (EC50; 48 h)		
3-ethoxy-4-hydroxybenzaldehyde (121-32-4)			
LC50 fish 1	87.6 mg/l (LC50; 96 h)		
linalol (78-70-6)			
EC50 Daphnia 1	59 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilization Test; 48 h; Daphnia magna)		
EC50 other aquatic organisms 1	>= 100 mg/l (3 h; Activated sludge)		
LC50 fish 2	27.8 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Salmo gairdneri)		
Threshold limit algae 1	88.3 mg/l (EC50; 96 h)		
4-hydroxy-3-methoxybenzaldehyde (121-33-			
EC50 Daphnia 1	180 mg/l (EC50; 24 h)		
LC50 fish 2	88 - 121 mg/l (LC50; 96 h; Pimephales promelas)		
Threshold limit algae 1 12.2. Persistence and degradability	2 mg/l (EC0; 72 h)		
4-methoxybenzaldehyde (123-11-5)			
Persistence and degradability	Readily biodegradable in water.		
benzyl acetate (140-11-4)	, , , , , , , , , , , , , , , , , , ,		
Persistence and degradability	Readily biodegradable in water.		
	Troduity blodogradable in water.		
benzyl benzoate (120-51-4) Persistence and degradability	Readily biodegradable in water. Low potential for mobility in soil.		
	Treadily biodegradable in water. Low potential for mobility in Son.		
coumarin (91-64-5)	Deadily his degradable is water Dhatelysis in the six		
Persistence and degradability	Readily biodegradable in water. Photolysis in the air.		

08/11/2020 EN (English US) 6/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

,					
2,3-butanedione (431-03-8)					
Persistence and degradability	Biodegradability in water: no data available.				
ThOD	1.67247 g O₂/g substance				
3-ethoxy-4-hydroxybenzaldehyde (121-32-4)					
Persistence and degradability	Readily biodegradable in water. Forming sediments in water. Photodegradation in the air.				
ThOD	1.81 g O₂/g substance				
BOD (% of ThOD)	0.529 (5 days; Literature study)				
linalol (78-70-6)					
Persistence and degradability	Readily biodegradable in water.				
Biochemical oxygen demand (BOD)	1.531 g O ₂ /g substance				
Chemical oxygen demand (COD)	2.808 g O ₂ /g substance				
1-methoxy-4(2-propenyl)benzene (140-67) Persistence and degradability	Biodegradability in soil: no data available.				
	Diodegradability III Soli. No data available.				
Orange terpenes (8028-48-6)	Die de gradelijk in weter ne dete evellekte				
Persistence and degradability	Biodegradability in water: no data available.				
4-hydroxy-3-methoxybenzaldehyde (121					
Persistence and degradability	Inherently biodegradable.				
12.3. Bioaccumulative potential					
4-methoxybenzaldehyde (123-11-5)	15				
Log Pow Bioaccumulative potential	1.5 Low potential for bioaccumulation (Log Kow < 4).				
<u>'</u>	Low potential for bloaccumulation (Log Row < 4).				
benzyl acetate (140-11-4)	L 100 00 (001P)				
Log Pow	1.96 - 2.0 (QSAR)				
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).				
benzyl benzoate (120-51-4)					
BCF fish 1	2286 (BCF; BCFBAF v3.00; Pisces)				
Log Pow	3.88 - 4				
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).				
coumarin (91-64-5)					
BCF fish 1	< 10 (BCF; 72 h)				
BCF other aquatic organisms 1	42 (BCF; 24 h; Chlorella sp.)				
Log Pow	1.39				
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).				
2,3-butanedione (431-03-8)					
Bioaccumulative potential	No bioaccumulation data available.				
3-ethoxy-4-hydroxybenzaldehyde (121-3	2-4)				
Log Pow	1.61 - 1.88				
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).				
linalol (78-70-6)					
Log Pow	2.84 - 3.145				
Bioaccumulative potential	Bioaccumable.				
1-methoxy-4(2-propenyl)benzene (140-67-0)					
Bioaccumulative potential	No bioaccumulation data available.				
Orange terpenes (8028-48-6)					
Bioaccumulative potential	No bioaccumulation data available.				
•					
4-hydroxy-3-methoxybenzaldehyde (121-					
Log Pow	1.21 - 1.37				
Bioaccumulative potential 12.4. Mobility in soil	Low potential for bioaccumulation (Log Kow < 4).				
benzyl benzoate (120-51-4)					
Surface tension	0.027 N/m (210 °C)				
Junace tension	U.UZI IVIII (ZIU U)				

08/11/2020 EN (English US) 7/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

benzyl benzoate (120-51-4)	
	log Koc,OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC); 3,8; Experimental value

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents and container in accordance with licensed collector's sorting instructions.

Additional information : Flammable vapors may accumulate in the container.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description : NA1993 Combustible liquid, n.o.s. (terpene hydrocarbons), Comb Liq, III

UN-No.(DOT) : NA1993

Proper Shipping Name (DOT) : Combustible liquid, n.o.s.

terpene hydrocarbons

Class (DOT) : Comb Liq - Combustible liquid

Packing group (DOT) : III - Minor Danger

Other information : Not regulated in non-bulk containers (<=119 gallon capacity) per 49CFR173.150(f).

Transport by sea

Transport document description (IMDG) : UN 1993 FLAMMABLE LIQUID, N.O.S. (terpene hydrocarbons), 3, III

UN-No. (IMDG) : 1993

Proper Shipping Name (IMDG) : FLAMMABLE LIQUID, N.O.S.

Class (IMDG) : 3 - Flammable liquids

Packing group (IMDG) : III - substances presenting low danger

Limited quantities (IMDG) : 5 L

Air transport

Transport document description (IATA) : UN 1993 Flammable liquid, n.o.s. (terpene hydrocarbons), 3, III

UN-No. (IATA) : 1993

Proper Shipping Name (IATA) : Flammable liquid, n.o.s.

Class (IATA) : 3 - Flammable Liquids

Packing group (IATA) : III - Minor Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

No additional information available

15.3. US State regulations

MARNING:

This product can expose you to 1-methoxy-4(2-propenyl)benzene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Name	CAS-No.	U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
1-methoxy- 4(2- propenyl)b enzene	140-67-0	Х	-				

Component	State or local regulations
benzyl acetate(140-11-4)	U.S New Jersey - Right to Know Hazardous Substance List

08/11/2020 EN (English US) 8/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Component	State or local regulations
2,3-butanedione(431-03-8)	U.S New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information

Full text of H-phrases:

text of 11 prilades.	
H225	Highly flammable liquid and vapor
H226	Flammable liquid and vapor.
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H331	Toxic if inhaled
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H340	May cause genetic defects
H350	May cause cancer
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

08/11/2020 EN (English US) 9/9