

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 06/02/2020 Version: 1.1

SECTION 1: Identification

Identification

: Mixture Product form

Product name : Cucumber Kiwi Mango

Recommended use and restrictions on use

Use of the substance/mixture : Perfume ingredient. Not for use in food or feed.

Supplier

AAA Candle Supplies, Inc. 10460 Brockwood Rd Dallas, Texas 75238 T (214) 342-9898

www.AAACandleSupply.com

Emergency telephone number

No additional information available

SECTION 2: Hazard(s) identification

Classification of the substance or mixture

GHS US classification

Flammable liquids Category 4 H227 Combustible liquid Skin corrosion/irritation Category 2 H315 Causes skin irritation

Skin sensitization, Category 1 May cause an allergic skin reaction H317 Germ cell mutagenicity Category 2 H341 Suspected of causing genetic defects

Reproductive toxicity Category 2 Suspected of damaging fertility or the unborn child H361

Specific target organ toxicity (single exposure) Category 2 H371 May cause damage to organs

Full text of H statements : see section 16

GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)





Signal word (GHS US) : Warning

Combustible liquid Hazard statements (GHS US) Causes skin irritation

May cause an allergic skin reaction Suspected of causing genetic defects

Suspected of damaging fertility or the unborn child

May cause damage to organs

Precautionary statements (GHS US) Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

Do not breathe mist, vapors and spray.

Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke when using this product.

Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves, protective clothing, eye and face protection

If on skin: Wash with plenty of water.

If exposed or concerned: Get medical attention. If skin irritation or rash occurs: Get medical attention. Take off contaminated clothing and wash it before reuse. In case of fire: Use media other than water to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents and container in accordance with applicable regulations.

Other hazards which do not result in classification

No additional information available

Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

Substances

Not applicable

06/02/2020 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3.2. Mixtures Name	Product identifier	%*	GHS US classification
benzyl benzoate	(CAS-No.) 120-51-4	5 - 20	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
2-(4-tert-butylbenzyl)propionaldehyde	(CAS-No.) 80-54-6	< 5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Acute 2, H401 Aquatic Chronic 3, H412
alpha-pentylcinnamaldehyde	(CAS-No.) 122-40-7	< 5	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
3-p-cumenyl-2-methylpropionaldehyde	(CAS-No.) 103-95-7	< 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
linalyl acetate	(CAS-No.) 115-95-7	< 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317 STOT SE 3, H335 Aquatic Acute 3, H402
3-ethoxy-4-hydroxybenzaldehyde	(CAS-No.) 121-32-4	< 5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319 Aquatic Acute 3, H402
benzaldehyde	(CAS-No.) 100-52-7	< 5	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2B, H320 Muta. 2, H341 STOT SE 2, H371 STOT SE 3, H336 STOT SE 3, H335
benzyl acetate	(CAS-No.) 140-11-4	< 5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 Aquatic Chronic 3, H412
linalol	(CAS-No.) 78-70-6	< 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317 STOT SE 3, H336 Aquatic Acute 3, H402
cinnamaldehyde	(CAS-No.) 104-55-2	< 5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
coumarin	(CAS-No.) 91-64-5	< 5	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 STOT RE 2, H373
alpha-methyl-1,3-benzodioxole-5-propanal	(CAS-No.) 1205-17-0	< 5	Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Acute 2, H401 Aquatic Chronic 2, H411

*Exact concentrations have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : If exposed or concerned: Get medical attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs:

Get medical attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

06/02/2020 EN (English US) 2/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Specific hazards arising from the chemical

Fire hazard : Combustible liquid.

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe mist,

vapors and spray. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist, vapors and spray. Avoid contact with skin and eyes.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed

out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands

after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Store locked up

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

benzyl acetate (140-11-4)		
ACGIH	Local name	Benzyl acetate
ACGIH	ACGIH TWA (ppm)	10 ppm
ACGIH	Remark (ACGIH)	URT irr

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection : Protective gloves
Eye protection : Safety glasses

Skin and body protection : Wear suitable protective clothing Respiratory protection : Wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : Colorless to light yellow

Odor : Characteristic – Cucumber Kiwi Mango

Odor threshold : No data available

06/02/2020 EN (English US) 3/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

pH : No data available
Melting point : No data available
Freezing point : No data available
Boiling point : No data available
Flash point : > 160 °F

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Not applicable.

Vapor pressure : No data available Relative vapor density at 20 °C : No data available Specific gravity : No data available Relative density : No data available

Solubility : Insoluble in water. Soluble in oil. Soluble in other organic solvents.

Log Pow No data available : No data available Auto-ignition temperature Decomposition temperature : No data available No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available **Explosion limits** Explosive properties : No data available Oxidizing properties : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

alpha-pentylcinnamaldehyde (122-40-7)		
LD50 oral rat	3730 mg/kg (Rat)	
LD50 dermal rabbit	> 2000 mg/kg (Rabbit)	
ATE US (oral)	3730 mg/kg body weight	
benzyl acetate (140-11-4)		
LD50 oral rat	2490 mg/kg (Rat)	
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)	
ATE US (oral)	2490 mg/kg body weight	
3-p-cumenyl-2-methylpropionaldehyde (103-95-7)		
LD50 oral rat	3810 mg/kg (Rat)	
LD50 dermal rat	> 5000 mg/kg (Rat)	
ATE US (oral)	3810 mg/kg body weight	
alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0)		
LD50 oral rat	3561 mg/kg (Rat)	

06/02/2020 EN (English US) 4/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0)		
LD50 dermal rabbit	> 2000 mg/kg (Rabbit)	
ATE US (oral)	3561 mg/kg body weight	
2-(4-tert-butylbenzyl)propionaldehyde (80	<u>, *</u>	
LD50 oral rat	1390 mg/kg (Rat)	
LD50 dermal rat	> 2000 mg/kg (Rat)	
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)	
ATE US (oral)	1390 mg/kg body weight	
linalol (78-70-6)		
LD50 oral rat	2790 mg/kg (Rat)	
LD50 dermal rat	5610 mg/kg (Rat)	
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)	
ATE US (oral)	2790 mg/kg body weight	
ATE US (dermal)	5610 mg/kg body weight	
linalyl acetate (115-95-7)		
LD50 oral rat	13934 mg/kg (Rat)	
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)	
ATE US (oral)	13934 mg/kg body weight	
benzaldehyde (100-52-7)		
LD50 oral rat	1300 mg/kg (Rat)	
LD50 dermal rat	1250 mg/kg (Rat)	
LD50 dermal rabbit	5000 mg/kg (Rabbit)	
ATE US (oral)	1300 mg/kg body weight	
ATE US (dermal)	1250 mg/kg body weight	
cinnamaldehyde (104-55-2)		
LD50 oral rat	2220 mg/kg (Rat)	
LD50 dermal rabbit	> 2000 mg/kg (Rabbit)	
ATE US (oral)	500 mg/kg body weight	
ATE US (dermal)	1100 mg/kg body weight	
coumarin (91-64-5)	The many was property and the many many many many many many many many	
LD50 oral rat	300 - 900 mg/kg (Rat)	
ATE US (oral)	300 mg/kg body weight	
· · ·		
3-ethoxy-4-hydroxybenzaldehyde (121-32		
LD50 oral rat	1590 mg/kg (Rat)	
LD50 dermal rabbit	> 7940 mg/kg (Rabbit)	
ATE US (oral)	1590 mg/kg body weight	
benzyl benzoate (120-51-4)		
LD50 oral rat	1870 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Experimental value; >2000 mg/kg bodyweight; Rat)	
LD50 dermal rat	4400 mg/kg (Rat)	
LD50 dermal rabbit	4000 mg/kg (Rabbit; Experimental value; Modification of Draize 1959 method; >2; Rabbit)	
ATE US (oral)	1500 mg/kg body weight	
ATE US (dermal)	4000 mg/kg body weight	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitization	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Suspected of causing genetic defects.	
Carcinogenicity	: Not classified	
benzyl acetate (140-11-4)		
IARC group	3 - Not classifiable	
coumarin (91-64-5)		
IARC group	3 - Not classifiable	
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.	
06/02/2020	TN (Facility LIC)	

06/02/2020 EN (English US) 5/9

Threshold limit other aquatic organisms 1

3-ethoxy-4-hydroxybenzaldehyde (121-32-4)

Threshold limit algae 1

Threshold limit algae 2

coumarin (91-64-5) LC50 fish 1

EC50 Daphnia 1

LC50 fish 1

Safety Data Sheet

STOT-single exposure

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

STOT Single exposure	. May dadde damage to organo.
benzyl acetate (140-11-4)	
STOT-single exposure	May cause respiratory irritation.
linalol (78-70-6)	
STOT-single exposure	May cause drowsiness or dizziness.
linalyl acetate (115-95-7)	
STOT-single exposure	May cause respiratory irritation.
benzaldehyde (100-52-7)	May asked demand to suppose May asked described as displicate May asked used in the
STOT-single exposure	May cause damage to organs. May cause drowsiness or dizziness. May cause respiratory irritation.
STOT-repeated exposure	: Not classified
coumarin (91-64-5)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
SECTION 12: Ecological informat	
12.1. Toxicity	
Ecology - general	 The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
alpha-pentylcinnamaldehyde (122-40-7)	
LC50 fish 1	3 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Brachydanio rerio)
EC50 Daphnia 1	1.1 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilization Test; 96 h; Daphnia magna)
benzyl acetate (140-11-4)	
LC50 fish 1	68 mg/l (LC50; 96 h)
2-(4-tert-butylbenzyl)propionaldehyde (8	30-54-6)
LC50 fish 1	> mg/l >2.2/4.6,LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Brachydanio rerio
EC50 Daphnia 1	10.7 mg/l (EC50; 48 h)
linalol (78-70-6)	
EC50 Daphnia 1	59 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilization Test; 48 h; Daphnia magna)
EC50 other aquatic organisms 1	>= 100 mg/l (3 h; Activated sludge)
LC50 fish 2	27.8 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Salmo gairdneri)
Threshold limit algae 1	88.3 mg/l (EC50; 96 h)
linalyl acetate (115-95-7)	
LC50 fish 1	11 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Cyprinus carpio)
EC50 Daphnia 1	15 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilization Test; 48 h; Daphnia magna)
Threshold limit algae 1	16 mg/l (EC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Scenedesmus subspicatus)
benzaldehyde (100-52-7)	
LC50 fish 1	1.1 mg/l (96 h; Lepomis macrochirus)
EC50 Daphnia 1	50 mg/l (24 h; Daphnia magna)
EC50 other aquatic organisms 1	534 mg/l (5 h; Bacteria; Activated sludge)
LC50 fish 2	11.2 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss)

: May cause damage to organs.

06/02/2020 EN (English US) 6/9

132 mg/l (Pseudomonas putida)

56 mg/l (LC50; 96 h)

135 mg/l (EC50; 48 h)

87.6 mg/l (LC50; 96 h)

100 mg/l (336 h; Chlorella sp.; Inhibitory)

34 mg/l (Scenedesmus quadricauda)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.2. Persistence and degradability	
alpha-pentylcinnamaldehyde (122-40-7)	
Persistence and degradability	Readily biodegradable in water. Biodegradability in soil: no data available. Adsorbs into the soil.
benzyl acetate (140-11-4)	
Persistence and degradability	Readily biodegradable in water.
3-p-cumenyl-2-methylpropionaldehyde (103-95-7)
Persistence and degradability	Biodegradability in water: no data available.
alpha-methyl-1,3-benzodioxole-5-propar	nal (1205-17-0)
Persistence and degradability	Biodegradability in water: no data available.
2-(4-tert-butylbenzyl)propionaldehyde (8	
Persistence and degradability	Readily biodegradable in water.
	Troudily blodograduble in water.
linalol (78-70-6)	Does d'Unit Continue debite Connection
Persistence and degradability	Readily biodegradable in water.
Biochemical oxygen demand (BOD)	1.531 g O ₂ /g substance
Chemical oxygen demand (COD)	2.808 g O ₂ /g substance
linalyl acetate (115-95-7)	
Persistence and degradability	Readily biodegradable in water. Forming sediments in water. Adsorbs into the soil. Ozonation in the air. Photodegradation in the air.
benzaldehyde (100-52-7)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil.
Biochemical oxygen demand (BOD)	1.62 g O₂/g substance
Chemical oxygen demand (COD)	1.98 g O₂/g substance
ThOD	2.42 g O₂/g substance
BOD (% of ThOD)	0.67 % ThOD
cinnamaldehyde (104-55-2)	
Persistence and degradability	Readily biodegradable in water.
coumarin (91-64-5)	
Persistence and degradability	Readily biodegradable in water. Photolysis in the air.
<u>*</u>	
3-ethoxy-4-hydroxybenzaldehyde (121-3 Persistence and degradability	Readily biodegradable in water. Forming sediments in water. Photodegradation in the air.
ThOD	1.81 g O_2 /g substance
BOD (% of ThOD)	0.529 (5 days; Literature study)
	0.329 (3 days, Elierature Study)
benzyl benzoate (120-51-4)	D 19 12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Persistence and degradability	Readily biodegradable in water. Low potential for mobility in soil.
2.3. Bioaccumulative potential alpha-pentylcinnamaldehyde (122-40-7)	
Log Pow	4.3 - 4.7
	7.0 - 7.7
benzyl acetate (140-11-4)	4.00 0.0 (OOAD)
Log Pow	1.96 - 2.0 (QSAR)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
3-p-cumenyl-2-methylpropionaldehyde (
Bioaccumulative potential	No bioaccumulation data available.
alpha-methyl-1,3-benzodioxole-5-propar	
Log Pow	2.4 (OECD 117: Partition Coefficient (n-octanol/water), HPLC method)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
2-(4-tert-butylbenzyl)propionaldehyde (8	30-54-6)
Log Pow	4.3
linalol (78-70-6)	
Log Pow	2.84 - 3.145
Bioaccumulative potential	Bioaccumable.
· .	•

06/02/2020 EN (English US) 7/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

linalyl acetate (115-95-7)	
Log Pow	3.93 (Experimental value)
benzaldehyde (100-52-7)	
BCF other aquatic organisms 1	4.2 - 7.8 (Estimated value)
Log Pow	1.48 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
cinnamaldehyde (104-55-2)	
Log Pow	1.9 - 2.22
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
coumarin (91-64-5)	
BCF fish 1	< 10 (BCF; 72 h)
BCF other aquatic organisms 1	42 (BCF; 24 h; Chlorella sp.)
Log Pow	1.39
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
3-ethoxy-4-hydroxybenzaldehyde (121	1-32-4)
Log Pow	1.61 - 1.88
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
benzyl benzoate (120-51-4)	
BCF fish 1	2286 (BCF; BCFBAF v3.00; Pisces)
Log Pow	3.88 - 4
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
12.4. Mobility in soil	
benzaldehyde (100-52-7)	
Surface tension	0.04 N/m (20 °C)
benzyl benzoate (120-51-4)	
Surface tension	0.027 N/m (210 °C)
Log Koc	log Koc,OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC); 3,8; Experimental value
12.5. Other adverse effects	

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents and container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT : Non-hazardous; not regulated.

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
benzyl acetate(140-11-4)	U.S New Jersey - Right to Know Hazardous Substance List
benzaldehyde(100-52-7)	U.S New Jersey - Right to Know Hazardous Substance List

06/02/2020 EN (English US) 8/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

Full text of H-phrases:

toxit of the principles.	
H227	Combustible liquid
H302	Harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H320	Causes eye irritation
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H341	Suspected of causing genetic defects
H361	Suspected of damaging fertility or the unborn child
H371	May cause damage to organs
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

06/02/2020 EN (English US) 9/9