

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 05/28/2019 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name	: Lilac Blossom R-10592
1.2. Recommended use and restrictions	on use
Use of the substance/mixture	: Perfume ingredient. Not for use in food or feed.
1.3. Supplier	
AAA Candle Supplies, Inc. 10460 Brockwood Rd Dallas, Texas 75238 T (214) 342-9898 www.AAACandleSupply.com	
1.4. Emergency telephone number	
No additional information available	
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or m	ixture
GHS US classification	
Flammable liquids Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 Skin sensitization, Category 1 Reproductive toxicity Category 2 Specific target organ toxicity (single exposure) Category 2 Full text of H statements : see section 16	H227Combustible liquidH315Causes skin irritationH319Causes serious eye irritationH317May cause an allergic skin reactionH361Suspected of damaging fertility or the unborn childH371May cause damage to organs
2.2. GHS Label elements, including preca	autionary statements
GHS US labeling	
Hazard pictograms (GHS US)	
Signal word (GHS US)	: Warning
Hazard statements (GHS US)	 H227 - Combustible liquid H315 - Causes skin irritation H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation H361 - Suspected of damaging fertility or the unborn child H371 - May cause damage to organs
Precautionary statements (GHS US)	 P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P260 - Do not breathe mist, vapors and spray. P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P272 - Contaminated work clothing must not be allowed out of the workplace P280 - Wear protective gloves, protective clothing, eye and face protection P302+P352 - If on skin: Wash with plenty of water P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P308+P313 - If exposed or concerned: Get medical attention. P333+P313 - If eye irritation persists: Get medical attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P370+P378 - In case of fire: Use media other than water to extinguish. P405 - Store locked up. P501 - Dispose of contents and container in accordance with applicable regulations.
05/28/2019	EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards which do not result	in classification		
lo additional information available			
.4. Unknown acute toxicity (GHS US)			
lot applicable			
ECTION 3: Composition/Informati	on on ingredients		
.1. Substances			
lot applicable			
.2. Mixtures			
Name	Product identifier	%*	GHS US classification
benzyl salicylate	(CAS-No.) 118-58-1	5 - 20	Eye Irrit. 2A, H319 Skin Sens. 1, H317 STOT SE 2, H371
benzyl benzoate	(CAS-No.) 120-51-4	5 - 20	Acute Tox. 4 (Oral), H302
Phenyl Ethyl Alcohol	(CAS-No.) 60-12-8	5 - 20	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Eye Irrit. 2A, H319
2-(4-tert-butylbenzyl)propionaldehyde	(CAS-No.) 80-54-6	5 - 20	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Repr. 2, H361
benzyl acetate	(CAS-No.) 140-11-4	< 5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Hydroxycitronellal	(CAS-No.) 107-75-5	< 5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
alpha-terpineol	(CAS-No.) 98-55-5	< 5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
cinnamic alcohol	(CAS-No.) 104-54-1	< 5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317
linalol	(CAS-No.) 78-70-6	< 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 STOT SE 3, H336
(+/-)-beta-citronellol	(CAS-No.) 106-22-9	< 5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304
Tonalid	(CAS-No.) 21145-77-7	< 5	Acute Tox. 4 (Oral), H302
eugenol	(CAS-No.) 97-53-0	< 5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317
	· ·		· · · ·

*Exact concentrations have been withheld as a trade secret Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general : If exposed or concerned: Get medical attention.	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
First-aid measures after ingestion	: Call a poison center or doctor if you feel unwell.
4.2. Most important symptoms and effects	s (acute and delayed)
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
4.3. Immediate medical attention and spec	cial treatment, if necessary
Treat symptomatically.	

05/28/2019

Safety Data Sheet

according to reactain toglotor, rein ri	, No. 50 / Monday, Ma		
SECTION 5: Fire-fighting	g measures		
5.1. Suitable (and unsuitable)	able) extinguishin	g media	
Suitable extinguishing media	:	Water spray. Dry powder. Foam. Carb	oon dioxide.
5.2. Specific hazards aris	sing from the cher	nical	
Fire hazard	: Combustible liquid.		
Reactivity	:	The product is non-reactive under nor	mal conditions of use, storage and transport.
5.3. Special protective ec	quipment and pred	cautions for fire-fighters	
Protection during firefighting	:	Do not attempt to take action without apparatus. Complete protective clothin	suitable protective equipment. Self-contained breathing ng.
SECTION 6: Accidental	release measu	res	
6.1. Personal precaution	s, protective equip	oment and emergency procedures	
6.1.1. For non-emergency	personnel		
Emergency procedures	:	Ventilate spillage area. No open flame vapors and spray. Avoid contact with	es, no sparks, and no smoking. Do not breathe mist, skin and eyes.
6.1.2. For emergency resp	onders		
Protective equipment	:	Do not attempt to take action without s refer to section 8: "Exposure controls/	suitable protective equipment. For further information /personal protection".
6.2. Environmental preca			
Avoid release to the environmen			
6.3. Methods and materia			
Methods for cleaning up	:	waters.	terial. Notify authorities if product enters sewers or public
Other information	:	Dispose of materials or solid residues	at an authorized site.
6.4. Reference to other s			
For further information refer to s			
SECTION 7: Handling ar	nd storage		
7.1. Precautions for safe	handling		
Precautions for safe handling		flames and other ignition sources. No special instructions before use. Do no understood. Do not breathe mist, vapour sources and the second se	tation. Keep away from heat, hot surfaces, sparks, open smoking. Wear personal protective equipment. Obtain thandle until all safety precautions have been read and ors and spray. Avoid contact with skin and eyes.
Hygiene measures		out of the workplace. Do not eat, drink after handling the product.	euse. Contaminated work clothing should not be allowed
		any incompatibilities	
Storage conditions		Store in a well-ventilated place. Keep	cool. Store locked up.
SECTION 8: Exposure c	ontrols/persor	nal protection	
8.1. Control parameters			
benzyl acetate (140-11-4)			
ACGIH	Local name		Benzyl acetate
ACGIH	ACGIH TWA (ppr	n)	10 ppm
ACGIH	Remark (ACGIH)	,	URT irr
benzyl benzoate (120-51-4)			
Not applicable			
benzyl salicylate (118-58-1)			
Not applicable			
cinnamic alcohol (104-54-1)			
Not applicable			
(+/-)-beta-citronellol (106-22-	0)		
Not applicable	5)		
eugenol (97-53-0)			
Not applicable			

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hydroxycitronellal (107-75-5)	
Not applicable	
2-(4-tert-butylbenzyl)propionaldehyde (80-5	i4-6)
Not applicable	
linalol (78-70-6)	
Not applicable	
Phenyl Ethyl Alcohol (60-12-8)	
Not applicable	
alpha-terpineol (98-55-5)	
Not applicable	
Tonalid (21145-77-7)	
Not applicable	
8.2. Appropriate engineering controls	Ensure good ventilation of the work station
Appropriate engineering controls	: Ensure good ventilation of the work station.
Environmental exposure controls 8.3. Individual protection measures/Per	: Avoid release to the environment.
Hand protection	: Protective gloves
Eye protection	: Safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear respiratory protection.
SECTION 9: Physical and chemical	properties
9.1. Information on basic physical and	chemical properties
Physical state	: Liquid
Color	: Yellow
Odor	: Floral
Odor threshold	: No data available
рН	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: >160 °F
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Insoluble in water. Soluble in oil. Soluble in organic solvents.
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	
No additional information available	

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday,	March 26, 2012 / Rules and Regulations		
10.2. Chemical stability			
Stable under normal conditions.	Stable under normal conditions.		
10.3. Possibility of hazardous reactions			
No dangerous reactions known under normal cor	nditions of use.		
10.4. Conditions to avoid			
Avoid contact with hot surfaces. Heat. No flames	no sparks. Eliminate all sources of ignition.		
10.5. Incompatible materials			
No additional information available			
10.6. Hazardous decomposition products			
Under normal conditions of storage and use, haz	ardous decomposition products should not be produced.		
SECTION 11: Toxicological informati	on		
11.1. Information on toxicological effects			
Acute toxicity (oral)	: Not classified		
Acute toxicity (dermal)	: Not classified		
Acute toxicity (inhalation)	: Not classified		
benzyl acetate (140-11-4)			
LD50 oral rat	2490 mg/kg (Rat)		
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)		
ATE US (oral)	2490 mg/kg body weight		
benzyl benzoate (120-51-4)	1870 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Experimental value; >2000 mg/kg		
LD50 oral rat	bodyweight; Rat)		
LD50 dermal rat	4400 mg/kg (Rat)		
LD50 dermal rabbit	4000 mg/kg (Rabbit; Experimental value; Modification of Draize 1959 method; >2; Rabbit)		
ATE US (oral)	1870 mg/kg body weight		
ATE US (dermal)	4000 mg/kg body weight		
benzyl salicylate (118-58-1)			
LD50 oral rat	2227 mg/kg (Rat)		
LD50 dermal rabbit	14150 mg/kg (Rabbit)		
ATE US (oral)	2227 mg/kg body weight		
ATE US (dermal)	14150 mg/kg body weight		
cinnamic alcohol (104-54-1)			
LD50 oral rat	> 2000 mg/kg (Rat)		
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)		
ATE US (oral)	500 mg/kg body weight		
(+/-)-beta-citronellol (106-22-9)			
LD50 oral rat	3450 mg/kg (Rat; Inconclusive, insufficient data)		
LD50 dermal rabbit	2650 mg/kg (Rabbit; Inconclusive, insufficient data)		
ATE US (oral)	3450 mg/kg body weight		
ATE US (dermal)	2650 mg/kg body weight		
eugenol (97-53-0)			
LD50 oral rat	2680 mg/kg (Rat)		
ATE US (oral)	2680 mg/kg body weight		
Hydroxycitronellal (107-75-5)			
LD50 oral rat	> 5000 mg/kg (Rat)		
LD50 dermal rabbit	> 2000 mg/kg (Rabbit)		
2-(4-tert-butylbenzyl)propionaldehyde (80-54			
LD50 oral rat	1390 mg/kg (Rat)		
LD50 dermal rat	> 2000 mg/kg (Rat)		
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)		
ATE US (oral)	1390 mg/kg body weight		
linalol (78-70-6) LD50 oral rat	2700 mg/kg (Pat)		
	2790 mg/kg (Rat)		
05/28/2010	EN (English LIS) 5/9		

Safety Data Sheet

linalol (78-70-6)	
LD50 dermal rat	5610 mg/kg (Rat)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)
ATE US (oral)	2790 mg/kg body weight
ATE US (dermal)	5610 mg/kg body weight
Phenyl Ethyl Alcohol (60-12-8)	
LD50 oral rat	> 1790 mg/kg (Rat)
LD50 dermal rabbit	> 808 mg/kg (Rabbit)
LC50 inhalation rat (mg/l)	> 1.4 mg/l/4h (Rat)
ATE US (oral)	500 mg/kg body weight
ATE US (dermal)	300 mg/kg body weight
alpha-terpineol (98-55-5) LD50 oral rat	4200 ma/ka (Pot)
ATE US (oral)	4300 mg/kg (Rat) 4300 mg/kg body weight
	4300 mg/kg body weight
Tonalid (21145-77-7)	
LD50 oral rat	570 mg/kg
ATE US (oral)	500 mg/kg body weight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
benzyl acetate (140-11-4)	
IARC group	3 - Not classifiable
eugenol (97-53-0)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
Specific target organ toxicity – single exposure	: May cause damage to organs.
benzyl acetate (140-11-4)	
Specific target organ toxicity – single exposure	May cause respiratory irritation.
benzyl salicylate (118-58-1)	Maximum damage for energy
Specific target organ toxicity – single exposure	May cause damage to organs.
linalol (78-70-6)	
Specific target organ toxicity – single exposure	May cause drowsiness or dizziness.
Specific target organ toxicity – repeated	: Not classified
exposure	
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse
Loology gonoral	effects in the environment.
benzyl acetate (140-11-4)	
LC50 fish 1	68 mg/l (LC50; 96 h)
(+/-)-beta-citronellol (106-22-9)	
LC50 fish 1	> mg/l >10 <22 C50: 96 h
LC50 fish 1 EC50 Daphnia 1	> mg/l >10 <22,LC50; 96 h
EC50 Daphnia 1	17 mg/l (EC50; 48 h)
EC50 Daphnia 1 Threshold limit algae 1	
EC50 Daphnia 1 Threshold limit algae 1 eugenol (97-53-0)	17 mg/l (EC50; 48 h) 2.4 mg/l (EC50; 72 h)
EC50 Daphnia 1 Threshold limit algae 1	17 mg/l (EC50; 48 h)

Safety Data Sheet

2-(4-tert-butylbenzyl)propionaldehyde (80-54	-6)
LC50 fish 1	> mg/l >2.2/4.6,LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Brachydanio rerio
EC50 Daphnia 1	10.7 mg/l (EC50; 48 h)
linalol (78-70-6)	
EC50 Daphnia 1	59 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilization Test; 48 h; Daphnia magna)
EC50 other aquatic organisms 1	>= 100 mg/l (3 h; Activated sludge)
LC50 fish 2	27.8 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Salmo gairdneri)
Threshold limit algae 1	88.3 mg/l (EC50; 96 h)
Phenyl Ethyl Alcohol (60-12-8)	
LC50 fish 1	220 - 260 mg/l (LC50; 96 h)
EC50 Daphnia 1	287.17 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilization Test; 48 h; Daphnia magna)
alpha-terpineol (98-55-5)	
LC50 fish 1	10 - 100 mg/l (LC50; 96 h)
12.2. Persistence and degradability	
benzyl acetate (140-11-4)	
Persistence and degradability	Readily biodegradable in water.
benzyl benzoate (120-51-4)	
Persistence and degradability	Readily biodegradable in water. Low potential for mobility in soil.
benzyl salicylate (118-58-1)	
Persistence and degradability	Biodegradability in water: no data available.
cinnamic alcohol (104-54-1)	· · · · · · · · · · · · · · · · · · ·
Persistence and degradability	Readily biodegradable in water.
(+/-)-beta-citronellol (106-22-9)	
Persistence and degradability	Readily biodegradable in water.
Chemical oxygen demand (COD)	2.05 g O ₂ /g substance
ThOD	2.961 g O ₂ /g substance
eugenol (97-53-0)	
Persistence and degradability	Biodegradability in water: no data available.
Hydroxycitronellal (107-75-5)	
Persistence and degradability	Readily biodegradable in water.
Chemical oxygen demand (COD)	2.65 g O ₂ /g substance
2-(4-tert-butylbenzyl)propionaldehyde (80-54 Persistence and degradability	Po Readily biodegradable in water.
linalol (78-70-6)	Poodily biodegradable in water
Persistence and degradability Biochemical oxygen demand (BOD)	Readily biodegradable in water.
	1.531 g O₂/g substance
Chemical oxygen demand (COD)	2.808 g O₂/g substance
Phenyl Ethyl Alcohol (60-12-8)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil.
Biochemical oxygen demand (BOD)	1.45 g O₂/g substance
Chemical oxygen demand (COD)	2.5 g O₂/g substance
ThOD	2.6 g O₂/g substance
BOD (% of ThOD)	0.558
alpha-terpineol (98-55-5)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air.
ThOD	2.9 g O₂/g substance

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.3. Bioaccumulative potential	
benzyl acetate (140-11-4)	
Log Pow	1.96 - 2.0 (QSAR)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
benzyl benzoate (120-51-4)	
BCF fish 1	2286 (BCF; BCFBAF v3.00; Pisces)
Log Pow	3.88 - 4
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
benzyl salicylate (118-58-1)	
Log Pow	4.31 (Estimated value)
cinnamic alcohol (104-54-1)	
Log Pow	1.95
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
(+/-)-beta-citronellol (106-22-9)	
Log Pow	3.41 - 3.91
eugenol (97-53-0)	
Log Pow	2.27
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
Hydroxycitronellal (107-75-5) Log Pow	2.11 (Estimated value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
•	
2-(4-tert-butylbenzyl)propionaldehyde (a Log Pow	4.3
•	ч.
linalol (78-70-6)	0.04 0.445
Log Pow	2.84 - 3.145
Bioaccumulative potential	Bioaccumable.
Phenyl Ethyl Alcohol (60-12-8)	
Log Pow	1.38 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
alpha-terpineol (98-55-5)	
Log Pow	2.57 (Estimated value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
12.4. Mobility in soil	
benzyl benzoate (120-51-4)	
Surface tension	0.027 N/m (210 °C)
Log Koc	log Koc,OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC); 3,8; Experimental value
12.5. Other adverse effects	
No additional information available	
SECTION 13: Disposal considera	tions
13.1. Disposal methods	
Naste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
SECTION 14: Transport informati	ion
Department of Transportation (DOT)	
	bus; not regulated.
SECTION 15: Regulatory informa	
15.1. US Federal regulations	
benzyl acetate (140-11-4)	
Listed on the United States TSCA (Toxic S	Substances Control Act) inventory
benzyl benzoate (120-51-4)	
Listed on the United States TSCA (Toxic S	Substances Control Act) inventory

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

benzyl salicylate (118-58-1)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
cinnamic alcohol (104-54-1)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
(+/-)-beta-citronellol (106-22-9)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
eugenol (97-53-0)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Hydroxycitronellal (107-75-5)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
2-(4-tert-butylbenzyl)propionaldehyde (80-54-6)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
linalol (78-70-6)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Phenyl Ethyl Alcohol (60-12-8)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
alpha-terpineol (98-55-5)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Tonalid (21145-77-7)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
15.2. International regulations
CANADA No additional information available EU-Regulations No additional information available National regulations

No additional information available

15.5. US State regulations		
Component	State or local regulations	
•		
benzyl acetate(140-11-4)	U.S New Jersey - Right to Know Hazardous Substance List	

SECTION 16: Other information

Full text of H-phrases:

H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H311	Toxic in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H361	Suspected of damaging fertility or the unborn child
H371	May cause damage to organs

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.