

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 03/24/2020 Version: 1.1

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Product name : Vanilla Almond

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Perfume ingredient. Not for use in food or feed.

1.3. Supplier

AAA Candle Supplies, Inc. 10460 Brockwood Rd Dallas, Texas 75238 T (214) 342-9898

www.AAACandleSupply.com

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 3 H226 Flammable liquid and vapor. Acute toxicity (oral) Category 4 H302 Harmful if swallowed Skin corrosion/irritation Category 2 Causes skin irritation H315 Serious eye damage/eye irritation Category 2A H319 Causes serious eye irritation Skin sensitization, Category 1 H317 May cause an allergic skin reaction Germ cell mutagenicity Category 2 H341 Suspected of causing genetic defects Specific target organ toxicity (single exposure) Category 2 May cause damage to organs H371 Specific target organ toxicity (single exposure) Category 3 H335 May cause respiratory irritation Specific target organ toxicity (single exposure) Category 3 H336 May cause drowsiness or dizziness

Specific target organ toxicity (repeated exposure) Category 2 H373 May cause damage to organs through prolonged or repeated

exposure

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)







Signal word (GHS US) : Warning

Hazard statements (GHS US) : Flammable liquid and vapor.

Harmful if swallowed Causes skin irritation

May cause an allergic skin reaction Causes serious eye irritation May cause respiratory irritation May cause drowsiness or dizziness Suspected of causing genetic defects

May cause damage to organs

May cause damage to organs through prolonged or repeated exposure

Precautionary statements (GHS US) : Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smokina.

Keep container tightly closed.

Ground and bond container and receiving equipment

Use explosion-proof equipment Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe mist, vapors and spray.

Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves, protective clothing, eye and face protection

If swallowed: Call a poison center or doctor if you feel unwell.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or

03/24/2020 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

shower.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

If exposed or concerned: Get medical attention.

Get medical attention if you feel unwell.

Rinse mouth.

If skin irritation or rash occurs: Get medical attention.

If eye irritation persists: Get medical attention.

Take off contaminated clothing and wash it before reuse.

In case of fire: Use media other than water to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents and container in accordance with applicable regulations.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%*	GHS US classification
benzaldehyde	(CAS-No.) 100-52-7	20 - 40	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2B, H320 Muta. 2, H341 STOT SE 2, H371 STOT SE 3, H336 STOT SE 3, H335
coumarin	(CAS-No.) 91-64-5	5 - 20	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 STOT RE 2, H373
3-ethoxy-4-hydroxybenzaldehyde	(CAS-No.) 121-32-4	5 - 20	Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319 Aquatic Acute 3, H402
benzyl alcohol	(CAS-No.) 100-51-6	5 - 20	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation: vapor), H332 Acute Tox. 4 (Inhalation: dust, mist), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319
Delta Dodecalactone	(CAS-No.) 713-95-1	< 5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
4-methoxybenzaldehyde	(CAS-No.) 123-11-5	< 5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Aquatic Acute 3, H402 Aquatic Chronic 3, H412
D-Limonene	(CAS-No.) 5989-27-5	< 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
Gamma-octalactone	(CAS-No.) 104-50-7	< 5	Skin Irrit. 2, H315

^{*}Exact concentrations have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : If exposed or concerned: Get medical attention. Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.

First-aid measures after skin contact : Rinse skin with water or shower. Remove/Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

03/24/2020 EN (English US) 2/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after ingestion : Rinse mouth. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects : May cause drowsiness or dizziness.
Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Specific hazards arising from the chemical

Fire hazard : Flammable liquid and vapor.

Reactivity : Flammable liquid and vapor.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures

: Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe mist, vapors and spray. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground and bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist, vapors and spray. Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes.

Hygiene measures

: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground and

: Ground and bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

None established for components

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection : Protective gloves
Eye protection : Safety glasses

Skin and body protection : Wear suitable protective clothing Respiratory protection : Wear respiratory protection.

03/24/2020 EN (English US) 3/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : Colorless to light yellow

Odor : Vanilla

Odor threshold : No data available pH : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available : No data available

Flash point : $> 115 \, ^{\circ}F$

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Not applicable.

Vapor pressure : No data available Relative vapor density at 20 °C : No data available Specific gravity : No data available Relative density : No data available : No data available

Solubility : Insoluble in water. Soluble in oil. Soluble in organic solvents.

Log Pow : No data available : No data available Auto-ignition temperature Decomposition temperature No data available Viscosity, kinematic : No data available Viscosity, dynamic No data available **Explosion limits** : No data available Explosive properties : No data available Oxidizing properties No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapor.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

Vanilla Almond	
ATE US (oral)	1438.131 mg/kg body weight
benzaldehyde (100-52-7)	
LD50 oral rat	1300 mg/kg (Rat)
LD50 dermal rat	1250 mg/kg (Rat)
LD50 dermal rabbit	5000 mg/kg (Rabbit)
ATE US (oral)	1300 mg/kg body weight
ATE US (dermal)	1250 mg/kg body weight

03/24/2020 EN (English US) 4/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

benzyl alcohol (100-51-6)		
LD50 oral rat	1620 mg/kg bw/day (Rat; Experimental value)	
LD50 dermal rabbit	> 2000 mg/kg (Rabbit; Inconclusive, insufficient data)	
ATE US (oral)	1620 mg/kg body weight	
ATE US (dermal)	1100 mg/kg body weight	
ATE US (gases)	4500 ppmV/4h	
ATE US (vapors)	11 mg/l/4h	
ATE US (dust, mist)	1.5 mg/l/4h	
coumarin (91-64-5)		
LD50 oral rat	300 - 900 mg/kg (Rat)	
ATE US (oral)	300 mg/kg body weight	
3-ethoxy-4-hydroxybenzaldehyde (121-3	32-4)	
LD50 oral rat	1590 mg/kg (Rat)	
LD50 dermal rabbit	> 7940 mg/kg (Rabbit)	
ATE US (oral)	1590 mg/kg body weight	
Gamma-octalactone (104-50-7)	, 3 3, . 3 .	
ATE US (oral)	4400 mg/kg body weight	
,	4400 mg/ng body weight	
4-methoxybenzaldehyde (123-11-5)	4540 mg/kg (Det)	
LD50 oral rat	1510 mg/kg (Rat)	
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)	
ATE US (oral)	1510 mg/kg body weight	
D-Limonene (5989-27-5)		
LD50 oral rat	4400 mg/kg body weight (Rat; OECD 423: Acute Oral Toxicity – Acute Toxic Class Method; Literature study; > 2000 mg/kg bodyweight; Rat; Read-across)	
LD50 dermal rabbit	> 5000 mg/kg body weight (Rabbit; Weight of evidence; Equivalent or similar to OECD 402)	
ATE US (oral)	4400 mg/kg body weight	
kin corrosion/irritation	: Causes skin irritation.	
serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Suspected of causing genetic defects.	
Carcinogenicity	: Not classified	
coumarin (91-64-5)		
IARC group	3 - Not classifiable	
D-Limonene (5989-27-5)		
IARC group	3 - Not classifiable	
Reproductive toxicity	: Not classified	
STOT-single exposure	 : May cause damage to organs. May cause respiratory irritation. May cause drowsiness or dizziness. 	
benzaldehyde (100-52-7)		
STOT-single exposure	May cause damage to organs. May cause drowsiness or dizziness. May cause respiratory irritation.	
Delta Dodecalactone (713-95-1)		
STOT-single exposure	May cause respiratory irritation.	
TOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure.	
coumarin (91-64-5)		
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.	
spiration hazard		
•	: Not classified	
/iscosity, kinematic	: No data available	
Symptoms/effects	: May cause drowsiness or dizziness.	
Symptoms/effects after inhalation	: May cause respiratory irritation.	
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.	
Symptoms/effects after eye contact	: Eye irritation.	
02/04/2020	TN /Facilish LIC)	

03/24/2020 EN (English US) 5/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

CTION 12: Ecological information 1. Toxicity		
cology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.	
benzaldehyde (100-52-7)		
LC50 fish 1	1.1 mg/l (96 h; Lepomis macrochirus)	
EC50 Daphnia 1	50 mg/l (24 h; Daphnia magna)	
EC50 other aquatic organisms 1	534 mg/l (5 h; Bacteria; Activated sludge)	
LC50 fish 2	11.2 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss)	
Threshold limit other aquatic organisms 1	132 mg/l (Pseudomonas putida)	
Threshold limit algae 1	100 mg/l (336 h; Chlorella sp.; Inhibitory)	
Threshold limit algae 2	34 mg/l (Scenedesmus quadricauda)	
benzyl alcohol (100-51-6)		
LC50 fish 1	460 mg/l (LC50; EPA OPP 72-1; 96 h; Pimephales promelas; Static system; Fresh water; Experimental value)	
coumarin (91-64-5)		
LC50 fish 1	56 mg/l (LC50; 96 h)	
EC50 Daphnia 1	135 mg/l (EC50; 48 h)	
3-ethoxy-4-hydroxybenzaldehyde (121-32-4		
LC50 fish 1	87.6 mg/l (LC50; 96 h)	
4-methoxybenzaldehyde (123-11-5)		
LC50 fish 1	220 mg/l (LC50; 96 h)	
EC50 Daphnia 1	83 mg/l (EC50; 48 h)	
Threshold limit algae 1	43 mg/l (EC50; 72 h)	
D-Limonene (5989-27-5)		
LC50 fish 1	720 µg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Pimephales promelas; Flow-through system; Fresh water; Experimental value)	
EC50 Daphnia 1	0.36 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilization Test; 48 h; Daphnia magna Static system; Fresh water; Experimental value)	
Threshold limit algae 1	150 mg/l (EC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Desmodesmus subspicatus Static system; Fresh water; Read-across)	
2. Persistence and degradability		
benzaldehyde (100-52-7)		
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil.	
Biochemical oxygen demand (BOD)	1.62 g O ₂ /g substance	
Chemical oxygen demand (COD)	1.98 g O ₂ /g substance	
ThOD	2.42 g O ₂ /g substance	
BOD (% of ThOD)	0.67 % ThOD	
benzyl alcohol (100-51-6)		
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. No (test)data on mobility of the substance available.	
Biochemical oxygen demand (BOD)	1.6 g O ₂ /g substance	
Chemical oxygen demand (COD)	2.4 g O ₂ /g substance	
ThOD	2.5 g O ₂ /g substance	
coumarin (91-64-5)		
Persistence and degradability	Readily biodegradable in water. Photolysis in the air.	
3-ethoxy-4-hydroxybenzaldehyde (121-32-4	1)	
Persistence and degradability	Readily biodegradable in water. Forming sediments in water. Photodegradation in the air.	
ThOD	1.81 g O ₂ /g substance	
BOD (% of ThOD)	0.529 (5 days; Literature study)	
4-methoxybenzaldehyde (123-11-5)	Readily biodegradable in water.	
	Readily biodegradable in water.	

03/24/2020 EN (English US) 6/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

D-Limonene (5989-27-5)	
ThOD	3.29 g O₂/g substance
2.3. Bioaccumulative potential	
benzaldehyde (100-52-7)	
BCF other aquatic organisms 1	4.2 - 7.8 (Estimated value)
Log Pow	1.48 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
benzyl alcohol (100-51-6)	
Log Pow	1-1.1,Experimental value; Other; 20 °C
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
coumarin (91-64-5)	
BCF fish 1	< 10 (BCF; 72 h)
BCF other aquatic organisms 1	42 (BCF; 24 h; Chlorella sp.)
Log Pow	1.39
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
3-ethoxy-4-hydroxybenzaldehyde (121-32-4)	
Log Pow	1.61 - 1.88
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
4-methoxybenzaldehyde (123-11-5)	
Log Pow	1.5
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
D-Limonene (5989-27-5)	
BCF fish 1	864.8 - 1022 (BCF; Pisces)
Log Pow	4.38 (Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method; 37 °C)
Bioaccumulative potential	Potential for bioaccumulation (4 ≥ Log Kow ≤ 5).
2.4. Mobility in soil	
benzaldehyde (100-52-7)	
Surface tension	0.04 N/m (20 °C)
benzyl alcohol (100-51-6)	
Surface tension	0.04 N/m (20 °C)
D-Limonene (5989-27-5)	
Log Koc	Koc,SRC PCKOCWIN v2.0; 1120 - 6324; QSAR
2.5. Other adverse effects	

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods Waste treatment methods

: Dispose of contents and container in accordance with licensed collector's sorting instructions.

Additional information : Flammable vapors may accumulate in the container.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description : ID8000 Consumer commodity, 9

UN-No.(DOT) : ID8000

Proper Shipping Name (DOT) : Consumer commodity

Class (DOT) : 9 - Class 9 - Miscellaneous hazardous material 49 CFR 173.140

Hazard labels (DOT) : 9 - Class 9 (Miscellaneous dangerous materials)



Other information : No supplementary information available.

Transport by sea Not regulated

03/24/2020 EN (English US) 7/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Air transport

Transport document description (IATA) : UN 8000 Consumer commodity, 9

UN-No. (IATA) : 8000

Proper Shipping Name (IATA) : Consumer commodity

Class (IATA) : 9 - Miscellaneous Dangerous Goods

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
benzaldehyde(100-52-7)	U.S New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information

Full text of H-phrases:

<u> </u>	
H226	Flammable liquid and vapor.
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H320	Causes eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H341	Suspected of causing genetic defects
H371	May cause damage to organs
H373	May cause damage to organs through prolonged or repeated exposure
H402	Harmful to aquatic life
H412	Harmful to aquatic life with long lasting effects
11412	Hamilia to aquatic life with long fasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

03/24/2020 EN (English US) 8/8