

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 01/14/2020 Version: 1.1

SECTION 1: Identification

Identification

: Mixture Product form Product name : Viper

Recommended use and restrictions on use

Use of the substance/mixture : Perfume ingredient. Not for use in food or feed.

Supplier

AAA Candle Supplies, Inc. 10460 Brockwood Rd Dallas, Texas 75238 T (214) 342-9898

www.AAACandleSupply.com

Emergency telephone number

No additional information available

SECTION 2: Hazard(s) identification

Classification of the substance or mixture 2.1.

GHS US classification

Flammable liquids Category 3 Flammable liquid and vapor. H226 Skin corrosion/irritation Category 2 H315 Causes skin irritation Serious eye damage/eye irritation Category 2 Causes serious eye irritation H319 Skin sensitization, Category 1 H317 May cause an allergic skin reaction

Reproductive toxicity Category 2 Suspected of damaging fertility or the unborn child H361 Combustible Dust May form combustible dust concentrations in air

Full text of H statements: see section 16

GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)







Signal word (GHS US) : Warning

May form combustible dust concentrations in air Hazard statements (GHS US)

Flammable liquid and vapor. Causes skin irritation

May cause an allergic skin reaction Causes serious eye irritation

Suspected of damaging fertility or the unborn child

Precautionary statements (GHS US) Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

Keep container tightly closed.

Ground and bond container and receiving equipment

Use explosion-proof equipment Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing mist, vapors and spray.

Wash hands, forearms and face thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves, protective clothing, eye and face protection

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If exposed or concerned: Get medical attention.

If skin irritation or rash occurs: Get medical attention. If eye irritation persists: Get medical attention.

Take off contaminated clothing and wash it before reuse. In case of fire: Use media other than water to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents and container in accordance with applicable regulations.

01/14/2020 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%*	GHS US classification
2,6-dimethyl-7-octen-2-ol	(CAS-No.) 18479-58-8	5 - 20	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319
D-Limonene	(CAS-No.) 5989-27-5	5 - 20	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
Tetramethyl acetyloctahydronapthalenes	(CAS-No.) 54464-57-2	5 - 20	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 2, H401 Aquatic Chronic 1, H410
linalol	(CAS-No.) 78-70-6	< 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317 STOT SE 3, H336 Aquatic Acute 3, H402
methylionone	(CAS-No.) 1335-46-2	< 5	Skin Irrit. 2, H315 Eye Irrit. 2B, H320 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
acetyl cedrene	(CAS-No.) 32388-55-9	< 5	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
benzyl salicylate	(CAS-No.) 118-58-1	< 5	Eye Irrit. 2A, H319 Skin Sens. 1, H317 STOT SE 2, H371 Aquatic Acute 2, H401 Aquatic Chronic 3, H412
Formaldehyde cyclodecyl ethyl acetal	(CAS-No.) 58567-11-6	< 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
2-(4-tert-butylbenzyl)propionaldehyde	(CAS-No.) 80-54-6	< 5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Acute 2, H401 Aquatic Chronic 3, H412

*Exact concentrations have been withheld as a trade secret

Full text of hazard classes and H-statements: see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : If exposed or concerned: Get medical attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water or shower. Take off immediately all contaminated clothing. If skin irritation

or rash occurs: Get medical attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

01/14/2020 EN (English US) 2/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.2. Specific hazards arising from the chemical

Fire hazard : Flammable liquid and vapor. May form combustible dust concentrations in air.

Reactivity : Flammable liquid and vapor.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures

: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing mist, vapors and spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground and bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid dust formation. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Avoid breathing mist, vapors and spray.

Hygiene measures

: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground and bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

None established for components

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection : Protective gloves
Eye protection : Safety glasses

Skin and body protection : Wear suitable protective clothing Respiratory protection : Wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : Colorless to light yellow Odor Characteristic - Viper Odor threshold No data available рΗ : No data available : No data available Melting point No data available Freezing point Boiling point : No data available Flash point : > 115 °F

01/14/2020 EN (English US) 3/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Not applicable. Vapor pressure : No data available Relative vapor density at 20 °C : No data available Specific gravity : No data available Relative density : No data available

Solubility : Insoluble in water. Soluble in oil. Soluble in organic solvents.

Log Pow No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available : No data available **Explosion limits** Explosive properties : No data available : No data available Oxidizing properties

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapor.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition. Avoid dust formation.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

benzyl salicylate (118-58-1)			
LD50 oral rat 2227 mg/kg (Rat)			
LD50 dermal rabbit 14150 mg/kg (Rabbit)			
ATE US (oral)	2200 mg/kg body weight		
ATE US (dermal)	14150 mg/kg body weight		
2,6-dimethyl-7-octen-2-ol (18479-58-8)			
LD50 oral rat	3600 mg/kg (Rat)		
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)		
ATE US (oral)	3600 mg/kg body weight		

2-(4-tert-butylbenzyl)propionaldehyde (80-54-6)		
LD50 oral rat	1390 mg/kg (Rat)	
LD50 dermal rat	> 2000 mg/kg (Rat)	
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)	
ATE US (oral)	1390 mg/kg body weight	

linalol (78-70-6)			
LD50 oral rat 2790 mg/kg (Rat)			
LD50 dermal rat 5610 mg/kg (Rat)			
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)		
ATE US (oral)	2790 mg/kg body weight		
ATE US (dermal)	5610 mg/kg body weight		

01/14/2020 EN (English US) 4/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

methylionone (1335-46-2)				
LD50 oral rat	> 5000 mg/kg (Rat)			
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)			
acetyl cedrene (32388-55-9)				
LD50 oral rat	> 2000 mg/kg (Rat)			
LD50 dermal rabbit	> 2000 mg/kg (Rabbit)			
ATE US (oral)	4500 mg/kg body weight			
D-Limonene (5989-27-5)	recording to any morgan			
LD50 oral rat	4400 mg/kg body weight (Rat; OECD 423: Acute Oral Toxicity – Acute Toxic Class Method; Literature study; > 2000 mg/kg bodyweight; Rat; Read-across)			
LD50 dermal rabbit	> 5000 mg/kg body weight (Rabbit; Weight of evidence; Equivalent or similar to OECD 402)			
ATE US (oral)	4400 mg/kg body weight			
Skin corrosion/irritation	: Causes skin irritation.			
Serious eye damage/irritation	: Causes serious eye irritation.			
Respiratory or skin sensitization	: May cause an allergic skin reaction.			
Germ cell mutagenicity	: Not classified			
	: Not classified			
Carcinogenicity D-Limonene (5989-27-5)	. INULUIASSIIIEU			
IARC group	3 - Not classifiable			
• ,				
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.			
STOT-single exposure	: Not classified			
benzyl salicylate (118-58-1)				
STOT-single exposure	May cause damage to organs.			
linalol (78-70-6)				
STOT-single exposure	May cause drowsiness or dizziness.			
STOT-repeated exposure	: Not classified			
Aspiration hazard	: Not classified			
Viscosity, kinematic	: No data available			
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.			
Symptoms/effects after eye contact	: Eye irritation.			
ECTION 12: Ecological informati	·			
2.1. Toxicity				
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.			
2-(4-tert-butylbenzyl)propionaldehyde (30-54-6)			
LC50 fish 1	> mg/l >2.2/4.6,LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Brachydanio rerio			
EC50 Daphnia 1	10.7 mg/l (EC50; 48 h)			
linalol (78-70-6)				
EC50 Daphnia 1	59 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilization Test; 48 h; Daphnia magna)			
EC50 other aquatic organisms 1	>= 100 mg/l (3 h; Activated sludge)			
LC50 fish 2	27.8 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Salmo gairdneri)			
Threshold limit algae 1	88.3 mg/l (EC50; 96 h)			
D-Limonene (5989-27-5)				
LC50 fish 1	720 µg/l (LC50; OECD 203; Fish, Acute Toxicity Test; 96 h; Pimephales promelas; Flow-			
2000 11311 1	through system; Fresh water; Experimental value)			
EC50 Daphnia 1	0.36 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilization Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)			
Threshold limit algae 1	150 mg/l (EC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Desmodesmus subspicatus; Static system; Fresh water; Read-across)			
2.2. Persistence and degradability				
benzyl salicylate (118-58-1)				
Persistence and degradability	Biodegradability in water: no data available.			

01/14/2020 EN (English US) 5/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

· · · · · · · · · · · · · · · · · · ·			
2,6-dimethyl-7-octen-2-ol (18479-58-8)			
Persistence and degradability Biodegradability in water: no data available.			
2-(4-tert-butylbenzyl)propionaldehyde (80-5	4-6)		
Persistence and degradability Readily biodegradable in water.			
linalol (78-70-6)			
Persistence and degradability	Readily biodegradable in water.		
Biochemical oxygen demand (BOD)	1.531 g O ₂ /g substance		
Chemical oxygen demand (COD)	2.808 g O ₂ /g substance		
methylionone (1335-46-2)			
Persistence and degradability	Biodegradability in water: no data available.		
acetyl cedrene (32388-55-9)			
Persistence and degradability	Biodegradability in water: no data available.		
D-Limonene (5989-27-5)			
Persistence and degradability	Readily biodegradable in water. Forming sediments in water. Adsorbs into the soil.		
ThOD	3.29 g O ₂ /g substance		
12.3. Bioaccumulative potential			
benzyl salicylate (118-58-1)			
Log Pow	4.31 (Estimated value)		
2,6-dimethyl-7-octen-2-ol (18479-58-8)			
Log Pow	3.47 (Estimated value)		
2-(4-tert-butylbenzyl)propionaldehyde (80-5	4-6)		
Log Pow	4.3		
linalol (78-70-6)			
Log Pow	2.84 - 3.145		
Bioaccumulative potential	Bioaccumable.		
methylionone (1335-46-2)			
Bioaccumulative potential	No bioaccumulation data available.		
acetyl cedrene (32388-55-9)			
Bioaccumulative potential	No bioaccumulation data available.		
D-Limonene (5989-27-5)			
BCF fish 1	864.8 - 1022 (BCF; Pisces)		
Log Pow	4.38 (Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method; 37 °C)		
Bioaccumulative potential	Potential for bioaccumulation (4 ≥ Log Kow ≤ 5).		
12.4. Mobility in soil			
D-Limonene (5989-27-5)			
Log Koc	Koc,SRC PCKOCWIN v2.0; 1120 - 6324; QSAR		
2.5. Other adverse effects			

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents and container in accordance with licensed collector's sorting instructions.

Additional information : Flammable vapors may accumulate in the container.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT : Non-hazardous; not regulted.

Transport by sea

Not regulated

Air transport

Transport document description (IATA) : UN 8000 Consumer commodity, 9

UN-No. (IATA) : 8000

Proper Shipping Name (IATA) : Consumer commodity

Class (IATA) : 9 - Miscellaneous Dangerous Goods

01/14/2020 EN (English US) 6/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Name	CAS-No.	U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
1- methoxy- 4(2- propenyl)b enzene	140-67-0	X					

SECTION 16: Other information

Full text of H-phrases:

toxt of 11 priladed.	
H226	Flammable liquid and vapor.
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H320	Causes eye irritation
H336	May cause drowsiness or dizziness
H361	Suspected of damaging fertility or the unborn child
H371	May cause damage to organs
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

01/14/2020 EN (English US) 7/7