

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 02/20/2020 Version: 2.1

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Product name : White Peach & Ginger Blossom

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Perfume ingredient. Not for use in food or feed.

1.3. Supplier

AAA Candle Supplies, Inc. 10460 Brockwood Rd Dallas, Texas 75238 T (214) 342-9898

www.AAACandleSupply.com

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 3

Skin corrosion/irritation Category 2

Hals

Causes skin irritation

Causes serious eye irritation

Causes serious eye irritation

Respiratory sensitization, Category 1 H334 May cause an allergy or asthma symptoms or breathing difficulties if

inhaled

Skin sensitization, Category 1 H317 May cause an allergic skin reaction

Reproductive toxicity Category 2 H361 Suspected of damaging fertility or the unborn child

Specific target organ toxicity (single exposure) Category 2 H371 May cause damage to organs Specific target organ toxicity (single exposure) Category 3 H335 May cause respiratory irritation

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)







Signal word (GHS US) : Danger

Hazard statements (GHS US) : Flammable liquid and vapor.

Causes skin irritation

May cause an allergic skin reaction Causes serious eye irritation

May cause an allergy or asthma symptoms or breathing difficulties if inhaled

May cause respiratory irritation

Suspected of damaging fertility or the unborn child

May cause damage to organs

Precautionary statements (GHS US) : Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smokina.

Keep container tightly closed.

Ground and bond container and receiving equipment

Use explosion-proof equipment Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe mist, vapors and spray.

Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves, protective clothing, eye and face protection In case of inadequate ventilation, wear respiratory protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or

shower.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

02/20/2020 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

If exposed or concerned: Get medical attention.

If skin irritation or rash occurs: Get medical attention.

If eye irritation persists: Get medical attention.

If experiencing respiratory symptoms: Call a poison center or doctor.

Take off contaminated clothing and wash it before reuse.

In case of fire: Use media other than water to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents and container in accordance with applicable regulations.

Other hazards which do not result in classification

No additional information available

Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances Not applicable

3.2. **Mixtures**

Name	Product identifier	%*	GHS US classification
benzyl benzoate	(CAS-No.) 120-51-4	20 - 40	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
4-undecanolide	(CAS-No.) 104-67-6	5 - 20	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 Aquatic Acute 3, H402 Aquatic Chronic 3, H412
Orange terpenes	(CAS-No.) 8028-48-6	5 - 20	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 STOT SE 3, H335 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
benzyl acetate	(CAS-No.) 140-11-4	< 5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 Aquatic Chronic 3, H412
benzyl salicylate	(CAS-No.) 118-58-1	< 5	Eye Irrit. 2A, H319 Skin Sens. 1, H317 STOT SE 2, H371 Aquatic Acute 2, H401 Aquatic Chronic 3, H412
Phenyl Ethyl Alcohol	(CAS-No.) 60-12-8	< 5	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Eye Irrit. 2A, H319
Gamma dodecalactone	(CAS-No.) 2305-05-7	< 5	Skin Irrit. 2, H315 Eye Irrit. 2B, H320 STOT SE 3, H335
geraniol	(CAS-No.) 106-24-1	< 5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
(+/-)-beta-citronellol	(CAS-No.) 106-22-9	< 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304
lemon, ext., Colgate	(CAS-No.) 84929-31-7	< 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
alpha-hexylcinnamaldehyde	(CAS-No.) 101-86-0	< 5	Skin Irrit. 2, H315 Eye Irrit. 2B, H320 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
nerol	(CAS-No.) 106-25-2	< 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2B, H320 Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT SE 3, H335

02/20/2020 EN (English US) 2/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%*	GHS US classification
oils, clove	(CAS-No.) 8000-34-8	< 5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 2, H401
2-(4-tert-butylbenzyl)propionaldehyde	(CAS-No.) 80-54-6	< 5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Acute 2, H401 Aquatic Chronic 3, H412
Alpha-damascone	(CAS-No.) 43052-87-5	< 5	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
isoeugenol	(CAS-No.) 97-54-1	< 5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1A, H317 STOT SE 3, H335
Cassis Base 345B		< 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Resp. Sens. 1, H334 Repr. 2, H361 Asp. Tox. 1, H304
alpha-methyl-1,3-benzodioxole-5-propanal	(CAS-No.) 1205-17-0	< 5	Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Acute 2, H401 Aquatic Chronic 2, H411

*Exact concentrations have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

First-aid measures general : If exposed or concerned: Get medical attention. Call a poison center or a doctor if you feel

unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison center or a

doctor if you feel unwell.

First-aid measures after skin contact : Rinse skin with water or shower. Take off immediately all contaminated clothing. If skin irritation

or rash occurs: Get medical attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : May cause respiratory irritation. May cause an allergy or asthma symptoms or breathing

difficulties if inhaled.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Specific hazards arising from the chemical

Fire hazard : Flammable liquid and vapor.
Reactivity : Flammable liquid and vapor.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

02/20/2020 EN (English US) 3/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures

: Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe mist, vapors and spray. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground and bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist, vapors and spray. Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes.

Hygiene measures

Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Ground and bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

•	The Control Parameters		
	benzyl acetate (140-11-4)		
	ACGIH	Local name	Benzyl acetate
	ACGIH	ACGIH TWA (ppm)	10 ppm
	ACGIH	Remark (ACGIH)	URT irr

8.2. Appropriate engineering controls

Appropriate engineering controls

: Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment

8.3. Individual protection measures/Personal protective equipment

Hand protection : Protective gloves
Eye protection : Safety glasses

Skin and body protection : Wear suitable protective clothing Respiratory protection : Wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Color : Light yellow

Odor : Fruity – White Peach & Ginger Blossom

Odor threshold : No data available
pH : No data available
Melting point : Not applicable
Freezing point : No data available
Boiling point : No data available

Flash point : > 113 °F

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Not applicable.

02/20/2020 EN (English US) 4/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Vapor pressure : No data available
Relative vapor density at 20 °C : No data available
Specific gravity : No data available
Relative density : No data available

Solubility : Insoluble in water. Soluble in oil. Soluble in organic solvents.

Log Pow No data available Auto-ignition temperature : No data available Decomposition temperature No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available **Explosion limits** : No data available Explosive properties : No data available : No data available Oxidizing properties

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapor.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

4-undecanolide (104-67-6)	
LD50 oral rat	18500 mg/kg (Rat)
ATE US (oral)	18500 mg/kg body weight
benzyl acetate (140-11-4)	
LD50 oral rat	2490 mg/kg (Rat)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)
ATE US (oral)	2490 mg/kg body weight
benzyl benzoate (120-51-4)	
LD50 oral rat	1870 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Experimental value; >2000 mg/kg bodyweight; Rat)
LD50 dermal rat	4400 mg/kg (Rat)
LD50 dermal rabbit	4000 mg/kg (Rabbit; Experimental value; Modification of Draize 1959 method; >2; Rabbit)
ATE US (oral)	1500 mg/kg body weight
ATE US (dermal)	4000 mg/kg body weight
benzyl salicylate (118-58-1)	
LD50 oral rat	2227 mg/kg (Rat)
LD50 dermal rabbit	14150 mg/kg (Rabbit)
ATE US (oral)	2200 mg/kg body weight
ATE US (dermal)	14150 mg/kg body weight
(+/-)-beta-citronellol (106-22-9)	
LD50 oral rat	3450 mg/kg (Rat; Inconclusive, insufficient data)
LD50 dermal rabbit	2650 mg/kg (Rabbit; Inconclusive, insufficient data)

02/20/2020 EN (English US) 5/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

(+/-)-beta-citronellol (106-22-9)	
ATE US (oral)	3450 mg/kg body weight
ATE US (dermal)	2650 mg/kg body weight
Alpha-damascone (43052-87-5)	
ATE US (oral)	1670 mg/kg body weight
ATE US (dermal)	2900 mg/kg body weight
geraniol (106-24-1)	
LD50 oral rat	3600 mg/kg body weight (Rat; Experimental value)
LD50 dermal rabbit	> 5000 mg/kg body weight (Rabbit; Experimental value)
ATE US (oral)	3600 mg/kg body weight
alpha-methyl-1,3-benzodioxole-5-prop	panal (1205-17-0)
LD50 oral rat	3561 mg/kg (Rat)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit)
ATE US (oral)	3561 mg/kg body weight
alpha-hexylcinnamaldehyde (101-86-0	
LD50 oral rat	3100 mg/kg (Rat)
LD50 dermal rabbit	> 3000 mg/kg (Rabbit)
ATE US (oral)	3100 mg/kg body weight
isoeugenol (97-54-1)	
LD50 oral rat	1560 mg/kg (Rat)
ATE US (oral)	1500 mg/kg body weight
ATE US (dermal)	1912 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
lemon, ext., Colgate (84929-31-7)	
LD50 oral rat	5000 mg/kg (Rat)
ATE US (oral)	5000 mg/kg body weight
2-(4-tert-butylbenzyl)propionaldehyde	9 (80-54-6)
LD50 oral rat	1390 mg/kg (Rat)
LD50 dermal rat	> 2000 mg/kg (Rat)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)
ATE US (oral)	1390 mg/kg body weight
nerol (106-25-2)	
LD50 oral rat	4500 mg/kg (Rat)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)
ATE US (oral)	4500 mg/kg body weight
Phenyl Ethyl Alcohol (60-12-8)	
LD50 oral rat	> 1790 mg/kg (Rat)
LD50 dermal rabbit	> 808 mg/kg (Rabbit)
LC50 inhalation rat (mg/l)	> 1.4 mg/l/4h (Rat)
ATE US (oral)	1610 mg/kg body weight
ATE US (dermal)	300 mg/kg body weight
oils, clove (8000-34-8)	
LD50 oral rat	1370 mg/kg (Rat)
LD50 dermal rabbit	1200 mg/kg (Rabbit)
ATE US (oral)	1370 mg/kg body weight
ATE US (dermal)	1200 mg/kg body weight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
02/20/2020	EN (English US) 6/1

02/20/2020 EN (English US) 6/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Carcinogenicity	: Not classified
benzyl acetate (140-11-4)	. Not diassified
IARC group	3 - Not classifiable
Reproductive toxicity	Suspected of damaging fertility or the unborn child.
,	: May cause damage to organs. May cause respiratory irritation.
STOT-single exposure	. May cause damage to organs, may cause respiratory imitation.
4-undecanolide (104-67-6)	
STOT-single exposure	May cause respiratory irritation.
benzyl acetate (140-11-4)	
STOT-single exposure	May cause respiratory irritation.
benzyl salicylate (118-58-1)	1
STOT-single exposure	May cause damage to organs.
Gamma dodecalactone (2305-05-7)	
STOT-single exposure	May cause respiratory irritation.
isoeugenol (97-54-1)	
STOT-single exposure	May cause respiratory irritation.
nerol (106-25-2)	
STOT-single exposure	May cause respiratory irritation.
Overage termina = (0000, 40, 6)	
Orange terpenes (8028-48-6)	Management and an electrical
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects after inhalation	: May cause respiratory irritation. May cause an allergy or asthma symptoms or breathing
, ,	difficulties if inhaled.
	difficulties if iffiliated.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after skin contact Symptoms/effects after eye contact	
Symptoms/effects after eye contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact SECTION 12: Ecological information	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact SECTION 12: Ecological information	 : Irritation. May cause an allergic skin reaction. : Eye irritation. : The product is not considered harmful to aquatic organisms or to cause long-term adverse
Symptoms/effects after eye contact SECTION 12: Ecological information 12.1. Toxicity	: Irritation. May cause an allergic skin reaction. : Eye irritation.
Symptoms/effects after eye contact SECTION 12: Ecological information 12.1. Toxicity	 : Irritation. May cause an allergic skin reaction. : Eye irritation. : The product is not considered harmful to aquatic organisms or to cause long-term adverse
Symptoms/effects after eye contact SECTION 12: Ecological information 12.1. Toxicity Ecology - general	 : Irritation. May cause an allergic skin reaction. : Eye irritation. : The product is not considered harmful to aquatic organisms or to cause long-term adverse
Symptoms/effects after eye contact SECTION 12: Ecological information 12.1. Toxicity Ecology - general 4-undecanolide (104-67-6)	 : Irritation. May cause an allergic skin reaction. : Eye irritation. : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
Symptoms/effects after eye contact SECTION 12: Ecological information 2.1. Toxicity Ecology - general 4-undecanolide (104-67-6) LC50 fish 1 EC50 Daphnia 1	 : Irritation. May cause an allergic skin reaction. : Eye irritation. : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. 569 mg/l (LC50; 96 h)
Symptoms/effects after eye contact SECTION 12: Ecological information 2.1. Toxicity Ecology - general 4-undecanolide (104-67-6) LC50 fish 1	 : Irritation. May cause an allergic skin reaction. : Eye irritation. : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. 569 mg/l (LC50; 96 h) 17 mg/l (EC50; 48 h)
Symptoms/effects after eye contact SECTION 12: Ecological information 2.1. Toxicity Ecology - general 4-undecanolide (104-67-6) LC50 fish 1 EC50 Daphnia 1 benzyl acetate (140-11-4) LC50 fish 1	 : Irritation. May cause an allergic skin reaction. : Eye irritation. : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. 569 mg/l (LC50; 96 h)
Symptoms/effects after eye contact SECTION 12: Ecological information 2.1. Toxicity Ecology - general 4-undecanolide (104-67-6) LC50 fish 1 EC50 Daphnia 1 benzyl acetate (140-11-4) LC50 fish 1 (+/-)-beta-citronellol (106-22-9)	: Irritation. May cause an allergic skin reaction. : Eye irritation. : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. 569 mg/l (LC50; 96 h) 17 mg/l (EC50; 48 h) 68 mg/l (LC50; 96 h)
Symptoms/effects after eye contact SECTION 12: Ecological information 2.1. Toxicity Ecology - general 4-undecanolide (104-67-6) LC50 fish 1 EC50 Daphnia 1 benzyl acetate (140-11-4) LC50 fish 1 (+/-)-beta-citronellol (106-22-9) LC50 fish 1	: Irritation. May cause an allergic skin reaction. : Eye irritation. : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. 569 mg/l (LC50; 96 h) 17 mg/l (EC50; 48 h) 68 mg/l (LC50; 96 h)
Symptoms/effects after eye contact SECTION 12: Ecological information 2.1. Toxicity Ecology - general 4-undecanolide (104-67-6) LC50 fish 1 EC50 Daphnia 1 benzyl acetate (140-11-4) LC50 fish 1 (+/-)-beta-citronellol (106-22-9) LC50 fish 1 EC50 Daphnia 1	: Irritation. May cause an allergic skin reaction. : Eye irritation. : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. 569 mg/l (LC50; 96 h)
Symptoms/effects after eye contact SECTION 12: Ecological information 12.1. Toxicity Ecology - general 4-undecanolide (104-67-6) LC50 fish 1 EC50 Daphnia 1 benzyl acetate (140-11-4) LC50 fish 1 (+/-)-beta-citronellol (106-22-9) LC50 fish 1 EC50 Daphnia 1 Threshold limit algae 1	: Irritation. May cause an allergic skin reaction. : Eye irritation. : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. 569 mg/l (LC50; 96 h) 17 mg/l (EC50; 48 h) 68 mg/l (LC50; 96 h)
Symptoms/effects after eye contact SECTION 12: Ecological information 12.1. Toxicity Ecology - general 4-undecanolide (104-67-6) LC50 fish 1 EC50 Daphnia 1 benzyl acetate (140-11-4) LC50 fish 1 (+/-)-beta-citronellol (106-22-9) LC50 fish 1 EC50 Daphnia 1 Threshold limit algae 1 geraniol (106-24-1)	: Irritation. May cause an allergic skin reaction. : Eye irritation. : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. 569 mg/l (LC50; 96 h) 17 mg/l (EC50; 48 h) 68 mg/l (LC50; 96 h)
Symptoms/effects after eye contact SECTION 12: Ecological information 12.1. Toxicity Ecology - general 4-undecanolide (104-67-6) LC50 fish 1 EC50 Daphnia 1 benzyl acetate (140-11-4) LC50 fish 1 (+/-)-beta-citronellol (106-22-9) LC50 fish 1 EC50 Daphnia 1 Threshold limit algae 1	: Irritation. May cause an allergic skin reaction. : Eye irritation. : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. 569 mg/l (LC50; 96 h)
Symptoms/effects after eye contact SECTION 12: Ecological information 12.1. Toxicity Ecology - general 4-undecanolide (104-67-6) LC50 fish 1 EC50 Daphnia 1 benzyl acetate (140-11-4) LC50 fish 1 (+/-)-beta-citronellol (106-22-9) LC50 fish 1 EC50 Daphnia 1 Threshold limit algae 1 geraniol (106-24-1)	: Irritation. May cause an allergic skin reaction. : Eye irritation. : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. 569 mg/l (LC50; 96 h)
Symptoms/effects after eye contact SECTION 12: Ecological information 12.1. Toxicity Ecology - general 4-undecanolide (104-67-6) LC50 fish 1 EC50 Daphnia 1 benzyl acetate (140-11-4) LC50 fish 1 (+/-)-beta-citronellol (106-22-9) LC50 fish 1 EC50 Daphnia 1 Threshold limit algae 1 geraniol (106-24-1) LC50 fish 1	: Irritation. May cause an allergic skin reaction. : Eye irritation. : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. 569 mg/l (LC50; 96 h)
Symptoms/effects after eye contact SECTION 12: Ecological information 12.1. Toxicity Ecology - general 4-undecanolide (104-67-6) LC50 fish 1 EC50 Daphnia 1 benzyl acetate (140-11-4) LC50 fish 1 (+/-)-beta-citronellol (106-22-9) LC50 fish 1 EC50 Daphnia 1 Threshold limit algae 1 geraniol (106-24-1) LC50 fish 1 2-(4-tert-butylbenzyl)propionaldehyde (80-54	: Irritation. May cause an allergic skin reaction. : Eye irritation. : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. 569 mg/l (LC50; 96 h) 17 mg/l (EC50; 48 h) 68 mg/l (LC50; 96 h) > mg/l >10 <22,LC50; 96 h 17 mg/l (EC50; 48 h) 2.4 mg/l (EC50; 72 h) > 9.8 mg/l (LC50; 96 h)
Symptoms/effects after eye contact SECTION 12: Ecological information 12.1. Toxicity Ecology - general 4-undecanolide (104-67-6) LC50 fish 1 EC50 Daphnia 1 benzyl acetate (140-11-4) LC50 fish 1 (+/-)-beta-citronellol (106-22-9) LC50 fish 1 EC50 Daphnia 1 Threshold limit algae 1 geraniol (106-24-1) LC50 fish 1 2-(4-tert-butylbenzyl)propionaldehyde (80-54) LC50 fish 1	: Irritation. May cause an allergic skin reaction. : Eye irritation. : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. 569 mg/l (LC50; 96 h)
Symptoms/effects after eye contact SECTION 12: Ecological information 12.1. Toxicity Ecology - general 4-undecanolide (104-67-6) LC50 fish 1 EC50 Daphnia 1 benzyl acetate (140-11-4) LC50 fish 1 (+/-)-beta-citronellol (106-22-9) LC50 fish 1 EC50 Daphnia 1 Threshold limit algae 1 geraniol (106-24-1) LC50 fish 1 2-(4-tert-butylbenzyl)propionaldehyde (80-54 LC50 fish 1 EC50 Daphnia 1 Phenyl Ethyl Alcohol (60-12-8)	: Irritation. May cause an allergic skin reaction. : Eye irritation. : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. 569 mg/l (LC50; 96 h)
Symptoms/effects after eye contact SECTION 12: Ecological information 12.1. Toxicity Ecology - general 4-undecanolide (104-67-6) LC50 fish 1 EC50 Daphnia 1 benzyl acetate (140-11-4) LC50 fish 1 (+/-)-beta-citronellol (106-22-9) LC50 fish 1 EC50 Daphnia 1 Threshold limit algae 1 geraniol (106-24-1) LC50 fish 1 2-(4-tert-butylbenzyl)propionaldehyde (80-54 LC50 Daphnia 1 Phenyl Ethyl Alcohol (60-12-8) LC50 fish 1	: Irritation. May cause an allergic skin reaction. : Eye irritation. : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. 569 mg/l (LC50; 96 h) 17 mg/l (EC50; 48 h) 68 mg/l (LC50; 96 h) > mg/l >10 <22,LC50; 96 h 17 mg/l (EC50; 48 h) 2.4 mg/l (EC50; 72 h) > 9.8 mg/l (LC50; 96 h) 6) > mg/l >2.2/4.6,LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Brachydanio rerio 10.7 mg/l (EC50; 48 h)
Symptoms/effects after eye contact SECTION 12: Ecological information 2.1. Toxicity Ecology - general 4-undecanolide (104-67-6) LC50 fish 1 EC50 Daphnia 1 benzyl acetate (140-11-4) LC50 fish 1 (+/-)-beta-citronellol (106-22-9) LC50 fish 1 EC50 Daphnia 1 Threshold limit algae 1 geraniol (106-24-1) LC50 fish 1 2-(4-tert-butylbenzyl)propionaldehyde (80-54 LC50 fish 1 EC50 Daphnia 1 Phenyl Ethyl Alcohol (60-12-8) LC50 fish 1 EC50 Daphnia 1	: Irritation. May cause an allergic skin reaction. : Eye irritation. : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. 569 mg/l (LC50; 96 h)
Symptoms/effects after eye contact SECTION 12: Ecological information 2.1. Toxicity Ecology - general 4-undecanolide (104-67-6) LC50 fish 1 EC50 Daphnia 1 benzyl acetate (140-11-4) LC50 fish 1 (+/-)-beta-citronellol (106-22-9) LC50 fish 1 EC50 Daphnia 1 Threshold limit algae 1 geraniol (106-24-1) LC50 fish 1 2-(4-tert-butylbenzyl)propionaldehyde (80-54 LC50 fish 1 EC50 Daphnia 1 Phenyl Ethyl Alcohol (60-12-8) LC50 fish 1 EC50 Daphnia 1 Phenyl Ethyl Alcohol (60-12-8) LC50 fish 1 EC50 Daphnia 1	: Irritation. May cause an allergic skin reaction. : Eye irritation. : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. 569 mg/l (LC50; 96 h)
Symptoms/effects after eye contact SECTION 12: Ecological information 12.1. Toxicity Ecology - general 4-undecanolide (104-67-6) LC50 fish 1 EC50 Daphnia 1 benzyl acetate (140-11-4) LC50 fish 1 (+/-)-beta-citronellol (106-22-9) LC50 fish 1 EC50 Daphnia 1 Threshold limit algae 1 geraniol (106-24-1) LC50 fish 1 2-(4-tert-butylbenzyl)propionaldehyde (80-54 LC50 fish 1 EC50 Daphnia 1 Phenyl Ethyl Alcohol (60-12-8) LC50 fish 1 EC50 Daphnia 1	: Irritation. May cause an allergic skin reaction. : Eye irritation. : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. 569 mg/l (LC50; 96 h)

02/20/2020 EN (English US) 7/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

benzyl acetate (140-11-4)		
Persistence and degradability	Readily biodegradable in water.	
benzyl benzoate (120-51-4)		
Persistence and degradability	Readily biodegradable in water. Low potential for mobility in soil.	
benzyl salicylate (118-58-1)		
Persistence and degradability	Biodegradability in water: no data available.	
(+/-)-beta-citronellol (106-22-9)		
Persistence and degradability	Readily biodegradable in water.	
Chemical oxygen demand (COD)	2.05 g O ₂ /g substance	
ThOD	2.961 g O ₂ /g substance	
geraniol (106-24-1)		
Persistence and degradability	Readily biodegradable in water.	
ThOD	2.9 g O ₂ /g substance	
alpha-methyl-1,3-benzodioxole-5-propanal (12		
Persistence and degradability	Biodegradability in water: no data available.	
<u>*</u>	2.000g.cocomy in record to calculations	
alpha-hexylcinnamaldehyde (101-86-0) Persistence and degradability	Readily biodegradable in water.	
	Troughy biodegradable in water.	
isoeugenol (97-54-1)	Diodogradability in water, no data sucilable	
Persistence and degradability	Biodegradability in water: no data available.	
lemon, ext., Colgate (84929-31-7)		
Persistence and degradability	Readily biodegradable in water.	
2-(4-tert-butylbenzyl)propionaldehyde (80-54-		
Persistence and degradability	Readily biodegradable in water.	
nerol (106-25-2)		
Persistence and degradability	Biodegradability in water: no data available.	
Orange terpenes (8028-48-6)		
Persistence and degradability	Biodegradability in water: no data available.	
Phenyl Ethyl Alcohol (60-12-8)		
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil.	
Biochemical oxygen demand (BOD)	1.45 g O ₂ /g substance	
Chemical oxygen demand (COD)	2.5 g O ₂ /g substance	
ThOD	2.6 g O₂/g substance	
BOD (% of ThOD)	0.558	
oils, clove (8000-34-8)		
Persistence and degradability	Biodegradability in water: no data available.	
2.3. Bioaccumulative potential		
4-undecanolide (104-67-6)		
Log Pow	3.06 (Estimated value)	
benzyl acetate (140-11-4)		
Log Pow	1.96 - 2.0 (QSAR)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
benzyl benzoate (120-51-4)		
BCF fish 1	2286 (BCF; BCFBAF v3.00; Pisces)	
Log Pow	3.88 - 4	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
benzyl salicylate (118-58-1)		
Log Pow	4.31 (Estimated value)	
(+/-)-beta-citronellol (106-22-9)		
(+/-)-beta-citronellol (106-22-9) Log Pow	3.41 - 3.91	
, ,	3.41 - 3.91	

02/20/2020 EN (English US) 8/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

alpha-methyl-1,3-benzodioxole-5-propanal (1205-17-0)			
Log Pow	2.4 (OECD 117: Partition Coefficient (n-octanol/water), HPLC method)		
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).		
alpha-hexylcinnamaldehyde (101-86-0)			
BCF other aquatic organisms 1	3120 (BCF)		
Log Pow	4.7		
Bioaccumulative potential	Potential for bioaccumulation (500 ≤ BCF ≤ 5000).		
isoeugenol (97-54-1)			
Log Pow	3.04		
Bioaccumulative potential	No bioaccumulation data available.		
lemon, ext., Colgate (84929-31-7)			
Bioaccumulative potential	Not bioaccumulative.		
2-(4-tert-butylbenzyl)propionaldehyde (80-54-	-6)		
Log Pow	4.3		
nerol (106-25-2)			
Log Pow	3.47 (Experimental value)		
Orange terpenes (8028-48-6)			
Bioaccumulative potential	No bioaccumulation data available.		
Phenyl Ethyl Alcohol (60-12-8)			
Log Pow	1.38 (Experimental value)		
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).		
oils, clove (8000-34-8)			
Bioaccumulative potential	No bioaccumulation data available.		
12.4. Mobility in soil	12.4. Mobility in soil		
benzyl benzoate (120-51-4)			
Surface tension	0.027 N/m (210 °C)		
Log Koc	log Koc,OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC); 3,8; Experimental value		
2.5. Other adverse effects			
No additional information available			

SECTION 13: Disposal considerations

Disposal methods

Waste treatment methods : Dispose of contents and container in accordance with licensed collector's sorting instructions.

Additional information : Flammable vapors may accumulate in the container.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

: ID8000 Consumer commodity, 9 Transport document description

UN-No.(DOT) : ID8000

Proper Shipping Name (DOT) : Consumer commodity

Class (DOT) : 9 - Class 9 - Miscellaneous hazardous material 49 CFR 173.140

: 9 - Class 9 (Miscellaneous dangerous materials) Hazard labels (DOT)



Other information : No supplementary information available.

Transport by sea Not regulated

Air transport

Transport document description (IATA) : UN 8000 Consumer commodity, 9

UN-No. (IATA) : 8000

Proper Shipping Name (IATA) : Consumer commodity

Class (IATA) : 9 - Miscellaneous Dangerous Goods

02/20/2020 EN (English US) 9/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
benzyl acetate(140-11-4)	U.S New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information

Full text of H-phrases:

H226	Flammable liquid and vapor.
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H311	Toxic in contact with skin
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H320	Causes eye irritation
H332	Harmful if inhaled
H334	May cause an allergy or asthma symptoms or breathing difficulties if inhaled
H335	May cause respiratory irritation
H361	Suspected of damaging fertility or the unborn child
H371	May cause damage to organs
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

02/20/2020 EN (English US) 10/10