

4184 E. Conant St. Long Beach, CA 90808 Tel. 310-900-1000 Fax. 310-900-1077 www.turboairinc.com

Project :		
Model #:		
Item #:	Qty:	
Available W/H :		
Approval :		

Direct Cooling Type Cases

Bakery & Deli Cases High Profile

Model: TCDD-36-2-H-R

Patented Self-Cleaning Condenser



This product is equipped with a fine mesh filter to the front of the condenser to catch dust, and a rotating brush that moves up and down daily to remove excess buildup outward and away.



___ FEATURES & BENEFITS =__

- Maintenance-free, Self-Cleaning Condenser (patented) Only at Turbo Air
 - The accumulation of dust in the condenser causes the failure or breakdown of refrigerators. Refrigerators run normally until they reach a certain level of accumulation. At some point, when they are over the limit, their performance drops quickly resulting in damage to, or disposal of the stored products in refrigerators. The self-cleaning condenser device keeps the condenser clean and prevents system failure by automatically brushing daily.
- Attractive, elegant, glass sided Euro design Curved tempered front glass and minimal frame provide full product visibility to optimize display effects. Its elegant contemporary euro design and luxurious wine colored case will not only enhance any store atmosphere but also will keep product presentation at its best and beautiful.
- Cantilevered wired shelves adjustable up and down, tilted
- 304 stainless steel floor and airflow grille
- High-density polyurethane insulation The entire cabinet structure is foamed-in-place using high density, CFC free polyurethane insulation.

- Easy access control panel
- Sliding rear doors for product loading & unloading
- Heavy duty, white PE coated wire shelves
- Environmentally friendly, efficient refrigeration system

Turbo Air's refrigerators are designed with oversized and balanced environmentally friendly R-134A (CFC Free) refrigeration. These include large evaporators and condensers for faster cooling and balanced temperature throughout the cabinet.

- Safety shielded LED lighting interior
- Rear access of compressor compartment for quick and easy service
- Refrigerated case holds avg. 33°F ~ 41°F for fresher products









Model	CU./FT.	# of Shelves	НР	AMPS	Crated Weight (lbs.)	L x D x H (inches)
TCDD-36-2-H-R	12.1	2	1/3	6.1	496	361/2 x 30 x 501/8

(unit: inch)

Direct Cooling Type Cases

Model: TCDD-36-2-H-R


ELECTRICAL DATA				
Voltage	115/60/1			
Plug Type	① NEMA 5-15P			
Full Load Amperes	6.1			
Compressor HP	1/3			
Refrigerant	R-134A			
DIMENSIONAL DATA				
Net Capacity (cu. ft.)	12.1			
Ext. Length Overall (in.)	361/2 (927mm)			
Ext. Depth Overall (in.)	30 (762mm)			
Ext. Height Overall (in.)	50 _{1/8} (1273mm)			
Int. Length Overall (in.)	331/4 (846mm)			
Int. Depth Overall (in.)	24 (610mm)			
Int. Height Overall (in.)	235/8 (599mm)			
Net Weight (lbs.)	411			
Gross Weight (lbs.)	496			
# of Shelves	2			

Design and specifications subject to change without notice. Actual shipping weight may differ due to extra packing materials for product protection.


■ WARRANTY: 2 Years Parts and Labor Warranty
Additional 3 Years Warranty on Compressor

- Self-contained system, no plumbing required
- Simple plug-in installation
- Four point leveling system
- Recommended operation conditions: TCDD models are designed to operate in environments where temperature & humidity do not exceed 75°F and 55% relative humidity.

PLAN VIEW



FRONT VIEW



Ver.201701











■ **Turbo Air**: 800-627-0032 ■ **GK**: 800-500-3519











