

# StayFlat® Sheet Pans



StayFlat® Sheet Pans have sidewalls that are continuously reinforced with an engineered rib that increases its sidewall strength up to 30%. This feature coupled with a concave bottom and residual tensile stress results in a pan that resists bowing and stays flat longer!

## Reinforced Sides Prevent Flaring

StayFlat® Sheet Pans feature sidewalls that are continuously reinforced with a horizontal engineered rib. This feature increases sidewall strength up to 30% and provides an easy visual identification reference for situations where stronger, flatter sheet pans are required, such as for transport or for baking pies and cakes.

## Increased Tensile Strength

A proprietary manufacturing method imparts a residual tensile stress in the StayFlat® pan bottom, which further increases the strength of the pan and resists damage from denting or bowing.



Continuously reinforced sidewalls





## Concave Bottom Resists Bowing

The method used to increase tensile strength of the StayFlat® pan bottom also creates a slightly concave bottom that flattens during heating for even heat distribution and increased resistance to bowing.



NSF StayFlat® Sheet Pan with DuraShield® coating

## BUNDY BAKING SOLUTIONS:

-  Baking Pans
-  Release Agents
-  Pan Coatings & Refurbishment
-  Equipment & Services

## Ultimate Coatings

### AMERICOAT® ePlus Silicone Glaze

- Longer-lasting performance
- Reduced pan oil and labor costs
- Increased durability
- Reduced food staining

### DuraShield® Non-Stick Coating

- Virtually eliminates the use of oils
- Outstanding release characteristics
- Certified to be PFOA-free
- Easy to clean and dishwasher safe

## Pan Glo® Recoating Services















With Pan Glo locations across North America, your pans can be cleaned and reglazed with AMERICOAT® ePlus and returned to your operation with like-new release characteristics.

For more information on our Pan Glo® services, call 1.800.652.2151 or visit our website at [panglo.com](http://panglo.com).

Continued on reverse.



## StayFlat® Full-Size Sheet Pans Aluminum

Item #	In Stock	Coating	Description	Overall Size (in)
40694		Plain	16 gauge, wire in rim	17 <sup>7</sup> / <sub>8</sub> x 25 <sup>13</sup> / <sub>16</sub> x 1
40698		Glazed	16 gauge, wire in rim	17 <sup>7</sup> / <sub>8</sub> x 25 <sup>13</sup> / <sub>16</sub> x 1
40804		Plain	18 gauge, wire in rim	17 <sup>7</sup> / <sub>8</sub> x 25 <sup>13</sup> / <sub>16</sub> x 1
40808		Glazed	18 gauge, wire in rim	17 <sup>7</sup> / <sub>8</sub> x 25 <sup>13</sup> / <sub>16</sub> x 1
40904		Plain	20 gauge, wire in rim	17 <sup>7</sup> / <sub>8</sub> x 25 <sup>13</sup> / <sub>16</sub> x 1
40908		Glazed	20 gauge, wire in rim	17 <sup>7</sup> / <sub>8</sub> x 25 <sup>13</sup> / <sub>16</sub> x 1
44690		Glazed	16 gauge, .081" diameter bottom perforation, wire in rim	17 <sup>7</sup> / <sub>8</sub> x 25 <sup>13</sup> / <sub>16</sub> x 1
44693		Plain	16 gauge hardcoat anodized aluminum, wire in rim, BAKALON	17 <sup>7</sup> / <sub>8</sub> x 25 <sup>13</sup> / <sub>16</sub> x 1 <sup>3</sup> / <sub>32</sub>
44694		Glazed	16 gauge hardcoat anodized aluminum, wire in rim, BAKALON	17 <sup>7</sup> / <sub>8</sub> x 25 <sup>13</sup> / <sub>16</sub> x 1 <sup>3</sup> / <sub>32</sub>
44699		Plain	16 gauge, .081" diameter bottom perforation, wire in rim	17 <sup>7</sup> / <sub>8</sub> x 25 <sup>13</sup> / <sub>16</sub> x 1
44891		Plain	18 gauge, .125" diameter bottom perforation, wire in rim	17 <sup>7</sup> / <sub>8</sub> x 25 <sup>13</sup> / <sub>16</sub> x 1
44896		Glazed	18 gauge, .125" diameter bottom perforation, wire in rim	17 <sup>7</sup> / <sub>8</sub> x 25 <sup>13</sup> / <sub>16</sub> x 1
50691		DuraShield	16 gauge, wire in rim	17 <sup>7</sup> / <sub>8</sub> x 25 <sup>13</sup> / <sub>16</sub> x 1
50801		DuraShield	18 gauge, wire in rim	17 <sup>7</sup> / <sub>8</sub> x 25 <sup>13</sup> / <sub>16</sub> x 1

 In Stock in USA |  In Stock in Canada |  In Stock in USA & Canada | StayFlat® U.S. Patent No. 9,737,171

Find your local Chicago Metallic sales representative at [cmbakeware.com/local-rep](http://cmbakeware.com/local-rep) for more information or to place an order.

