



"WE MAKE THE KITCHEN BETTER!"

ATOSA USA, INC.

Toll Free: 855-855-0399 Email: info@atosausa.com

www.atosa.com | www.atosausa.com

California, Colorado, Florida, Georgia, Illinois,
New Jersey, Ohio, Texas, Washington

Horizontal Bottle Coolers

Standard Features

- Stainless steel exterior & interior
- Electronic temperature controller
- Maintains temperatures between 33°F – 40°F
- Heavy duty Embraco compressor with environmentally friendly R290 refrigerant
- Slide out compressor assembly for easy maintenance
- Easy glide stainless steel lid(s) with handle(s)
- Lid lock(s) standard
- Bottle opener & cap catcher standard
- Wire dividers standard
- Pre-installed casters

MODELS:
MBC24GR / MBC36GR / MBC50GR / MBC65GR / MBC80GR



MBC24GR



MBC36GR



MBC50GR



MBC80GR



MBC65GR

For the best results of food preservation we recommend setting your refrigerator between 33°F to 38 °F

1. Don't forget to leave the unit some room to breathe!
2. Please clean the condenser frequently to give the unit more fresh air.



2 YEAR PARTS AND LABOR WARRANTY
5 YEAR COMPRESSOR PART WARRANTY



MBC24GR
MBC36GR



REV. 11/23



"WE MAKE THE KITCHEN BETTER!"

ATOSA USA, INC.

Toll Free: 855-855-0399 Email: info@atosausa.com

www.atosa.com | www.atosausa.com


California, Colorado, Florida, Georgia, Illinois,

New Jersey, Ohio, Texas, Washington

SPECIFICATIONS

Models	Capacity (Cu.Ft.)	Wire dividers	Casters (inch)	Amps (A)	Voltage (V/Hz/Ph)	HP	Refrigerant	Exterior Dimensions (inch)	Net Weight (lbs)	Gross Weight (lbs)
MBC24GR	4	2	2	2.3	115/60/1	1/7	R290	24 ² / ₅ × 26 ³ / ₅ × 34 ³ / ₁₀	170	207
MBC36GR	7.7	2	2	2.3	115/60/1	1/7	R290	36 ⁴ / ₅ × 26 ³ / ₅ × 34 ³ / ₁₀	170	207
MBC50GR	11.7	3	2.5	2.3	115/60/1	1/7	R290	49 ² / ₅ × 27 ⁴ / ₅ × 36 ³ / ₅	176	236
MBC65GR	16.4	4	2.5	2.3	115/60/1	1/7	R290	64 ⁴ / ₅ × 27 ⁴ / ₅ × 36 ³ / ₅	205	278
MBC80GR	21.2	5	2.5	2.8	115/60/1	1/5	R290	80 ¹ / ₂ × 27 ⁴ / ₅ × 36 ³ / ₅	251	344

PLAN VIEW



*Interior Dimensions

Stainless steel lids

Bottle opener and cap catcher

Wire dividers

