

Recommended Use:

Bollard, Post or Pole Cover

Specifications:

See Below

Date: 4-1-17

Style: Dome Top Cover

Page: 1 of 1

POST GUARD DOME TOP COVER SPECIFICATION SHEET

MATERIAL


Marlex™ HHM 5502 BN High Density Polyethylene

HDPE, hexene copolymer, is tailored for blow molded products that require excellent stiffness, impact strength and UV resistance. HDPE is designed for an optimum balance of density, molecular weight distribution, demonstrating maximum property advantages for large products. Blow molded HDPE products are durable and recyclable for sustainability. UV stabilizer package is combined with the HDPE. **This product has a six year warranty against fading.**

Installation Strips: 2 foam strips

INSTALLATION

1. Crisscross the two foam strips over the top of the bollard.
2. Slide the Post Guard cover over the foam strips and the bollard.



	A	B	C	D	E	F
	ID Width/Dia	Height/Length	Thickness	OD Width/Dia	Overall Height	Dome Radius
4.5" x 52"	4.72"	52"	.125"	4.91"	54.49"	2.49"
4.5" x 64"	4.72"	64"	.125"	4.91"	66.49"	2.49"
4.5" x 72"	4.72"	72"	.125"	4.91"	74.49"	2.49"
7" x 52"	7.00"	52"	.125"	7.25"	55.63"	3.63"
7" x 60"	7.00"	60"	.125"	7.25"	63.63"	3.63"
7" x 72"	7.00"	72"	.125"	7.25"	75.63"	3.63"
7" x 84"	7.00"	84"	.125"	7.25"	87.63"	3.63"
8-7/8"	8.8125"	72"	.19"	9.1857"	75.63"	3.63"