


Accuflex Industrial Hose, Ltd

36663 Van Born Road, Suite 300

Romulus, MI 48174

Phone: (734) 713-4100

Fax: (734) 713-4190


Email: sales@accuflex.com

BEV-SEAL ULTRA® SERIES 974 CABLED BARRIER TUBING BUNDLE

Construction

Flushable **Bev-Seal Ultra®** Series 235 tubes, each color coded, individually numbered and branded with NSF-51 and NSF-61 listings and date codes for traceability. Special film wrap over cabled tubes offers excellent flexibility and tight bend capabilities. Silver-gray extruded jacket, with slip agent to minimize friction, is branded with product identification, NSF listing marks, and sequential footage markings for ease of measurement. Other jacket colors available

Series 975 Bev-Seal

[+ more](#)


1

Part Number	Standard Package	Configuration	Max. Bundle OD	Weight per Pkg	Min. Bend Radius	Clamp Size
974-07010-01	100" Coil	1 - 0.380 x 0.500 Bev-Seal Ultra® Tube 7 - 0.265 x 0.375 Bev-Seal Ultra® Tubes	1.5 in	18 lb/coil 39.00 kg	5 in	12.3 mm 14.0 mm
974-07010-02	200" Reel	1 - 0.380 x 0.500 Bev-Seal Ultra® Tube 7 - 0.265 x 0.375 Bev-Seal Ultra® Tubes	1.5 in	35 lb/coil 87.00 kg	5 in	12.3 mm 14.0 mm
		1 - 0.380 x 0.500 Bev-Seal				12.3

Part Number	Standard Package	Configuration	Max. Bundle OD	Weight per Pkg	Min. Bend Radius	Clamp Size
<u>974-07010-05</u>	500" Reel	Ultra® Tube 7 - 0.265 x 0.375 Bev-Seal Ultra® Tubes	1.5 in	94 lb/coil 207.00 kg	5 in	mm 14.0 mm
<u>974-08020-01</u>	100" Coil	2 - 0.380 x 0.500 Bev-Seal Ultra® Tubes 8 - 0.265 x 0.375 Bev-Seal Ultra® Tubes	1.7 in	22 lb/coil 48.00 kg	6 in	12.3 mm 14.0 mm
<u>974-08020-02</u>	200" Reel	2 - 0.380 x 0.500 Bev-Seal Ultra® Tubes 8 - 0.265 x 0.375 Bev-Seal Ultra® Tubes	1.7 in	48 lb/coil 105.00 kg	6 in	12.3 mm 14.0 mm
<u>974-08020-05</u>	500" Reel	2 - 0.380 x 0.500 Bev-Seal Ultra® Tubes 8 - 0.265 x 0.375 Bev-Seal Ultra® Tubes	1.7 in	109 lb/coil 240.00 kg	6 in	12.3 mm 14.0 mm
<u>974-08040-01</u>	100" Coil	4 - 0.380 x 0.500 Bev-Seal Ultra® Tubes 8 - 0.265 x 0.375 Bev-Seal Ultra® Tubes	2.0 in	23 lb/coil 51.00 kg	7 in	12.3 mm 14.0 mm
<u>974-08040-02</u>	200" Reel	4 - 0.380 x 0.500 Bev-Seal Ultra® Tubes 8 - 0.265 x 0.375 Bev-Seal Ultra® Tubes	2.0 in	53 lb/coil 116.00 kg	7 in	12.3 mm 14.0 mm
<u>974-08040-05</u>	500" Reel	4 - 0.380 x 0.500 Bev-Seal Ultra® Tubes 8 - 0.265 x 0.375 Bev-Seal Ultra® Tubes	2.0 in	122 lb/coil 268.00 kg	7 in	12.3 mm 14.0 mm
<u>974-10020-01</u>	100" Coil	10 - 0.265 x 0.375 Bev-Seal Ultra® Tubes 2 - 0.380 x 0.500 Bev-Seal Ultra® Tubes	2.0 in	26 lb/coil 57.00 kg	7 in	12.3 mm 14.0 mm
		10 - 0.265 x 0.375 Bev-Seal				12.3

Part Number	Standard Package	Configuration	Max. Bundle OD	Weight per Pkg	Min. Bend Radius	Clamp Size
<u>974-10020-02</u>	200" Reel	Ultra® Tubes 2 - 0.380 x 0.500 Bev-Seal Ultra® Tubes	2.0 in	59 lb/coil 130.00 kg	7 in	mm 14.0 mm
<u>974-10020-05</u>	500" Reel	10 - 0.265 x 0.375 Bev-Seal Ultra® Tubes 2 - 0.380 x 0.500 Bev-Seal Ultra® Tubes	2.0 in	137 lb/coil 301.00 kg	7 in	12.3 mm 14.0 mm
<u>974-10040-01</u>	100" Coil	10 - 0.265 x 0.375 Bev-Seal Ultra® Tubes 4 - 0.380 x 0.500 Bev-Seal Ultra® Tubes	2.2 in	28 lb/coil 62.00 kg	8 in	12.3 mm 14.0 mm
<u>974-10040-02</u>	200" Reel	10 - 0.265 x 0.375 Bev-Seal Ultra® Tubes 4 - 0.380 x 0.500 Bev-Seal Ultra® Tubes	2.2 in	63 lb/coil 139.00 kg	8 in	12.3 mm 14.0 mm
<u>974-10040-05</u>	500" Reel	10 - 0.265 x 0.375 Bev-Seal Ultra® Tubes 4 - 0.380 x 0.500 Bev-Seal Ultra® Tubes	2.2 in	147 lb/coil 323.00 kg	8 in	12.3 mm 14.0 mm
<u>974-00080-01</u>	100" Coil	8 - 0.380 x 0.500 Bev-Seal Ultra® Tubes	2.0 in	24 lb/coil 53.00 kg	8 in	14.0 mm
<u>974-00080-02</u>	200" Reel	8 - 0.380 x 0.500 Bev-Seal Ultra® Tubes	2.0 in	55 lb/coil 121.00 kg	8 in	14.0 mm
<u>974-00080-05</u>	500" Reel	8 - 0.380 x 0.500 Bev-Seal Ultra® Tubes	2.0 in	129 lb/coil 273.00 kg	8 in	14.0 mm
<u>974-00100-01</u>	100" Coil	10 - 0.380 x 0.500 Bev-Seal Ultra® Tubes	2.2 in	26 lb/coil 58.00 kg	9 in	14.0 mm
<u>974-00100-02</u>	200" Reel	10 - 0.380 x 0.500 Bev-Seal Ultra® Tubes	2.2 in	63 lb/coil 139.00 kg	9 in	14.0 mm

Part Number	Standard Package	Configuration	Max. Bundle OD	Weight per Pkg	Min. Bend Radius	Clamp Size
<u>974-00100-05</u>	500" Reel	10 - 0.380 x 0.500 Bev-Seal Ultra® Tubes	2.2 in	155 lb/coil 341.00 kg	9 in	14.0 mm
<u>974-00120-01</u>	100" Coil	12 - 0.380 x 0.500 Bev-Seal Ultra® Tubes	2.2 in	30 lb/coil 67.00 kg	9 in	14.0 mm
<u>974-00120-02</u>	200" Reel	12 - 0.380 x 0.500 Bev-Seal Ultra® Tubes	2.2 in	67 lb/coil 147.00 kg	9 in	14.0 mm
<u>974-00120-05</u>	500" Reel	12 - 0.380 x 0.500 Bev-Seal Ultra® Tubes	2.2 in	175 lb/coil 385.00 kg	9 in	14.0 mm
<u>974-00140-01</u>	100" Coil	14 - 0.380 x 0.500 Bev-Seal Ultra® Tubes	2.6 in	34 lb/coil 75.00 kg	10 in	14.0 mm
<u>974-00140-02</u>	200" Reel	14 - 0.380 x 0.500 Bev-Seal Ultra® Tubes	2.6 in	80 lb/coil 176.00 kg	10 in	14.0 mm
<u>974-00140-05</u>	500" Reel	14 - 0.380 x 0.500 Bev-Seal Ultra® Tubes	2.6 in	195 lb/coil 429.00 kg	10 in	14.0 mm
<u>974-00160-01</u>	100" Coil	16 - 0.380 x 0.500 Bev-Seal Ultra® Tubes	3.0 in	38 lb/coil 83.00 kg	12 in	14.0 mm
<u>974-00160-02</u>	200" Reel	16 - 0.380 x 0.500 Bev-Seal Ultra® Tubes	3.0 in	90 lb/coil 198.00 kg	12 in	14.0 mm
<u>974-00160-05</u>	500" Reel	16 - 0.380 x 0.500 Bev-Seal Ultra® Tubes	3.0 in	215 lb/coil 473.00 kg	12 in	14.0 mm