

# FLAVORFUSION/OVERLOAD & IDC Ice Maker Adapter Kits

## FLAVORFUSION/OVERLOAD & IDC215/255 / IDC 255 Progate ICE MAKER ADAPTER KITS

ATTENTION!!! ADAPTER KITS ARE ONLY APPROVED FOR THE MOUNTING OF A SINGLE ICEMAKER

ICE MAKER/MODEL	ICE MAKER SIZE		Dispenser Models					
			FLAVOR FUSION / OVERLOAD 255		IDC215/255		IDC255 Pro gate	
			BLACK * GUN METAL GRAY, Green and Orange IS DISCONTINUED - USE BLACK *For additional adapter kits see SS Manual Fill section"		BLACK *For additional adapter kits see SS Manual Fill section"		Crew Serve - Black	
	W	D	Part #	Price	Part #	Price	Part #	Price
<b>CORNELIUS</b>								
Nordic CCM 0322, 0522 (+)	22	24	629096944 ^	\$970.02	629096829^ - (IDC)	\$977.52	NA	NA
Nordic CCM 0330, 0430, 0530, 0630, 0830, 1030, 1530(+)	30	24	629096376^ - (IDC)	\$1,301.57	629096687	\$1,182.09	NA	NA
WCC 500/700 Chunklet Series (h) (i)	14.5	25	629088671 (m)	\$1,146.42	629088667 (m)	\$1,958.87	NA	NA
WCC-1001A (h) (i)	22	24	629096944 ^	\$970.02	629096829^ - (IDC)	\$977.52	NA	NA
WCC2000 Chunklet Series/ WCC1000 (h)	30	24.5	629096376 ^	\$1,301.57	629096376^ - (IDC)	\$1,301.57	NA	NA
WCC1400A Chunklet Series Air Cooled(h) (i)	30	24.5	629096376 ^	\$1,301.57	629096376^ - (IDC)	\$1,301.57	NA	NA
WCC 500/700/1400R Chunklet Series mounted sideways(h)	14.5	25	629087980	\$990.70	NA	NA	NA	NA
WCC 500/700 Using 2 Ice makers (h)(i)	14.5	25	NA	NA	629087942Q1636	\$1,014.19	NA	NA
WCC1400R Chunklet Series Remote Cooled (h)	14.5	25	629088671 (m)	\$1,146.42	629088667 (m)	\$1,958.87	NA	NA
Nordic Elite CNM 22" Series	22	24	629088681 (m)	\$1,407.54	629096829	\$977.52	NA	NA
Nordic Elite CNM 30" Series; CIM0835, CIM0836	30	24	629096376	\$1,301.57	629096376	\$1,301.57	NA	NA
WCC700 Carbon	30	24	629096376	\$1,301.57	629096376	\$1,301.57	NA	NA
<b>HOSHIZAKI</b>								
KM-280 / 500 / 630 / 650	22	27.5	629096944 ^	\$970.02	629096829^ - (IDC)	\$977.52	629088756	\$938.99
F-1001M _H-C series (i) , F-801 M _H-C (i)	22	27.375	629096944 ^	\$970.02	629096829^ - (IDC)	\$977.52	NA	NA
KM-1300NRF	42	27.5	NA	NA	NA	NA	NA	NA
KM-280 / 500 / 630 / - For side manual ice load only.	22	27.5	NA	NA	NA	NA	NA	NA
KM-900 / M/1300M / 1600M, KML-250M _H, F-2001MRH	30	27.5	629096944 ^	\$970.02	629096376^ - (IDC)	\$1,301.57	NA	NA
KMS 1300MLH / 1400MLH / 2000MLH	30	24.5	NA	NA	NA	NA	629088536	\$830.59
KMD-700M / 850M-H / 900MWH / 900MRH / KMS-1300MLH / 1230 F 1500M(AH,WH,RH) IT0524A (a)(i) / KMD-530M _H	30	24.5	629096376^ - (IDC)	\$1,301.57	629096376^ - (IDC)	\$1301.57	NA	\$830.59
KMD-900MAH	42	24.5	NA	NA	NA	NA	NA	NA
KML-200 / 350 / 450 / 600	30	27.375	629096376^ - (IDC)	\$1,301.57	629096376^ - (IDC)	\$1,301.57	NA	NA
KMS 1300MLH / 2000MLH	30	24	629096376^ - (IDC)	\$1,301.57	629096376^ - (IDC)	\$1,301.57	NA	NA
KMD-410, FD-1001 M _J-C (i)	22	24	629096944 ^	\$970.02	629096829^ - (IDC)	\$977.52	NA	NA
F-450AH ©	22	27.37	NA	NA	NA	NA	629088756	\$938.99
KMS 1400MLH , KMS 750MLH	30	24	629096944 ^	\$970.02	629096376^ - (IDC)	\$1,301.57	NA	NA
FD-650M _H-C	22	24	629088671	\$1,146.42	629088667 (m)	\$1,958.87	NA	NA
KM-320/515MAH-E	22	27.37	629096944 ^	\$970.02	629096829^ - (IDC)	\$977.52	NA	NA
KM-515MAH (For Jersey Mike's)	22	27.37	NA	NA	629097475	\$955.08	NA	NA
F-450MAH (i)	22	27.38	629096944 ^	\$970.02	NA	NA	NA	NA
FS-1001 (i)	30	11	629097219	\$1,942.61	NA	NA	NA	NA
KMS 822 MLH	22	24.6	629096944 ^	\$970.02	629096829	\$977.52	NA	NA
FD-1002-MAJ-C	22	24	629096944 ^	\$970.02	NA	NA	NA	NA
KMD-201 and KMD-270	22	25	NA	NA	NA	NA	NA	NA
<b>ICE-O-MATIC</b>								
C & EC 20,30,40,50,66,106, 200, 300	30	23.5	629096376^ - (IDC)	\$1,301.57	629096376^ - (IDC)	\$1,301.57	NA	NA
C & EC 400 / 405 / 500 / 60 5/ 606	30	23.5	629096376^ - (IDC)	\$1,301.57	629096376^ - (IDC)	\$1,301.57	NA	NA
ECP 300 / 305 / 400 / 500 / 556	22	24	629096944 ^	\$970.02	629096829	\$977.52	NA	NA
GC 300 / 500 / 550 / 555	22	24	629096944 ^	\$970.02	629096829	\$977.52	NA	NA
GC 650 / 750 / 800 / 1200	30	24	629096376^ - (IDC)	\$1,301.57	629096376^ - (IDC)	\$1,301.57	NA	NA
ICE1506HR*	30.28	28.36	629096376^ - (IDC)	\$1,301.57	629096376^ - (IDC)	\$1,301.57	NA	NA
ICE1606HR	44.2	26.7	NA	NA	NA	NA	NA	NA
ICE 250 / 400 / 500 / 600 / 800 / 1000	30	24	629096376^ - (IDC)	\$1,301.57	629096376^ - (IDC)	\$1,301.57	NA	NA
ICE320/520	22	24	629096944 ^	\$970.02	629088537 / 629096829	\$977.52	NA	NA
GEM 450 / 650 / 900 (h)	22	24	629088681 (m)	\$1,407.54	629088677 (m)	\$1,186.61	NA	NA
Elevation CIM Series	22	24	629088681 (m)	\$1,407.54	629096829	\$977.52	NA	NA
Elevation CIM Series	30	24	629096376	\$1,301.57	629096376	\$1,301.57	629088536	\$830.59

Rev Dec 2019



All prices are in U.S. Dollars — All Prices are subject to change without notice  
 FOB Manufacturing Location — [www.cornelius.com](http://www.cornelius.com)

# Product Prices

Effective January 1, 2020

## FLAVORFUSION/OVERLOAD & IDC215/255 / IDC 255 Progate ICE MAKER ADAPTER KITS

ATTENTION!!! ADAPTER KITS ARE ONLY APPROVED FOR THE MOUNTING OF A SINGLE ICEMAKER

ICE MAKER/MODEL	ICE MAKER SIZE		FLAVORFUSION/OVERLOAD 255		IDC215/255		IDC255 Pro gate	
	Inches		BLACK * GUN METAL GRAY, Green and Orange IS DISCONTINUED - USE BLACK * For additional adapter kits see SS Manual Fill section"		BLACK * For additional adapter kits see SS Manual Fill section"		Crew Serve - Black	
	W	D	Part #	Price	Part #	Price	Part #	Price
<b>MANITOWOC (b)</b>								
B450 / 600 / 800 / 1000	30	23.5	629096376* - (IDC)	\$1,301.57	629096376* - (IDC)	\$1,301.57	NA	NA
IB600/800/1000C	22	14	629088665	\$1,053.83	629088662	\$1,212.59	NA	NA
IB-0696YC (IBF0620C-161) / IB-0894YC (IBF0820C-161) / IB-1094YC (IBT1020C-161)	22	14	629088666	\$1,053.83	629088662	\$1,212.59	NA	NA
Q320/420, RNS-0608, IY-0524A, IY-0324A	22	24.5	629096944 *	\$970.02	NA	NA	NA	NA
RN0408A (i), RN1078C (i), RN1278C (i)	22	24.5	629096944 *	\$970.02	629096829	\$977.52	NA	NA
IY0686C (IYF0600C) / IY1004A / ID-1002A / ID-1003W / IY-1005W / ID-1092N / IY-1094N / IY0504A / IR-0500A / ID-0602A / IR-0501W / ID-0503W / IY-0505W / ID-0592N (IDT0500N) / IY-0594N (IYT0500N) / IYD686C	30	24.5	629096376* - (IDC)	\$1,301.57	629096376* - (IDC)	\$1,301.57	629088536	\$830.59
QQ1400C / QQ600/800/1000C / IY-0664C / ID-0664C / IY0524A, IY0976, S 300 / 450 / 500 / 600 / 850 / 1000, ID-0452A, ID-0453W, IY 0452A, IY-0455W, IY0454A / IY0606A, RN1008A (i), RN1009W (i), RN1408A (i), RN1409W (i), S-1472C ID-1472C (IDF1400C-161), IY1474C (IYF1400C-161), IY-0504A, Q280 / 450 / 600 / 800 / 1000, ID-0600A, IDT0602A, IY 0304A / D2176C (IDF2100C-161), IY2176C (IYF2100C-161)	30	24.5	629096376* - (IDC)	\$1,301.57	629096376* - (IDC)	\$1,301.57	629088536	\$830.59
ID-1106A / IY-1106A / ID-1106W / IY-1106W / ID1196N / IY1196N (IYT1200N) / ID-1202A / IY-1204A / ID 1196N (IDT1200N) / ID-1203W / IY1205W / SY-0304A / SY-0454A / S00502A / IYTO450A / ID1872C (IDF1800C-161) / IY1874C (IYF1800C-161)	30	24.5	629096376* - (IDC)	\$1,301.57	629096376* - (IDC)	\$1,301.57	629088536	\$830.59
IY 454 / IY 455 / IY 604 / IY 605 / IY 606 (IYF0600N) / IY 855 / IY 894 / IY 976C (IYF0900C) / IY 1004 / IY 1005 / IY 1006 / IR 500A / IR501A / IY1200 Indigo NXT series / ID 0996N (IDF0900N) / IY 0996N (IYF0900N) / IY1176C (IYT1200C) / ID1176C (IDT1200C)	30	24.5	629096376* - (IDC)	\$1,301.57	629096376* - (IDC)	\$1,301.57	629088536	\$830.59
QQ600 / 800 / 1000C / IY-0664C / ID-0664C / IY-0304A / QQ1400C / S300 / 450 / 500 / 600 / 850 / 1000	30	24.5	NA	NA	NA	NA	629088536	\$830.59
S320 / 420	22	23.5	629096844 *	\$970.02	629096829	\$977.52	NA	NA
S322 / 422 / SN450	22	24.5	629096844 *	\$970.02	629096829	\$977.52	NA	NA
ID-1106A	24.5	30	629096376* - (IDC)	\$1,301.57	NA	NA	NA	NA
ID-0322A / IY0324A	22	24.5	NA	NA	629088756 - (IDC)	\$938.99	NA	NA
ID-1496N (IDT1500N-261)	48	24.5	NA	NA	NA	NA	NA	NA
IY 1496N (IYT1500N-261)	48	24.5	NA	NA	NA	NA	NA	NA
IR1890N (IRT1900N-261)	48	24.5	NA	NA	NA	NA	NA	NA
IY1892N (IYT1900N-261)	48	24.5	NA	NA	NA	NA	NA	NA
ID1894N (IDT1900N-261)	48	24.5	NA	NA	NA	NA	NA	NA
SD3072C (SDF3000C-161)	48	31	NA	NA	NA	NA	NA	NA
SY3072C (SYF3000C-161)	48	31	NA	NA	NA	NA	NA	NA
<b>KOOLAIRE D- is cube Y- is half cube</b>								
K-0250 / K-0350	30	24 1/2	629096376* - (IDC)	\$1,301.57	629096376* - (IDC)	\$1,301.57	N/A	(IDC)
K-0420	22	24 1/2	629088681 (m)	\$1,407.54	629088677 (m)	\$1,185.61	N/A	
K-0500 / K-0600	30	24 1/2	629088505 629096376* - (IDC)	\$899.85 \$1,301.57	629096376* - (IDC)	\$1,301.57	N/A	
K-1000A / KY-1000A / KD-1000W / KY-1000W / KD-1000N (KDT1000N) / KY-1000N (KYT1000N)	30	24 1/2	629096376* - (IDC)	\$1,301.57	629096376* - (IDC)	\$1,301.57	N/A	
K-1350A / KY-1350A / KD-1350W / KY-1350W / KD-1350N (KDT1700N) / KY1350N (KYT1700N)	48	24 1/2	N/A	N/A	N/A	N/A	N/A	N/A
KD 1800 N (KDT1700N) / KY-1800N (KYT1700N)	48	24	N/A	N/A	N/A	N/A	N/A	N/A
<b>SCOTSMAN</b>								
CME 1058/1386 & Prodigy C0830/C01030/EH430	30	24	629096376* - (IDC)	\$1,301.57	629096376* - (IDC)	\$1,301.57	629088536	\$830.59
CME 256/506/656/806 & Prodigy C0330/C0530/C0630	30	24	629096376* - (IDC)	\$1,301.57	629096376* - (IDC)	\$1,301.57	629088536	\$830.59
CME 306/456 & Prodigy C0322/C0522	22	24	629096944 *	\$970.02	629088537	\$917.97	N/A	
ECLIPSE CME 686/810 & Prodigy EH222-600/1000	22	16.5	629088666	\$1,053.83	629088662	\$1,212.59	N/A	
NME 1254	30	24	629088676 (m)	\$1,044.09	629088672 (m)	\$1,034.34	N/A	
NME 654/954	21	24	629088691 (m)	\$1,407.54	629088677 (m)	\$1,185.61	N/A	
N0422 / 0622 / 0922 / 1322	22	24	629088681 (m)	\$1,407.54	629088677 (m)	\$1,185.61	N/A	
<b>FOLLETT for adapters call Follett - (800) 523-9361</b>								
Horizon HCC1000A & W series	26.33	21	N/A	N/A	N/A	N/A	N/A	N/A
Horizon HCC1400A & W series	29.33	21	N/A	N/A	N/A	N/A	N/A	N/A
Horizon HCD1000R & N series	19	21	N/A	N/A	N/A	N/A	N/A	N/A
Horizon HCD1400R & N series	19	21	N/A	N/A	N/A	N/A	N/A	N/A

Rev Dec 2017

All prices are in U.S. Dollars — All Prices are subject to change without notice  
 FOB Manufacturing Location — [www.cornelius.com](http://www.cornelius.com)



**FLAVORFUSION/OVERLOAD & IDC215/255 ICE MAKER ADAPTER KITS LEGEND:**

N/A = Not Applicable/Available--Icemaker size is larger than the dispenser cabinet.

^ = cover with sliding hinge assembly

(+) = Nordic and X Series adapter kits have bin thermostats included.

(h) = must order 6" bin stat kit 1611110006843 (one kit for the WCC700, two kits for the WCC1400), 8" bin stat kit 629096849 for the WCC500 or 8" bin stat kit 629096848 (one kit for the WCC1000, two kits for the WCC2000)

(i) = must order ice slide 620920419

(a)= ice maker will hang over the back by 2"

(b) = **Manitowoc Q model series designations:** Q (1)--(2) (3) (4) (5) (6) (7), i.e. QR-1000A3

(position 1) =R, D, OR Y for cube size or Q for QuietQube (CVD remote condenser)

(positions 2 & 3) = 02, 03, 04, 06, 08, 10, 14 for ice production capacity / 24 hrs.

(position 4) = 7 or 9 for remote condenser

(position 5) = 0 to 5 for cube size

(position 6) = A, W, N, C for air, water, remote, or CVD condensing units

(position 7) = 3 for 3-phase electrical power

**Manitowoc S model series designations:** S (1)--(2) (3) (4) (5) (6), i.e. SD-0422A

(position 1) = D or Y for cube size (D for 'dice' and Y for 'half-dice')

(positions 2 thru 5) = 03xx, 04xx, 05xx, 06xx, 08xx, 10xx for Nominal ice production capacity / 24 hrs.

(position 6) = A, W, N for air, water or remote

(m) = kit contains ice slide.

\* When installing ICE1506 with adapter 629088536 the ice maker will have a 3-4" overhang at the rear of the unit. When using adapter 629087001 the overhang will be around 1" but the ice maker will be raised up an additional 3"

