Ph: 847.487.4583 Fax: 847.487.0174 E-mail: sales@surebonder.com Website: surebonder.com

Safety Data Sheet

FPC 4930 Hot Melt

Revision Date 04-Apr-2019 Supersedes Date: 22-Aug-2016
Revision Number 2

1. Identification

1.1. Product Identifier

Product Name FPC 4930 Hot Melt

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Hot-melt adhesives.
Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Responsible Party

FPC Corporation 355 Hollow Hill Dr Wauconda IL 60084 Phone: +1 (847) 487-4583 Fax: +1 (847) 487-0174

E-mail: sales@surebonder.com

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200

2.2. Label Elements

EMERGENCY OVERVIEW

Contact with solid material may cause irritation Contact with molten material will cause thermal burns

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

Appearance No information available Physical State Solid Odor No information available

Precautionary Statements - Prevention

Not applicable

Precautionary Statements - Response

Not applicable

Precautionary Statements - Storage

Ph: 847.487.4583 Fax: 847.487.0174 E-mail: sales@surebonder.com Website: surebonder.com

Safety Data Sheet

Revision Date 04-Apr-2019 Supersedes Date: 22-Aug-2016 **Revision Number 2**

FPC 4930 Hot Melt

Precautionary Statements - Disposal

Not applicable

Not applicable

Hazards not otherwise classified (HNOC)

Not applicable

2.3. Other Information

No information available.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash skin with soap and water. In case of burns, immediately cool affected skin for as long

as possible with cold water. Do not remove clothing if adhering to skin. Removal of solidified molten material from skin requires medical assistance. Consult a physician if necessary.

Inhalation Remove to fresh air.

Seek medical advice immediately. Do not induce vomiting without medical advice. Ingestion

4.2. Most important symptoms and effects, both acute and delayed

No information available. **Symptoms**

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

4.4. Reference to Other Sections

Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 11: TOXICOLOGY INFORMATION

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media

In case of fire: Use CO2, dry chemical, or foam to extinguish.

Unsuitable extinguishing media

Ph: 847.487.4583 Fax: 847.487.0174 E-mail: sales@surebonder.com Website: surebonder.com

Safety Data Sheet

FPC 4930 Hot Melt

Revision Date 04-Apr-2019 Supersedes Date: 22-Aug-2016

Revision Number 2

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical

Avoid dusting when handling and avoid all possible sources of ignition (spark or flame). This material can accumulate static charge by flow or agitation and can be ignited by static discharge.

Explosion Data

Sensitivity to mechanical impact Sensitivity to static discharge None.

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion

hazard.

5.3. Advice for firefighters

Special protective actions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

6.2. Environmental precautions

Environmental precautions Keep out of drains, sewers, ditches and waterways.

6.3. Methods and material for containment and cleaning up

Methods for containment Molten . Cover with dry sand/earth.

Methods for cleaning up

Use personal protection equipment. Molten . Where possible allow molten material to

solidify naturally. Solid: . Take up mechanically, placing in appropriate containers for

disposal. Avoid creating dust. Clean contaminated surface thoroughly.

6.4. Reference to other sections

Reference to other sections Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Use adequate ventilation and/or engineering

controls in high temperature processing to prevent exposure to vapors. After contact with skin, wash immediately with plenty of water and soap. This material can accumulate static charge by flow or agitation and can be ignited by static discharge. Avoid dusting when

handling and avoid all possible sources of ignition (spark or flame).

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Store away from incompatible materials.

Incompatible materials Incompatible with oxidizing agents. Strong acids. Strong bases.



Ph: 847.487.4583 Fax: 847.487.0174 E-mail: sales@surebonder.com Website: surebonder.com

Safety Data Sheet

FPC 4930 Hot Melt

Revision Date 04-Apr-2019 Supersedes Date: 22-Aug-2016 **Revision Number 2**

7.3. Specific end use(s)

Specific Use(s) Hot-melt adhesives.

Other information No information available.

7.4. References to Other Sections

Section 13: DISPOSAL CONSIDERATIONS Reference to other sections

Section 10: STABILITY AND REACTIVITY

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

8.2. Exposure controls

Engineering controls Showers

> Eyewash stations Ventilation systems.

Personal protective equipment [PPE]

Eye/face protection Molten . If splashes are likely to occur, wear safety glasses with side-shields.

Skin and body protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact. Heat resistant gloves are recommended when

handling molten materials.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved Respiratory protection

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General hygiene considerations Facilities for quickly drenching the body should be provided within the immediate work area

for emergency use where there is a possibility of exposure.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Solid

Color No information available Odor No information available No information available **Odor Threshold**

Remarks • Method Property Values

No information available Melting point / freezing point No data available Boiling point / boiling range No data available

Flash Point > 204 °C / > 399.2 °F**Evaporation Rate** No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability or explosive No information available

Ph: 847.487.4583 Fax: 847.487.0174 E-mail: sales@surebonder.com Website: surebonder.com

Safety Data Sheet

FPC 4930 Hot Melt

Revision Date 04-Apr-2019 Supersedes Date: 22-Aug-2016
Revision Number 2

limits

Lower flammability or explosive No information available

limits

Vapor PressureNo information availableVapor DensityNo information availableRelative DensityNo information availableWater SolubilityNo information available

Solubility in Other Solvents

Partition coefficientNo information availableAutoignition TemperatureNo information availableDecomposition TemperatureNo information availableKinematic ViscosityNo information available

Dynamic Viscosity No information available

Explosive properties No information available Oxidizing properties No information available

9.2. Other information

Softening PointNo information availableMolecular WeightNo information availableSolvent content (%)No information available

Solid content (%) 100

Density .980 g/cm³

VOC (volatile organic compound)

No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

None under normal processing.

10.4. Conditions to avoid

Do not add water or other volatile material to molten adhesive. Take precautionary measures against static discharges.

10.5. Incompatible materials

Incompatible with oxidizing agents. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Product Information No data available

Inhalation Based on available data, the classification criteria are not met.

Ph: 847.487.4583 Fax: 847.487.0174 E-mail: sales@surebonder.com Website: surebonder.com

Safety Data Sheet

FPC 4930 Hot Melt

Revision Date 04-Apr-2019 Supersedes Date: 22-Aug-2016 **Revision Number 2**

Based on available data, the classification criteria are not met. Eve contact Skin contact Based on available data, the classification criteria are not met. Ingestion Based on available data, the classification criteria are not met.

Component Information

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Symptoms No information available. No information available. Skin corrosion/irritation Serious eye damage/eye irritation No information available. Irritation No information available. Corrosivity No information available. Sensitization No information available. Germ cell mutagenicity No information available. No information available. Reproductive toxicity No information available. **Developmental Toxicity** No information available. **Teratogenicity** No information available. STOT - single exposure STOT - repeated exposure No information available. **Chronic Toxicity** No information available. No information available. **Target Organ Effects** No information available. **Aspiration hazard**

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by ACGIH,

OSHA, IARC or NTP at or above 0.1 wt%.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

No information available

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Disposal of Wastes

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and

Ph: 847.487.4583 Fax: 847.487.0174 E-mail: sales@surebonder.com Website: surebonder.com

Safety Data Sheet

FPC 4930 Hot Melt

Revision Date 04-Apr-2019 Supersedes Date: 22-Aug-2016
Revision Number 2

Revision number

disposal methods in compliance with applicable regulations

Contaminated packaging Dispose of in accordance with federal, state and local regulations

Section 14: TRANSPORT INFORMATION

DOT Not regulated

IATA Not regulated

IMDG Not regulated

Section 15: REGULATORY INFORMATION

Global Inventories

TSCA	Listed
DSL	Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

United States of America

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

<u>Europe</u>

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

No information available

Ph: 847.487.4583 Fax: 847.487.0174 E-mail: sales@surebonder.com Website: surebonder.com

Safety Data Sheet

Revision Number 2

Revision Date 04-Apr-2019 Supersedes Date: 22-Aug-2016

Key Literature References and Sources for Data

No information available

FPC 4930 Hot Melt

Prepared By Product Safety & Regulatory Affairs

Revision Date 04-Apr-2019

Revision note SDS sections updated, 1, 7, 8, 11, 15, 16.

Training Advice No information available

Further information No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet