355 Hollow Hill Drive Wauconda, IL 60084 Ph: 847.487.4583 Fax: 847.487.0174 E-mail: sales@surebonder.com Website: surebonder.com

SAFETY DATA SHEET

FPC 10530 Hot Melt Revision Number 2 Revision date 12-Mar-2020 Supersedes Date: 22-Aug-2016

1. Identification

1.1. Product Identifier

Product Name FPC 10530 Hot Melt

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Hot-melt adhesives.
Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Responsible Party

FPC Corporation 355 Hollow Hill Dr Wauconda, IL 60084 Phone: +1 (847) 487-4583 Fax: +1 (847) 487-0174

E-mail: sales@surebonder.com

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200

2.2. Label Elements

EMERGENCY OVERVIEW

Contact with solid material may cause irritation Contact with molten material will cause thermal burns

Appearance No information available Physical State Solid Odor No information available

Precautionary Statements - Prevention

Not applicable

Precautionary Statements - Response

Not applicable

Precautionary Statements - Storage

Not applicable

FPC 10530 Hot Melt

Revision Number 2

Revision Number 2

Revision Number 2

Supersedes Date: 22-Aug-2016

Precautionary Statements - Disposal

Not applicable

Hazards not otherwise classified (HNOC)

Not applicable

2.3. Other Information

No information available.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contactWash skin with soap and water. In case of burns, immediately cool affected skin for as long

as possible with cold water. Do not remove clothing if adhering to skin. Removal of solidified molten material from skin requires medical assistance. Consult a physician if necessary.

Inhalation Remove to fresh air.

Ingestion Seek medical advice immediately. Do not induce vomiting without medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physiciansTreat symptomatically.

4.4. Reference to Other Sections

Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 11: TOXICOLOGY INFORMATION

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media

In case of fire: Use CO2, dry chemical, or foam to extinguish.

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

FPC 10530 Hot Melt
Revision Number 2

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical

Avoid dusting when handling and avoid all possible sources of ignition (spark or flame). This material can accumulate static charge by flow or agitation and can be ignited by static discharge.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

Explosion Data

Sensitivity to mechanical impact Sensitivity to static discharge

None.

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion

haz

5.3. Advice for firefighters

Special protective actions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

6.2. Environmental precautions

Environmental precautions Keep out of drains, sewers, ditches and waterways. See Section 12 for additional

Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Molten . Cover with dry sand/earth.

Methods for cleaning up

Use personal protection equipment. Solid: . Take up mechanically, placing in appropriate

containers for disposal. Avoid creating dust. **Molten** . Where possible allow molten

material to solidify naturally. Clean contaminated surface thoroughly.

6.4. Reference to other sections

Reference to other sections Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Use adequate ventilation and/or engineering

controls in high temperature processing to prevent exposure to vapors. After contact with skin, wash immediately with plenty of water and soap. This material can accumulate static charge by flow or agitation and can be ignited by static discharge. Avoid dusting when

handling and avoid all possible sources of ignition (spark or flame).

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Store away from incompatible materials.

FPC 10530 Hot Melt Revision date 12-Mar-2020 Supersedes Date: 22-Aug-2016

Incompatible materials Incompatible with oxidizing agents. Strong acids. Strong bases.

7.3. Specific end use(s)

Specific Use(s)
Hot-melt adhesives.

Other information No information available.

7.4. References to Other Sections

Reference to other sections Section 13: DISPOSAL CONSIDERATIONS

Section 10: STABILITY AND REACTIVITY

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas. Vapors/aerosols must be

exhausted directly at the point of origin.

Personal protective equipment [PPE]

Eye/face protection Molten . If splashes are likely to occur, wear safety glasses with side-shields.

Skin and body protectionWear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact. Heat resistant gloves are recommended when

handling molten materials.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General hygiene considerations Facilities for quickly drenching the body should be provided within the immediate work area

for emergency use where there is a possibility of exposure.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state Solid Color Colorless

Odor No information available Odor threshold No information available

Property Values Remarks • Method

pH No information available
Melting point / freezing point
Boiling point / boiling range No data available
No data available

Flash point

Flash point

Evaporation rate

Flammability (solid, gas)

Flammability Limit in Air

FPC 10530 Hot Melt Revision date 12-Mar-2020 Supersedes Date: 22-Aug-2016

Upper flammability or explosive

limits

Lower flammability or explosive

No information available

No information available

limits

Vapor pressureNo information availableVapor densityNo information availableRelative densityNo information availableWater solubilityNo information available

Solubility in Other Solvents

Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity

No information available
No information available
No information available
No information available

Dynamic viscosity = 1330 mPa s Spindle 27 @ 100 rpm @ 163 °C

Explosive properties No information available Oxidizing properties No information available

9.2. Other information

Softening Point @ 78 °C

Molecular weight No information available Solvent content (%) No information available

Solid content (%) Density100

.950 g/cm³

VOC Content (%) No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

None under normal processing.

10.4. Conditions to avoid

Do not add water or other volatile material to molten adhesive. Take precautionary measures against static discharges.

10.5. Incompatible materials

Incompatible with oxidizing agents. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Product Information No data available

Inhalation Based on available data, the classification criteria are not met.

Page 5/8

FPC 10530 Hot Melt Revision date 12-Mar-2020
Revision Number 2 Supersedes Date: 22-Aug-2016

Eye contactBased on available data, the classification criteria are not met.Skin contactBased on available data, the classification criteria are not met.IngestionBased on available data, the classification criteria are not met.

Component Information

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available. Symptoms Skin corrosion/irritation No information available. Serious eye damage/eye irritation No information available. Irritation No information available. No information available. Corrosivity Sensitization No information available. No information available. Germ cell mutagenicity No information available. Reproductive toxicity **Developmental toxicity** No information available. **Teratogenicity** No information available. STOT - single exposure No information available. STOT - repeated exposure No information available. **Chronic Toxicity** No information available. Target organ effects No information available. **Aspiration hazard** No information available.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by ACGIH,

OSHA, IARC or NTP at or above 0.1 wt%.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

No information available

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Disposal of Wastes

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and

FPC 10530 Hot Melt Revision date 12-Mar-2020
Revision Number 2 Supersedes Date: 22-Aug-2016

disposal methods in compliance with applicable regulations

Contaminated packaging Dispose of in accordance with federal, state and local regulations

Section 14: TRANSPORT INFORMATION

DOT Not regulated

IATA Not regulated

IMDG Not regulated

Section 15: REGULATORY INFORMATION

Global Inventories

TSCA	Listed
DSL	Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

United States of America

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Classification is shown in section 2 of this SDS

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

No information available

Key Literature References and Sources for Data

No information available

Prepared By Product Safety & Regulatory Affairs

FPC 10530 Hot Melt Revision date 12-Mar-2020
Revision Number 2 Supersedes Date: 22-Aug-2016

Revision date 12-Mar-2020

Revision note SDS sections updated, 1, 6, 8, 9, 11, 15, 16.

Training Advice No information available

Further information No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet