


TENSION-MOUNT 2-DOOR PET GATE

USER GUIDE

SKU# APMESHGT

IMPORTANT!

When unpacking this product PLEASE NOTE: The gap between the part of the gate frame that mounts to the wall and the door is NOT a defect. This gap will close when the gate is properly installed.



Thank you for purchasing the Ivation Arf Pets tension-mount 2-door pet gate. This guide is intended to provide you with guidelines to ensure that operation of this product is safe and does not pose risk to the user. Any use that does not conform to the guidelines described in this User Guide may void the limited warranty.

Please read all the directions before using the product and retain this guide for reference. This product is intended for household use only.

This product is covered by a limited one year warranty. Coverage is subject to limits and exclusions. See warranty for details.

This decorative gate is the perfect solution for keeping a large pet in one area while letting a smaller pet pass through. You can also choose to keep both doors latched shut to keep all your pets secure.

When fully assembled, the gate (without added extensions) adjusts from 36.5" - 39.5" wide. Optional 2", 5", and 11" wide extensions are sold separately. See your Arf Pets online retailer for details or visit www.arfpets.com.

- Durable steel mesh screen
- Beautifully designed with oil-rubbed bronze finish and elegant filigree accents
- Inset door allows smaller pets to pass through
- Self-closing main door
- Easily pressure-mounts to wall or door frame
- Adjustable 36.5" 39.5" width

Package Contents:

Tension-mount gate Mounting hardware

Safety Precautions

- WARNING! Incorrect installation can be dangerous. Make sure the gate is firmly attached between two clean, structurally sound surfaces.
- WARNING! This gate is not intended to serve as a child safety gate.
- Adult assembly is required.
- Do not install gate without flanges secured to wall or opening.
- Use caution when stepping over the bottom bar of the gate.
- This product is intended for domestic use only.
- Do not use this product for anything other than its intended purpose.
- · Never allow adults, children or pets to climb over the gate, as it may result in injury or may damage the gate.
- This safety gate must NOT be fitted across window openings.
- Do not install this gate near sources of heat.
- Wipe the gate clean with a damp cloth or clean with water and a mild detergent. Do not use harsh or abrasive chemicals or cleaning agents.
- Do not allow children to play with or around this product.


Parts

- A. Adjustment bolts
- B. Adjustment knobs
- C. Wall mounting flanges
- D. Double-sided adhesive discs
- E. Screws



Assembly Instructions:

- 1. Determine the position of the gate with 40.5 inches between the top and bottom.
- 2. Mark the distance on the wall or doorway. Temporarily position the gate to check for accurate placement. Make sure that the gate will be vertically straight when mounted.
- 3. When you're sure of the position, peel off the adhesive from the discs (D) and adhere them to walls where you have marked them.
- 4. Adhere the backs of the flanges (C) to the discs on the wall.
- 5. Screw each flange into the wall (screws (E) supplied) through the pre-drilled screw holes in the flanges.
- 6. Slide the adjustment knobs (B) onto the bolts (A).
- 7. Insert the free end of the bolts into the holes located and the top and bottom of the gate frame.
- 8. Fit the capped ends of the bolts into the mounted flanges.
- 9. Turn the adjustment knob to tighten.
- 10. Gate width can be adjusted 36.5" 39.5".




Optional side extensions are available from your online retailer.

 Model #
 Size

 APMESHEX2
 2.75" x 42"

 APMESHEX5
 5.5" x 42"

 APMESHEX11
 11" x 42"



Customer Service:

Email: support@arfpets.com Phone: 877-711-6886

Distributed by C&A Marketing, Inc. 114 Tived Lane East, Edison, NJ 08837 USA C&A Marketing UK LTD 167 Hermitage Road Crusader Industrial Estate London N4 1LZ, United Kingdom

Made in China ARF Pets is a trademark of C&A IP Holdings, LLC ©2016 All rights reserved

