

CERTIFICATE NUMBER
24-002R

TODO Y NILALA Y TANO MAN UNO
ALL LIVING THINGS OF THE EARTH ARE ONE

LABORATORY CERTIFICATION

This certification by reciprocity is hereby issued to

National Testing Laboratories, Ltd.

556 South Mansfield, Ypsilanti, MI 48197


And through reciprocity, grants the aforementioned as a

CERTIFIED LABORATORY

In accordance with the Guam Safe Drinking Water Act and requirements specified in the Manual for Certification of Laboratories Analyzing Drinking Water, 5th ed.

This certification is non-transferable and conditioned upon the holder observing the government code of Guam and all rules, regulations and orders of the Guam Environmental Protection Agency. No person shall willfully deface, alter, forge, counterfeit or falsify this certification. Any such activity shall cause the immediate revocation of certification. The renewal application for this certification shall be submitted to the Guam Environmental Protection Agency a minimum of sixty (60) calendar days prior to the expiration date. This certificate must be displayed at location of operation.

THIS CERTIFICATE SHALL EXPIRE ON January 16, 2025




Michelle C.R. Lastimoza
ADMINISTRATOR

03/07/2024

DATE

CERTIFICATE NUMBER

24-002R



TODO Y NILALA Y TANO MAN UNO
ALL LIVING THINGS OF THE EARTH ARE ONE

METHODS/PARAMETERS

The following Methods/Parameters have been set for
National Testing Laboratories, Ltd.

556 South Mansfield, Ypsilanti, MI 48197

and their certified laboratory:

EPA 200.7 Aluminum, Barium, Beryllium, Cadmium, Calcium, Chromium, Copper, Iron, Silica, Silver, Sodium, Zinc; SM3113B Arsenic, Lead, Selenium; EPA 200.8 Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Copper, Mercury, Lead, Selenium, Thallium, Silver, Uranium; SM2130B Turbidity; SM 2320B Alkalinity; SM 2510B Conductivity; EPA 150.1 pH; SM 5540C MBAS; EPA 300.0 Chloride, Fluoride, Nitrate+Nitrite, Nitrate, Nitrite, Orthophosphate, Sulfate; EPA 300.1 Bromate, Bromide, Chlorite; EPA 326.0 Bromate; EPA 504.1 Ethylene dibromide (EDB), Dibromochloropropane (DBCP); EPA 505 Chlordane, Heptachlor, Heptachlor Epoxide, Hexachlorobenzene, Hexachlorocyclopentadiene, Lindane, Methoxychlor, PCBs (as Arochlors), Toxaphene; EPA 515.4 2,4-D, Dicamba, Dinoseb, Dalapon, Pentachlorophenol, Picloram, 2,4,5-TP (Silvex); EPA 524.2 Benzene, Carbon Tetrachloride, Chlorobenzene, 1,2-Dichlorobenzene, 1,4-Dichlorobenzene, 1,1,1-Trichloroethane, 1,2-Dichloroethylene, trans-1,2-Dichloroethylene, Dichloromethane, 1,2-Dichloropropane, Ethylbenzene, Styrene, Tetrachloroethylene, 1,1,1-Trichloroethane, Trichloroethylene, Toluene, 1,2,4-Trichlorobenzene, 1,1-Dichloroethylene, 1,1,2-Trichloroethane, Vinyl Chloride, Xylenes, Total Trihalomethanes; EPA 525.2 Alachlor, Arazine, Benzo (a) pyrene, Di (2-ethylhexyl) adipate, Di (2-ethylhexyl) phthalate, Endrin, Heptachlor, Heptachlor Epoxide, Hexachlorobenzene, Hexachlorocyclopentadiene, Lindane, Methoxychlor, Simazine; EPA 531.2 Aldicarb, Aldicarb Sulfone, Aldicarb Sulfoxide, Carbofuran, Oxamyl, ; EPA 547 Glyphosate; EPA 548.1 Endothal; EPA 549.2 Diquat; EPA 552.2 Halo Acetic Acids (5), Dalapon

THIS CERTIFICATE SHALL EXPIRE ON January 16, 2025


Laboratory Certification Officer


EMAS Administrator


Date