

CERTIFICATE NUMBER

19-006R



TODU Y NILALA Y TANO MAN UNO
ALL LIVING THINGS OF THE EARTH ARE ONE

LABORATORY CERTIFICATION

This certification by reciprocity is hereby issued to
 National Testing Laboratories, Ltd.

556 South Mansfield, Ypsilanti, MI 48197

And through reciprocity, grants the aforementioned as a
CERTIFIED LABORATORY

*In accordance with the Guam Safe Drinking Water Act and requirements specified in the Manual for
 Certification of Laboratories Analyzing Drinking Water, 5th ed.*

This certification is non-transferable and conditional upon the holder observing the government code of Guam and all rules, regulations and orders of the Guam Environmental Protection Agency. No person shall willfully deface, alter, forge, counterfeit or falsify this certification. Any such activity shall cause the immediate revocation of certification. The renewal application for this certification shall be submitted to the Guam Environmental Protection Agency a minimum of sixty (60) calendar days prior to the expiration date. This certificate must be displayed at location of operation.

THIS CERTIFICATE SHALL EXPIRE ON January 16, 2020

WALTER S. LEON GUERRERO
 ADMINISTRATOR

02/07/2019

DATE

CERTIFICATE NUMBER

19-006R



TODO Y NILALA Y TANO MAN UNO
ALL LIVING THINGS OF THE EARTH ARE ONE

METHODS/PARAMETERS

The following Methods/Parameters have been set for
National Testing Laboratories, Ltd.


556 South Mansfield, Ypsilanti, MI 48197

And their certified laboratory.

EPA 200.7 Aluminum, Barium, Beryllium, Cadmium, Calcium, Chromium, Copper, Iron, Silica, Silver, Sodium, Zinc; **SM3113B** Arsenic, Lead, Selenium; **EPA 200.8** Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Copper, Mercury, Lead, Selenium, Thallium, Silver, Uranium; **SM 2120 B** Color; **SM2130B** Turbidity; **SM 2320B** Alkalinity; **SM 2510B** Conductivity; **EPA 150.1** pH; **SM 5540C** MBAS; **EPA 300.0** Chloride, Fluoride, Nitrate+Nitrite, Nitrate, Nitrite, Orthophosphate, Sulfate; **EPA 300.1** Bromate, Bromide; **EPA 326.0** Bromate; **EPA 504.1** Ethylene dibromide (EDB), Dibromochloropropane (DBCP); **EPA 505** Chloroform, Heptachlor Epoxide, Hexachlorobenzene, Hexachlorocyclopentadiene, Lindane, Methoxychlor, PCBs (as Arochlors), Toxaphene; **EPA 515.4 2,4-D**, Dicamba, Dinoseb, Dalapon, Pentachlorophenol, Picloram, 2,4,5-TP (Silver); **EPA 524.2** Benzene, Carbon Tetrachloride, Chlorobenzene, 1,2-Dichlorobenzene, 1,4-Dichlorobenzene, cis-1,2-Dichloroethylene, trans-1,2-Dichloroethylene, Dichloromethane, 1,2-Dichloropropane, Ethylbenzene, Styrene, Tetrachloroethylene, 1,1,1-Trichloroethane, Trichloroethylene, Toluene, 1,2,4-Trichlorobenzene, 1,1,1-Dichloroethylene, 1,1,2-Trichloroethane, Vinyl Chloride, Xylenes, Total Trihalomethanes; **EPA 525.2** Alachlor, Atrazine, Benzo (a) pyrene, Di (2-ethylhexyl) adipate, Di (2-ethylhexyl) phthalate, Endrin, Heptachlor, Heptachlor Epoxide, Hexachlorobenzene, Hexachlorocyclopentadiene, Lindane, Methoxychlor, Simazine; **EPA 531.2** Aldicarb, Aldicarb Sulfone, Aldicarb Sulfoxide, Carbofuran, Oxamyl; **EPA 547** Ghophosate; **EPA 548.1** Endothal; **EPA 549.2** Diaquat; **EPA 552.2** Halo Acetic Acids (5), Dalapon

THIS CERTIFICATE SHALL EXPIRE ON January 16, 2020


LABORATORY CERTIFICATION OFFICER


LABORATORY CERTIFICATION OFFICER


EMAS DIVISION ADMINISTRATOR

DATE


2/1/2019

17-3304 MARINER AVENUE TYAN, BARRIGADA, GUAM 96913-1617