

# State of Nevada

Department of Conservation and Natural Resources  
Division of Environmental Protection

*Certifies that*

**National Testing Lab**

**556 South Mansfield St Ypsilanti, MI 48197**

*Having met the requirements of the  
Nevada Administrative Code: NAC 445A*

*is hereby approved to perform the analyses as indicated on the most recently issued  
parameter list which must accompany this certificate to be valid. It is the certified  
laboratory's responsibility to provide their client the most current certified  
parameter list. Contact LCP to verify certification status.*

**Expiration Date: 7/31/2020**

Donald E. LaFara  
Program Manager  
Laboratory Certification Program

Digitally signed  
by Don LaFara  
Date:  
2019.08.01  
15:54:54 -07'00'

Certificate Number: MI000442020-1

Donald LaFara, Program Manager, 08/01/2019

**State of Nevada Department of Conservation and Natural Resources**  
**Division of Environmental Protection**  
**Laboratory Scope of Accreditation**

**EPA Number: MI00044**      **Attachment to Certificate Number: MI000442020-1**      **Expiration Date: 7/31/2020**  
**National Testing Lab**  
**556 South Mansfield St Ypsilanti, MI 48197**

<b>Matrix: SDWA (Potable Water)</b>		<b>Start Date</b>	<b>Date Expires</b>	<b>Status</b>
<b>Method</b>	<b>Analyte</b>			
<b>Discipline: Chemistry</b>				
EPA 150.1	pH	8/1/2019	7/31/2020	Certified
EPA 200.7	Aluminum	8/1/2019	7/31/2020	Certified
EPA 200.7	Barium	8/1/2019	7/31/2020	Certified
EPA 200.7	Beryllium	8/1/2019	7/31/2020	Certified
EPA 200.7	Boron	8/1/2019	7/31/2020	Certified
EPA 200.7	Cadmium	8/1/2019	7/31/2020	Certified
EPA 200.7	Calcium	8/1/2019	7/31/2020	Certified
EPA 200.7	Chromium	8/1/2019	7/31/2020	Certified
EPA 200.7	Copper	8/1/2019	7/31/2020	Certified
EPA 200.7	Iron	8/1/2019	7/31/2020	Certified
EPA 200.7	Magnesium	8/1/2019	7/31/2020	Certified
EPA 200.7	Manganese	8/1/2019	7/31/2020	Certified
EPA 200.7	Nickel	8/1/2019	7/31/2020	Certified
EPA 200.7	Potassium	8/1/2019	7/31/2020	Certified
EPA 200.7	Silica as SiO2	8/1/2019	7/31/2020	Certified
EPA 200.7	Silver	8/1/2019	7/31/2020	Certified
EPA 200.7	Sodium	8/1/2019	7/31/2020	Certified
EPA 200.7	Zinc	8/1/2019	7/31/2020	Certified
EPA 200.8	Antimony	8/1/2019	7/31/2020	Certified
EPA 200.8	Arsenic	8/1/2019	7/31/2020	Certified
EPA 200.8	Barium	8/1/2019	7/31/2020	Certified
EPA 200.8	Beryllium	8/1/2019	7/31/2020	Certified
EPA 200.8	Cadmium	8/1/2019	7/31/2020	Certified
EPA 200.8	Chromium	8/1/2019	7/31/2020	Certified
EPA 200.8	Copper	8/1/2019	7/31/2020	Certified
EPA 200.8	Lead	8/1/2019	7/31/2020	Certified
EPA 200.8	Manganese	8/1/2019	7/31/2020	Certified
EPA 200.8	Mercury	8/1/2019	7/31/2020	Certified
EPA 200.8	Nickel	8/1/2019	7/31/2020	Certified

**Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.**

**State of Nevada Department of Conservation and Natural Resources**  
**Division of Environmental Protection**  
**Laboratory Scope of Accreditation**

**EPA Number: MI00044**      **Attachment to Certificate Number: MI000442020-1**      **Expiration Date: 7/31/2020**  
**National Testing Lab**  
**556 South Mansfield St Ypsilanti, MI 48197**

**Matrix: SDWA (Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
EPA 200.8	Selenium	8/1/2019	7/31/2020	Certified
EPA 200.8	Silver	8/1/2019	7/31/2020	Certified
EPA 200.8	Thallium	8/1/2019	7/31/2020	Certified
EPA 200.8	Uranium (Nat.) Activity, Calculated	8/1/2019	7/31/2020	Certified
EPA 200.8	Uranium (Nat.) Total Mass	8/1/2019	7/31/2020	Certified
EPA 200.8	Vanadium	8/1/2019	7/31/2020	Certified
EPA 300.0	Zinc	8/1/2019	7/31/2020	Certified
EPA 300.0	Bromide	8/1/2019	7/31/2020	Certified
EPA 300.0	Chloride	8/1/2019	7/31/2020	Certified
EPA 300.0	Fluoride	8/1/2019	7/31/2020	Certified
EPA 300.0	Nitrate as N	8/1/2019	7/31/2020	Certified
EPA 300.0	Nitrite as N	8/1/2019	7/31/2020	Certified
EPA 300.0	Orthophosphate as P	8/1/2019	7/31/2020	Certified
EPA 300.0	Sulfate	8/1/2019	7/31/2020	Certified
EPA 300.1	Bromate	8/1/2019	7/31/2020	Certified
EPA 300.1	Bromide	8/1/2019	7/31/2020	Certified
EPA 300.1	Chlorate	8/1/2019	7/31/2020	Certified
EPA 300.1	Chlorite	8/1/2019	7/31/2020	Certified
EPA 326.0	Bromate	8/1/2019	7/31/2020	Certified
EPA 504.1	1,2-Dibromo-3-chloropropane (DBCP, Dibromochloropropane)	8/1/2019	7/31/2020	Certified
EPA 504.1	1,2-Dibromoethane (EDB, Ethylene dibromide)	8/1/2019	7/31/2020	Certified
EPA 505	Chlordane (tech.)	8/1/2019	7/31/2020	Certified
EPA 505	Endrin	8/1/2019	7/31/2020	Certified
EPA 505	gamma-BHC (Lindane)	8/1/2019	7/31/2020	Certified
EPA 505	Heptachlor	8/1/2019	7/31/2020	Certified
EPA 505	Heptachlor epoxide	8/1/2019	7/31/2020	Certified
EPA 505	Hexachlorbenzene	8/1/2019	7/31/2020	Certified
EPA 505	Hexachlorocyclopentadiene	8/1/2019	7/31/2020	Certified
EPA 505	Methoxychlor	8/1/2019	7/31/2020	Certified
EPA 505	PCB Aroclor Identification (PCBs as Aroclors)	8/1/2019	7/31/2020	Certified

**Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.**



**State of Nevada Department of Conservation and Natural Resources**  
**Division of Environmental Protection**  
**Laboratory Scope of Accreditation**

**EPA Number: MI00044**  
 National Testing Lab  
 556 South Mansfield St Ypsilanti, MI 48197

**Attachment to Certificate Number: MI000442020-1**

**Expiration Date: 7/31/2020**

**Matrix: SDWA (Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
EPA 505	Toxaphene (Chlorinated camphene)	8/1/2019	7/31/2020	Certified
EPA 515.4	2,4-D	8/1/2019	7/31/2020	Certified
EPA 515.4	Dalapon	8/1/2019	7/31/2020	Certified
EPA 515.4	Dinoseb (2-sec-butyl-4,6-dinitrophenol, DNBP)	8/1/2019	7/31/2020	Certified
EPA 515.4	Pentachlorophenol	8/1/2019	7/31/2020	Certified
EPA 515.4	Picloram	8/1/2019	7/31/2020	Certified
EPA 515.4	Silvex (2,4,5-TP)	8/1/2019	7/31/2020	Certified
EPA 524.2	1,1,1-Trichloroethane	8/1/2019	7/31/2020	Certified
EPA 524.2	1,1,2-Trichloroethane	8/1/2019	7/31/2020	Certified
EPA 524.2	1,1-Dichloroethylene	8/1/2019	7/31/2020	Certified
EPA 524.2	1,2,4-Trichlorobenzene	8/1/2019	7/31/2020	Certified
EPA 524.2	1,2-Dichlorobenzene	8/1/2019	7/31/2020	Certified
EPA 524.2	1,2-Dichloroethane	8/1/2019	7/31/2020	Certified
EPA 524.2	1,2-Dichloropropane	8/1/2019	7/31/2020	Certified
EPA 524.2	1,4-Dichlorobenzene	8/1/2019	7/31/2020	Certified
EPA 524.2	Benzene	8/1/2019	7/31/2020	Certified
EPA 524.2	Bromodichloromethane	8/1/2019	7/31/2020	Certified
EPA 524.2	Bromoform	8/1/2019	7/31/2020	Certified
EPA 524.2	Carbon tetrachloride	8/1/2019	7/31/2020	Certified
EPA 524.2	Chlorobenzene	8/1/2019	7/31/2020	Certified
EPA 524.2	Chlorodibromomethane (Dibromochloromethane)	8/1/2019	7/31/2020	Certified
EPA 524.2	Chloroform	8/1/2019	7/31/2020	Certified
EPA 524.2	cis-1,2-Dichloroethylene	8/1/2019	7/31/2020	Certified
EPA 524.2	Ethylbenzene	8/1/2019	7/31/2020	Certified
EPA 524.2	Methylene chloride (Dichloromethane)	8/1/2019	7/31/2020	Certified
EPA 524.2	Styrene	8/1/2019	7/31/2020	Certified
EPA 524.2	Tetrachloroethylene (Perchloroethylene)	8/1/2019	7/31/2020	Certified
EPA 524.2	Toluene	8/1/2019	7/31/2020	Certified
EPA 524.2	Total trihalomethanes	8/1/2019	7/31/2020	Certified
EPA 524.2	trans-1,2-Dichloroethylene	8/1/2019	7/31/2020	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources**  
**Division of Environmental Protection**  
**Laboratory Scope of Accreditation**

**EPA Number: MI100044**  
**National Testing Lab**  
**556 South Mansfield St Ypsilanti, MI 48197**

**Attachment to Certificate Number: MI1000442020-1**

**Expiration Date: 7/31/2020**

**Matrix: SDWA (Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
EPA 524.2	Trichloroethene (Trichloroethylene)	8/1/2019	7/31/2020	Certified
EPA 524.2	Vinyl chloride	8/1/2019	7/31/2020	Certified
EPA 524.2	Xylene (total)	8/1/2019	7/31/2020	Certified
EPA 525.2	Alachlor	8/1/2019	7/31/2020	Certified
EPA 525.2	Atrazine	8/1/2019	7/31/2020	Certified
EPA 525.2	Benzo(a)pyrene	8/1/2019	7/31/2020	Certified
EPA 525.2	bis(2-Ethylhexyl)adipate	8/1/2019	7/31/2020	Certified
EPA 525.2	bis(2-Ethylhexyl)phthalate, (DEHP, Di(2-ethylhexyl) phthalate)	8/1/2019	7/31/2020	Certified
EPA 525.2	Endrin	8/1/2019	7/31/2020	Certified
EPA 525.2	gamma-BHC (Lindane)	8/1/2019	7/31/2020	Certified
EPA 525.2	Heptachlor	8/1/2019	7/31/2020	Certified
EPA 525.2	Heptachlor epoxide	8/1/2019	7/31/2020	Certified
EPA 525.2	Hexachlorobenzene	8/1/2019	7/31/2020	Certified
EPA 525.2	Hexachlorocyclopentadiene	8/1/2019	7/31/2020	Certified
EPA 525.2	Metolachlor	8/1/2019	7/31/2020	Certified
EPA 525.2	Simazine	8/1/2019	7/31/2020	Certified
EPA 531.2	Carbofuran (Furaden)	8/1/2019	7/31/2020	Certified
EPA 547	Oxaryl	8/1/2019	7/31/2020	Certified
EPA 548.1	Glyphosate	8/1/2019	7/31/2020	Certified
EPA 549.2	Endothall	8/1/2019	7/31/2020	Certified
EPA 549.2	Diquat	8/1/2019	7/31/2020	Certified
EPA 552.2	Bromoacetic acid (Monobromoacetic acid, MBAA)	8/1/2019	7/31/2020	Certified
EPA 552.2	Chloroacetic acid (Monochloroacetic acid, MCAA)	8/1/2019	7/31/2020	Certified
EPA 552.2	Dalapon	8/1/2019	7/31/2020	Certified
EPA 552.2	Dibromoacetic acid (DBAA)	8/1/2019	7/31/2020	Certified
EPA 552.2	Dichloroacetic acid (DCAA)	8/1/2019	7/31/2020	Certified
EPA 552.2	Haloacetic acids (HAA5)	8/1/2019	7/31/2020	Certified
EPA 552.2	Trichloroacetic acid (TCAA)	8/1/2019	7/31/2020	Certified
SM 2120 B	Color	8/1/2019	7/31/2020	Certified
SM 2130 B	Turbidity	8/1/2019	7/31/2020	Certified

**Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.**

**State of Nevada Department of Conservation and Natural Resources**  
**Division of Environmental Protection**  
**Laboratory Scope of Accreditation**

**EPA Number: MI00044**      **Attachment to Certificate Number: MI000442020-1**      **Expiration Date: 7/31/2020**  
 National Testing Lab  
 556 South Mansfield St Ypsilanti, MI 48197

**Matrix: SDWA (Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
SM 2150 B	Odor	8/1/2019	7/31/2020	Certified
SM 2320 B	Alkalinity as CaCO3	8/1/2019	7/31/2020	Certified
SM 2340 B	Calcium hardness as CaCO3	8/1/2019	7/31/2020	Certified
SM 2340 B	Hardness by calculation	8/1/2019	7/31/2020	Certified
SM 2340 C	Total hardness as CaCO3	8/1/2019	7/31/2020	Certified
SM 2510 B	Conductivity	8/1/2019	7/31/2020	Certified
SM 2540 C	Residue-filterable (TDS)	8/1/2019	7/31/2020	Certified
SM 2540 D	Residue-nonfilterable (TSS)	8/1/2019	7/31/2020	Certified
SM 3113 B	Arsenic	8/1/2019	7/31/2020	Certified
SM 3113 B	Lead	8/1/2019	7/31/2020	Certified
SM 3113 B	Selenium	8/1/2019	7/31/2020	Certified
SM 4500-Cl G	Free chlorine (residual)	8/1/2019	7/31/2020	Certified
SM 4500-Cl G	Total Chlorine (residual)	8/1/2019	7/31/2020	Certified
SM 5310 C	Total Organic Carbon	8/1/2019	7/31/2020	Certified
SM 5540 C	Surfactants - MBAS	8/1/2019	7/31/2020	Certified

**Discipline: Microbiology**

IDEXX Colliert®	Escherichia coli	8/1/2019	7/31/2020	Interim
IDEXX Colliert®	Total coliforms	8/1/2019	7/31/2020	Interim
IDEXX Quanti-Tray® under SWTR	E. coli enumeration	8/1/2019	7/31/2020	Interim
IDEXX Quanti-Tray® with Colliert® under SWTR	Total Coliform Enumeration	8/1/2019	7/31/2020	Interim
SM 9215 B (PCA)	Heterotrophic plate count	8/1/2019	7/31/2020	Interim

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.