






BOLT CHART







Basebar: WING ULT-S



When the stake is over 40mm, it can be replaced with the A3C Bridge.







Bolt : M6 Head
Unit : mm
A / B / C each needs 2pcs

ADAPTOR TYPE	STACK		BOLT LENGTH		
	w/o BRIDGE	w/A2A BRIDGE(5mm)	A	B	C
x	+0	x	30	35	x
 A3 RISER	+5	x	35	40	x
	+10	x	40	45	x
	+15	x	45	50	x
	+20	x	50	55	x
	+25	x	55	60	x
	+30	x	60	65	x
	x	+35	65	70	x
	x	+40	70	75	x
	x	+45	75	80	x
	x	+50	80	85	x
	x	+55	85	90	x
	x	+60	90	98	x
	x	+65	95	100	x
 A2 TILT BOOSTER	+0	x	40	50	x
	+5	x	45	55	x
	+10	x	50	60	x
	+15	x	55	65	x
	x	+20	60	70	x
	x	+25	65	75	x
	x	+30	70	80	x
	x	+35	75	85	x
	x	+40	80	90	x
	x	+45	85	95	x
	x	+50	90	100	x
 A3 REACH EXTENDER	+0	x	15	55	35
	+5	x	20	60	35
	x	+10	20	65	40
	x	+15	25	70	40
	x	+20	30	75	40
	x	+25	35	80	40
	x	+30	40	85	40
	x	+35	45	90	40
	x	+40	50	95	40
	x	+45	55	100	40
 A2A BRIDGE 5mm	x	+5	20	70	55
	x	+10	25	75	55
	x	+15	30	80	55
	x	+20	35	85	55
	x	+25	40	90	55
	x	+30	45	95	55
	x	+35	50	100	55
	x	+35	50	100	55


BOLT CHART



Basebar: AERIA ULT



When the stake is over 40mm, it can be replaced with the A3C Bridge.







Bolt : M6 Head
Unit : mm
A / B / C each needs 2pcs

ADAPTOR TYPE	STACK		BOLT LENGTH		
	w/o BRIDGE	w/A2A BRIDGE(5mm)	A	B	C
x	+0	x	45+15	45+15	x
 A3 RISER	+5	x	50	50	x
	+10	x	55	55	x
	+15	x	60	60	x
	x	+20	65	65	x
	x	+25	70	70	x
	x	+30	75	75	x
	x	+35	80	80	x
	x	+40	85	85	x
	x	+45	90	90	x
	x	+50	95	98	x
	x	+55	100	100	x
 A2 TILT BOOSTER	+0	x	55	60	x
	x	+5	60	65	x
	x	+10	65	70	x
	x	+15	70	75	x
	x	+20	75	80	x
	x	+25	80	85	x
	x	+30	85	90	x
	x	+35	90	95	x
	x	+40	95	100	x
 A3 REACH EXTENDER	x	+5	30	70	40
	x	+10	35	75	40
	x	+15	40	80	40
	x	+20	45	85	40
	x	+25	50	90	40
	x	+30	55	95	40
	x	+35	60	100	40
 A2A BRIDGE 5mm	x	+10	30	80	55
	x	+15	35	85	55
	x	+20	40	90	55
	x	+25	45	95	55
	x	+30	50	100	55


BOLT CHART



Basebar: WING 20c+



When the stake is over 40mm, it can be replaced with the A3C Bridge.







Bolt : M6 Head
Unit : mm
A / B / C each needs 2pcs

ADAPTOR TYPE	STACK		BOLT LENGTH		
	w/o BRIDGE	w/A2A BRIDGE(5mm)	A	B	C
x	+0	x	35	40	x
 A3 RISER	+5	x	40	45	x
	+10	x	45	50	x
	+15	x	50	55	x
	+20	x	55	60	x
	+25	x	60	65	x
	+30	x	65	70	x
	x	+35	70	75	x
	x	+40	75	80	x
	x	+45	80	85	x
	x	+50	85	90	x
	x	+55	90	95	x
	x	+60	95	100	x
 A2 TILT BOOSTER	+0	x	45	60	x
	+5	x	50	65	x
	+10	x	55	70	x
	+15	x	60	75	x
	x	+20	65	80	x
	x	+25	70	85	x
	x	+30	75	90	x
	x	+35	80	95	x
 A3 REACH EXTENDER	+0	x	25	60	35
	+5	x	30	65	35
	x	+10	30	70	40
	x	+15	35	75	40
	x	+20	40	80	40
	x	+25	45	85	40
	x	+30	50	90	40
	x	+35	55	95	40
 A3 TILT BOOSTER	x	+40	60	100	40
	x	+5	25	75	55
	x	+10	30	80	55
	x	+15	35	85	55
	x	+20	40	90	55
	x	+25	45	95	55
	x	+30	50	100	55


BOLT CHART



Basebar: WING 20c+ II



When the stake is over 40mm, it can be replaced with the A3C Bridge.



Bolt : M6 Head
Unit : mm
A / B / C each needs 2pcs

ADAPTOR TYPE	STACK		BOLT LENGTH		
	w/o BRIDGE	w/A2A BRIDGE(5mm)	A	B	C
x	+0	x	40+30	45+30	x
 A3 RISER	+5	x	45	50	x
	+10	x	50	55	x
	+15	x	55	60	x
	+20	x	60	65	x
	+25	x	65	70	x
	+30	x	70	75	x
	x	+35	75	80	x
	x	+40	80	85	x
	x	+45	85	90	x
	x	+50	90	95	x
	x	+55	95	100	x
 A2 TILT BOOSTER	+0	x	50	60	x
	+5	x	55	65	x
	+10	x	60	70	x
	+15	x	65	75	x
	x	+20	70	80	x
	x	+25	75	85	x
	x	+30	80	90	x
	x	+35	85	95	x
 A3 REACH EXTENDER	+0	x	25	65	35
	+5	x	30	70	35
	x	+10	30	75	40
	x	+15	35	80	40
	x	+20	40	85	40
	x	+25	45	90	40
	x	+30	50	95	40
	x	+35	55	100	40
 A2A BRIDGE 5mm	x	+5	25	80	55
	x	+10	30	85	55
	x	+15	35	90	55
	x	+20	40	95	55
	x	+25	45	100	55