

TEST REPORT

REGISTRATION NUMBER: KATRM200330-011
 TEST REPORT NUMBER: KAAAM200420-002
 COMPANY : Anonymous

REGISTRATION DATE : 2020. 03. 30
 TEST REPORT ISSUE DATE: 2020. 04. 20
 PURPOSE : QUALITY CONTROL

ADDRESS: 772-49, Deopyeong-ro, Majang-myeon, Icheon Si, Gyeonggi-DO, 17389, Korea

EMPLOYEE IN CHARGE: SEUNG HAK, YANG

SUBMITTED TO: -
 TEST SAMPLE: ANTI BACTERIA FILM 1PLY 2MIL

TEST TERMS		TEST RESULT	
		CONTROL	SAMPLE
JIS Z 2801 2010			
STAPHYLOCOCCUS AUREUS ATCC 6538	NUMBER OF BACTERIA AFTER 24 HOUR (CFU/mL)	4.3 X 10 ⁶	1.8 X 10 ²
	ANTI BACTERIA ACTIVATION RATE		4.4
DENSITY OF BACTERIA	2.6 X 10 ⁵ CFU/mL		
ESCHERICHIA COLI ATCC 8739	NUMBER OF BACTERIA AFTER 24 HOUR (CFU/mL)	1.5 X 10 ⁷	4.5 X 10 ³
	ANTI BACTERIA ACTIVATION RATE		3.5
DENSITY OF BACTERIA	2.3 X 10 ⁵ CFU/mL		
KLEBSIELLA PNEUMONIAE ATCC 4352	NUMBER OF BACTERIA AFTER 24 HOUR (CFU/mL)	2.1 X 10 ⁷	5.2 X 10 ¹
	ANTI BACTERIA ACTIVATION RATE		5.6
DENSITY OF BACTERIA	2.3 X 10 ⁵ CFU/mL		