

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) &amp; 2015/830

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1 Product identifier**

Product Name	Nailchemy Soak Off UV Gel Polish
Colour variations	Eternals Collection – Eternity, Timeless, For All Time, Infinite, Ether, Akashic, Immortal, Endless.
CAS No.	Not applicable.
EC No.	Not applicable.
REACH Registration No.	Not known.

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified Use(s)	PC39 Cosmetics, personal care products
Uses Advised Against	None.

**1.3 Details of the supplier of the safety data sheet**

Manufacturer	
Company Identification	NAILCHEMY LIMITED
Address of Manufacturer	Unit E Thistle Park, Crossways Road, Bridgwater, Somerset. UK
Postal code	TA6 6LS
Telephone:	+44 1278 459066
Fax	N/A
E-mail	info@nailchemy.co.uk
Office hours	Mon-Fri 10am-4pm
Supplier	
Company Identification	NAILCHEMY LIMITED
Address of Supplier	Unit E Thistle Park, Crossways Road, Bridgwater, Somerset. UK
Postal code	TA6 6LS
Telephone:	1278459066
Fax	N/A
E-mail	info@nailchemy.co.uk
Office hours	Mon-Fri 10am-4pm

**1.4 Emergency telephone number**

National response center	
Address	NHS Direct
Emergency Phone No.	+44 (0) 111

**SECTION 2: HAZARDS IDENTIFICATION****2.1 Classification of the substance or mixture**

Regulation (EC) No. 1272/2008 (CLP)	Skin Irrit. 2 :Causes skin irritation. Skin Sens. 1 :May cause an allergic skin reaction. Eye Irrit. 2 :Causes serious eye irritation. Repr. 2 :Suspected of damaging fertility. STOT RE 2 :May cause damage to organs through prolonged or repeated exposure. Aquatic Chronic 3 :Harmful to aquatic life with long lasting effects.
-------------------------------------	---

**2.2 Label elements**

According to Regulation (EC) No. 1272/2008 (CLP)

Product Name Nailchemy Soak Off Gel Polish – Eternals Collection

Hazard Pictogram(s)



GHS08



GHS07

Signal Word(s)

Warning

Hazard Statement(s)

H315: Causes skin irritation.  
 H317: May cause an allergic skin reaction.  
 H319: Causes serious eye irritation.  
 H361f: Suspected of damaging fertility.  
 H373: May cause damage to organs through prolonged or repeated exposure.  
 H412: Harmful to aquatic life with long lasting effects.

Precautionary Statement(s)

P102: Keep out of reach of children.  
 P103: Read label before use.  
 P260: Do not breathe dust/fume/gas/mist/vapours/spray.  
 P280: Wear protective gloves/protective clothing/eye protection/face protection.  
 P302+P352: IF ON SKIN: Wash with plenty of water.  
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P333+P313: If skin irritation or rash occurs: Get medical advice/attention.  
 P337+P313: If eye irritation persists: Get medical advice/attention.  
 P410: Protect from sunlight.  
 P501: Dispose of contents in accordance with local, state or national legislation.

### 2.3 Other hazards

None known.

### 2.4 Additional Information

For full text of H/P Statements see section 16.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Not applicable.

### 3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH Registration No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
Acrylates Copolymer	25133-97-5	N/A	60-70	Not Classified	N/A
HEMA	868-77-9	212-782-2	10-20	Skin Irrit. 2 H315 Skin Sens. 1A H317 Eye Irrit. 2 H319	GHS07
Trimethylbenzoyl Diphenylphosphine Oxide	75980-60-8	278-355-8	1-5	Repr. 2 H361f	GHS08

May contain the following ingredients/pigments:					
RED 28[CI 45410]	18472-87-2	242-355-6	0-8	Eye Irrit. 2 H319 Aquatic Chronic 2 H411	GHS07 GHS09
BASIC BLUE 26[CI 44045]	2580-56-5	219-943-6	0-8	Acute Tox. 4 H302 Skin Sens. 1A H317 Eye Dam. 1 H318 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS05 GHS07 GHS09
BASIC ORANGE 1[CI 16185]	915-67-3	213-022-2	0-8	Eye Irrit. 2 H319	GHS07
Green 3[CI 42053]	2353-45-9	219-091-5	0-8	STOT SE 3 H335	GHS07
Quartz (SiO <sub>2</sub> )	14808-60-7	238-878-4	0-8	STOT RE 1 H372	GHS08

## SECTION 4: FIRST AID MEASURES

### 4.1 Description of first aid measures

Inhalation	If exposed or concerned: Get medical advice/attention.
Skin Contact	Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see Medical Advice on this label). IF exposed or concerned:
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. If eye irritation persists:
Ingestion	IF exposed or concerned: Get medical advice/attention.

### 4.2 Most important symptoms and effects, both acute and delayed

Causes burns. Allergic contact dermatitis.

### 4.3 Indication of any immediate medical attention and special treatment needed

Specific treatment (see Medical Advice on this label). IF exposed or concerned: Get medical advice/attention. Treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media

Suitable Extinguishing media	As appropriate for surrounding fire.
Unsuitable extinguishing media	None.

### 5.2 Special hazards arising from the substance or mixture

May decompose in a fire, giving off toxic and irritant vapours.

### 5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Dike fire control water for later disposal.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Ensure full personal protection (including respiratory protection) during removal of spillages.

### 6.2 Environmental precautions

Avoid release to the environment. Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

**6.3 Methods and material for containment and cleaning up**

Absorb spillages onto sand, earth or any suitable absorbent material. Contain spillages with sand, earth or any suitable absorbent material. Earth may be shovelled to contain spillage and to avoid contamination of sewers and watercourses.

**6.4 Reference to other sections**

See Also Section 8, 13.

**SECTION 7: HANDLING AND STORAGE****7.1 Precautions for safe handling**

Wash hands and exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapours/spray. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

**7.2 Conditions for safe storage, including any incompatibilities**

Store locked up.

Storage temperature

Ambient.

Storage life

Stable under normal conditions.

Incompatible materials

None known.

**7.3 Specific end use(s)**

PC39 Cosmetics, personal care products

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 Control parameters**

## 8.1.1 Occupational Exposure Limits

Occupational Exposure Limits						
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note
Carbon black	1333-86-4		3.5		7	
Silver, metallic	7440-22-4		0.1			
Silver, metallic	7440-22-4	0	0.1	0	0	IOELV
Titanium dioxide total inhalable	13463-67-7		10			
Titanium dioxide respirable	13463-67-7		4			
Iron oxide, fume (as Fe)	1309-37-1		5		10	
Rouge total inhalable	1309-37-1		10			
Rouge respirable	1309-37-1		4			
Silica, respirable crystalline	14808-60-7		0.1			
Crystalline Silica Dust	14808-60-7	0	0.1	0	0	CM, (7.1)
Crystalline Silica Dust	14808-60-7	0	0.1	0	0	IOELV,CM, (7.1)

Region  
EU

Source  
EU Occupational Exposure Limits

United Kingdom UK Workplace Exposure Limits EH40/2005 (Third edition, published 2018)

Remark	Notes
IOELV	Indicative Occupational Exposure Limit Values.
CM	Carcinogens or Mutagens Occupational Exposure Limit Values.
(7.1)	Respirable fraction.

## 8.2 Exposure controls

8.2.1. Appropriate engineering controls Use with ventilation, local exhaust ventilation or breathing protection. A washing facility/water for eye and skin cleaning purposes should be present.

8.2.2. Personal protection equipment



Eye Protection Wear eye protection with side protection (EN166).



Skin protection Wear protective clothing and gloves: Impervious gloves (EN 374).



Respiratory protection A suitable mask with filter type A (EN14387 or EN405) may be appropriate.



Thermal hazards None known.

8.2.3. Environmental Exposure Controls Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Appearance	Liquid.
	Colour : Various
Odour	Almost odourless.
Odour threshold	Not known.
pH	Not known.
Melting point/freezing point	Not known
Initial boiling point and boiling range	92 ° C
Flash Point	[Closed cup] : 105 ° C
Evaporation rate	Not known.
Flammability (solid, gas)	Not known.
Upper/lower flammability or explosive limits	Not known.
Vapour pressure	Not known.
Vapour density	Not known
Density (g/ml)	1.10
Relative density	Not known.
Solubility(ies)	Solubility (Water) : Slight
	Solubility (Other) : Not known.
Partition coefficient: n-octanol/water	Not known

Auto-ignition temperature	Not known.
Decomposition Temperature (° C)	Not known.
Viscosity	Not known.
Explosive properties	Not known.
Oxidising properties	Not known.

**9.2 Other information**

None.

**SECTION 10: STABILITY AND REACTIVITY****10.1 Reactivity**

None anticipated.

**10.2 Chemical Stability**

Stable under normal conditions.

**10.3 Possibility of hazardous reactions**

No hazardous reactions known if used for its intended purpose.

**10.4 Conditions to avoid**

None anticipated.

**10.5 Incompatible materials**

Not known.

**10.6 Hazardous decomposition products**

No hazardous decomposition products known.

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on toxicological effects**

Acute toxicity - Ingestion	Not classified. Calculated acute toxicity estimate (ATE) Calc ATE - 50000.00000
Acute toxicity - Skin Contact	Not classified.
Acute toxicity - Inhalation	Not classified.
Skin corrosion/irritation	Calculation method : Causes skin irritation.
Serious eye damage/irritation	Calculation method : Causes serious eye irritation.
Skin sensitization data	Calculation method : May cause an allergic skin reaction.
Respiratory sensitization data	Not classified.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not classified.
Reproductive toxicity	Calculation method : Suspected of damaging fertility.
Lactation	Not classified.
STOT - single exposure	Not classified.
STOT - repeated exposure	Calculation method : May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	Not classified.

**11.2 Other information**

Not known.

**SECTION 12: ECOLOGICAL INFORMATION****12.1 Toxicity**

	Harmful to aquatic life. Harmful to aquatic life with long lasting effects.
Toxicity - Aquatic invertebrates	Not known.
Toxicity - Fish	Not known.
Toxicity - Algae	Not known.
Toxicity - Sediment Compartment	Not classified.
Toxicity - Terrestrial Compartment	Not classified.

**12.2 Persistence and Degradation**

Not known.

**12.3 Bioaccumulative potential**

Not known.

**12.4 Mobility in soil**

The product has high mobility in soil.

**12.5 Results of PBT and vPvB assessment**

Not known.

**12.6 Other adverse effects**

Not known.

**SECTION 13: DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods**

Dispose of contents in accordance with local, state or national legislation. Send to a licensed recycler, reclaimer or incinerator. Dispose of this material and its container to hazardous or special waste collection point. Dispose at suitable refuse site.

**13.2 Additional Information**

Disposal should be in accordance with local, state or national legislation.

**SECTION 14: TRANSPORT INFORMATION**

**Not classified as hazardous for transport.**

**14.1 UN number**

Not applicable

**14.2 UN proper shipping name**

Not applicable

**14.3 Transport hazard class(es)**

Not applicable

**14.4 Packing group**

Not applicable

**14.5 Environmental hazards**

Not classified as a Marine Pollutant.

**14.6 Special precautions for user**

Not known

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Not known

**SECTION 15: REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern for Authorisation [4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26) (2580-56-5)

REACH: ANNEX XIV list of substances subject to authorisation Not listed

REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles Not listed

Community Rolling Action Plan (CoRAP) 2-hydroxyethyl methacrylate (868-77-9), diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (75980-60-8), Carbon black (1333-86-4), Silver (7440-22-4), titanium dioxide (13463-67-7)

Regulation (EC) N° 850/2004 of the European Parliament and of the Council on persistent organic pollutants Not listed

Regulation (EC) N° 1005/2009 on substances that deplete the ozone layer Not listed

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals Not listed

**National regulations**

Other Not known.

**15.2 Chemical Safety Assessment**

A REACH chemical safety assessment has not been carried out.

**SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements:

**LEGEND**

Hazard Pictogram(s)



GHS08



GHS07

GHS08: GHS: health hazard

GHS07: GHS: exclamation mark

Hazard classification

Acute Tox. 4 : Acute toxicity, Category 4

Skin Irrit. 2 : Skin corrosion/irritation, Category 2

Skin Sens. 1 : Skin sensitization, Category 1

Skin Sens. 1A : Skin sensitization, Category 1A

Eye Dam. 1 : Serious eye damage/irritation, Category 1



Eye Irrit. 2 : Serious eye damage/irritation, Category 2  
STOT SE 3\_H335 : Specific target organ toxicity — single exposure, Category 3  
Repr. 2 : Reproductive toxicity, Category 2  
STOT RE 1 : Specific target organ toxicity — repeated exposure, Category 1  
STOT RE 2 : Specific target organ toxicity — repeated exposure, Category 2  
Aquatic Acute 1 : Hazardous to the aquatic environment, Acute, Category 1  
Aquatic Chronic 1 : Hazardous to the aquatic environment, Chronic, Category 1  
Aquatic Chronic 2 : Hazardous to the aquatic environment, Chronic, Category 2  
Aquatic Chronic 3 : Hazardous to the aquatic environment, Chronic, Category 3

## Hazard Statement(s)

H302: Harmful if swallowed.  
H315: Causes skin irritation.  
H317: May cause an allergic skin reaction.  
H318: Causes serious eye damage.  
H319: Causes serious eye irritation.  
H335: May cause respiratory irritation.  
H361f: Suspected of damaging fertility.  
H372: Causes damage to organs through prolonged or repeated exposure.  
H373: May cause damage to organs through prolonged or repeated exposure.  
H400: Very toxic to aquatic life.  
H410: Very toxic to aquatic life with long lasting effects.  
H411: Toxic to aquatic life with long lasting effects.  
H412: Harmful to aquatic life with long lasting effects.

## Precautionary Statement(s)

P102: Keep out of reach of children.  
P103: Read label before use.  
P201: Obtain special instructions before use.  
P202: Do not handle until all safety precautions have been read and understood.  
P260: Do not breathe dust/fume/gas/mist/vapours/spray.  
P261: Avoid breathing dust/fume/gas/mist/vapours/spray.  
P264: Wash hands and exposed skin thoroughly after handling.  
P272: Contaminated work clothing should not be allowed out of the workplace.  
P273: Avoid release to the environment.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P302+P352: IF ON SKIN: Wash with plenty of water.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308+P313: IF exposed or concerned: Get medical advice/attention.  
P314: Get medical advice/attention if you feel unwell.  
P321: Specific treatment (see Medical Advice on this label).  
P332+P313: If skin irritation occurs: Get medical advice/attention.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P337+P313: If eye irritation persists: Get medical advice/attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P405: Store locked up.

P410: Protect from sunlight.

P501: Dispose of contents in accordance with local, state or national legislation.

#### Acronyms

CAS : Chemical Abstracts Service

CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

DNEL : Derived No Effect Level

EC : European Community

EINECS : European Inventory of Existing Commercial Chemical Substances

LTEL : Long term exposure limit

PBT : Persistent, Bioaccumulative and Toxic

PNEC : Predicted No Effect Concentration

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL : Short term exposure limit

STOT : Specific Target Organ Toxicity

vPvB : very Persistent and very Bioaccumulative

#### Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose.

NAILCHEMY LIMITED gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. NAILCHEMY LIMITED accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.