# Nailchemy® SAFETY DATA SHEET

Fiber Gel - Bridal

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : Fiber Gel - Bridal

Product code : NFGB

Product description :

Product type : Liquid.

Other means of : Not available.

identification

1.2 Relevant identified uses of the substance or mixture and uses advised against

Not applicable.

#### 1.3 Details of the supplier of the safety data sheet

Nailchemy Limited Unit E Thistle Park, Crossways Road, Bridgwater, Somerset UK TA6 6LS

e-mail address of person

: support@nailchemy.co.uk

responsible for this SDS

#### 1.4 Emergency telephone number

#### **National advisory body/Poison Center**

Telephone number : 999

**Supplier** 

**Telephone number** : (+44) 1278 459066

**Hours of operation**: Monday through Friday 9:00 am to 5:00 pm

**Excluding National holidays** 

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

**Product definition**: Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT SE 3, H335

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Ingredients of unknown

toxicity

: 71 percent of the mixture consists of component(s) of unknown acute oral toxicity 94.2 percent of the mixture consists of component(s) of unknown acute dermal

toxicity

97.6 percent of the mixture consists of component(s) of unknown acute inhalation

toxicity

Ingredients of unknown ecotoxicity

: Contains 73.3% of components with unknown hazards to the aquatic environment

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

#### **SECTION 2: Hazards identification**

#### 2.2 Label elements

Hazard pictograms

**!**>

Signal word : Warning

**Hazard statements**: Causes skin irritation.

May cause an allergic skin reaction. Causes serious eye irritation. May cause respiratory irritation.

#### **Precautionary statements**

**Prevention** 

: Wear protective gloves. Wear eye or face protection. Avoid breathing vapor. Wash thoroughly after handling.

Response

: IF INHALED: Call a POISON CENTER or doctor if you feel unwell. Take off contaminated clothing and wash it before reuse. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice or attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.

**Storage** 

: Store in a well-ventilated place. Keep container tightly closed.

**Disposal** 

: Dispose of contents and container in accordance with all local, regional, national

and international regulations.

**Hazardous ingredients** 

: Polyurethane acrylate oligomer 2-hydroxyethyl methacrylate Isobornyl methacrylate

**TPO** 

Ethylene glycol dimethacrylate

Tin oxide

Supplemental label

elements

Not applicable.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Not applicable.

**Special packaging requirements** 

Containers to be fitted with child-resistant

fastenings

: Not applicable.

Tactile warning of danger

: Not applicable.

2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

 This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Other hazards which do not result in classification

: None known.

### **SECTION 3: Composition/information on ingredients**

3.2 Mixtures : Mixture

| Product/ingredient name           | Identifiers   | %         | Classification  | Specific Conc.<br>Limits, M-factors<br>and ATEs | Туре    |
|-----------------------------------|---|-----------|---|---|---------|
| Polyurethane acrylate oligomer    | CAS: Exempt   | ≥25 - ≤50 | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Skin Sens. 1A, H317                      | -   | [1]     |
| 2-hydroxyethyl methacrylate       | EC: 212-782-2<br>CAS: 868-77-9<br>Index: 607-124-00-X   | ≥10 - ≤25 | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Skin Sens. 1, H317                       | -   | [1]     |
| Isobornyl methacrylate            | EC: 231-403-1<br>CAS: 7534-94-3<br>Index: 607-134-00-4  | ≥10 - ≤25 | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>STOT SE 3, H335                          | STOT SE 3, H335:<br>C ≥ 10%                     | [1]     |
| TPO                               | EC: 278-355-8<br>CAS: 75980-60-8<br>Index: 015-203-00-X | <3        | Repr. 2, H361f (causing atrophy of the testes)  | -   | [1]     |
| Ethylene glycol<br>dimethacrylate | EC: 202-617-2<br>CAS: 97-90-5<br>Index: 607-114-00-5    | ≤3        | Skin Sens. 1, H317<br>STOT SE 3, H335   | STOT SE 3, H335:<br>C ≥ 10%                     | [1]     |
| titanium dioxide                  | EC: 236-675-5<br>CAS: 13463-67-7<br>Index: 022-006-00-2 | <1        | Carc. 2, H351<br>(inhalation)<br>Aquatic Chronic 2,<br>H411                           | -   | [1] [*] |
| Tin oxide                         | EC: 242-159-0<br>CAS: 18282-10-5                        | ≤0.1      | Not classified.  See Section 16 for the full text of the H statements declared above. | -   | [2]     |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

#### Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [\*] The classification as a carcinogen by inhalation applies only to mixtures placed on the market in powder form containing 1% or more of titanium dioxide particles with aerodynamic diameter ≤ 10 µm not bound within a matrix.

Occupational exposure limits, if available, are listed in Section 8.

#### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

**Eye contact** 

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

**Inhalation** 

: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Fiber Gel - Bridal

#### **SECTION 4: First aid measures**

Skin contact

: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion

: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

**Protection of first-aiders** 

: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

#### 4.2 Most important symptoms and effects, both acute and delayed

#### Over-exposure signs/symptoms

**Eye contact**: Adverse symptoms may include the following:

pain or irritation watering redness

**Inhalation** : Adverse symptoms may include the following:

respiratory tract irritation

coughing

**Skin contact**: Adverse symptoms may include the following:

irritation redness

**Ingestion**: No specific data.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

**Specific treatments** : No specific treatment.

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media

: Use an extinguishing agent suitable for the surrounding fire.

**Unsuitable extinguishing** 

media

: None known.

#### 5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

: In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous combustion

products

: Decomposition products may include the following materials: carbon dioxide

carbon dioxide carbon monoxide phosphorus oxides metal oxide/oxides

#### 5.3 Advice for firefighters

# **SECTION 5: Firefighting measures**

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders:

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### 6.3 Methods and materials for containment and cleaning up

**Small spill** 

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

# 6.4 Reference to other sections

See Section 1 for emergency contact information.
 See Section 8 for information on appropriate personal protective equipment.
 See Section 13 for additional waste treatment information.

# **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 7.1 Precautions for safe handling

**Protective measures** 

: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Fiber Gel - Bridal

### **SECTION 7: Handling and storage**

#### 7.2 Conditions for safe storage, including any incompatibilities

Shield UV light sources. Do not store above the following temperature: 38°C (100.4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

#### 7.3 Specific end use(s)

Recommendations : Not available.

Industrial sector specific : Not available.

solutions

### **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

#### 8.1 Control parameters

#### **Occupational exposure limits**

| Product/ingredient name | Exposure limit values  |
|-------------------------|--|
|                         | EU OEL (Europe, 10/2019). [] Notes: list of indicative occupational exposure limit values TWA: 2 mg/m³, ((as Sn)) 8 hours. |

#### **Biological exposure indices**

No exposure indices known.

# Recommended monitoring procedures

Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### **DNELs/DMELs**

| Product/ingredient name     | Туре | Exposure                | Value                 | Population         | Effects  |
|-----------------------------|------|-------------------------|-----------------------|--------------------|----------|
| 2-hydroxyethyl methacrylate | DNEL | Long term Oral          | 0.83 mg/<br>kg bw/day | General population | Systemic |
|                             | DNEL | Long term Dermal        | 0.83 mg/<br>kg bw/day | General population | Systemic |
|                             | DNEL | Long term Dermal        | 1.3 mg/kg<br>bw/day   | Workers            | Systemic |
|                             | DNEL | Long term<br>Inhalation | 2.9 mg/m <sup>3</sup> | General population | Systemic |
|                             | DNEL | Long term<br>Inhalation | 4.9 mg/m <sup>3</sup> | Workers            | Systemic |
| Isobornyl methacrylate      | DNEL | Long term Oral          | 0.21 mg/<br>kg bw/day | General population | Systemic |
|                             | DNEL | Long term Dermal        | 0.21 mg/<br>kg bw/day | General population | Systemic |
|                             | DNEL | Long term Dermal        | 0.35 mg/<br>kg bw/day | Workers            | Systemic |
|                             | DNEL | Long term<br>Inhalation | 0.36 mg/m³            | General population | Systemic |

# **SECTION 8: Exposure controls/personal protection**

|                                |      | ,                |                        |            |              |
|--------------------------------|------|------------------|------------------------|------------|--------------|
|                                | DNEL | Long term        | 1.22 mg/m <sup>3</sup> | Workers    | Systemic     |
|                                |      | Inhalation       |                        |            |              |
| TPO                            | DNEL | Long term Oral   | 83.3 µg/kg             | General    | Systemic     |
|                                |      |                  | bw/day                 | population | •            |
|                                | DNEL | Long term Dermal | 83.3 µg/kg             | General    | Systemic     |
|                                |      |                  | bw/day                 | population | ·            |
|                                | DNEL | Long term        | 0.145 mg/              | General    | Systemic     |
|                                |      | Inhalation       | m³                     | population | •            |
|                                | DNEL | Long term Dermal | 0.233 mg/              | Workers    | Systemic     |
|                                |      |                  | kg bw/day              |            | -            |
|                                | DNEL | Long term        | 0.822 mg/              | Workers    | Systemic     |
|                                |      | Inhalation       | m³                     |            |              |
| Ethylene glycol dimethacrylate | DNEL | Long term Oral   | 0.83 mg/               | General    | Systemic     |
|                                |      |                  | kg bw/day              | population | ,            |
|                                | DNEL | Long term Dermal | 0.83 mg/               | General    | Systemic     |
|                                |      |                  | kg bw/day              | population | ,            |
|                                | DNEL | Long term Dermal | 1.3 mg/kg              | Workers    | Systemic     |
|                                |      |                  | bw/day                 |            | •            |
|                                | DNEL | Long term        | 1.45 mg/m <sup>3</sup> | General    | Systemic     |
|                                |      | Inhalation       |                        | population | ,            |
|                                | DNEL | Long term        | 2.45 mg/m <sup>3</sup> |            | Systemic     |
|                                |      | Inhalation       | 5                      |            | - ) - 1-1111 |
|                                |      |                  |                        |            |              |

#### **PNECs**

No PNECs available.

#### 8.2 Exposure controls

Appropriate engineering controls

: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

#### **Individual protection measures**

**Hygiene measures** 

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** 

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

#### Skin protection

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** 

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

### SECTION 8: Exposure controls/personal protection

**Respiratory protection** 

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

**Environmental exposure** controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### 9.1 Information on basic physical and chemical properties

#### **Appearance**

**Physical state** : Liquid. [Gel] Color Pink

Odor Characteristic. Acrylate odor

**Odor threshold**  Not available. Melting point/freezing point : Not available. Initial boiling point and Not available.

boiling range

**Flammability** : Not available. Lower and upper explosion : Not available. limit

Flash point : Closed cup: >93.3°C (>199.9°F)

**Auto-ignition temperature** : Not applicable. **Decomposition temperature** : Not available. pН : Not available. **Viscosity** Not available. Solubility in water : Not available.

Partition coefficient: n-octanol/ : Not applicable.

water

: Not applicable. Vapor pressure

Relative density

Vapor density : Not available. Not available. **Explosive properties Oxidizing properties** Not available.

**Particle characteristics** 

Median particle size : Not applicable.

# SECTION 10: Stability and reactivity

10.1 Reactivity : No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability : The product is stable.

10.3 Possibility of hazardous reactions : Hazardous polymerization may occur under certain conditions of storage or use. These could cause the product to polymerize exothermically. Unintentional contact with them should be avoided.

Hazardous reactions or instability may occur under certain conditions of storage or

use

Date of issue/Date of revision : 1/11/2023 Version: 1 8/14 Date of previous issue : No previous validation

Fiber Gel - Bridal

## **SECTION 10: Stability and reactivity**

**10.4 Conditions to avoid** : No specific data.

**10.5 Incompatible materials** : No specific data.

10.6 Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

| Product/ingredient name        | Result    | Species | Dose       | Exposure |
|--------------------------------|-----------|---------|------------|----------|
| 2-hydroxyethyl methacrylate    | LD50 Oral | Rat     | 5050 mg/kg | -        |
| Ethylene glycol dimethacrylate | LD50 Oral | Rat     | 3300 mg/kg | -        |
| Tin oxide                      | LD50 Oral | Rat     | >20 g/kg   | -        |

**Conclusion/Summary**: Not available.

#### **Acute toxicity estimates**

| Product/ingredient name        | Oral (mg/<br>kg) | Dermal<br>(mg/kg) | Inhalation<br>(gases)<br>(ppm) | Inhalation<br>(vapors)<br>(mg/l) | Inhalation<br>(dusts<br>and mists)<br>(mg/l) |
|--------------------------------|------------------|-------------------|--------------------------------|----------------------------------|--|
| 2-hydroxyethyl methacrylate    | 5050             | N/A               | N/A                            | N/A                              | N/A  |
| Ethylene glycol dimethacrylate | 3300             | N/A               | N/A                            | N/A                              | N/A  |

#### **Irritation/Corrosion**

| Product/ingredient name | Result               | Species | Score | Exposure             | Observation |
|-------------------------|----------------------|---------|-------|----------------------|-------------|
| titanium dioxide        | Skin - Mild irritant | Human   | -     | 72 hours 300<br>ug I | -           |

**Conclusion/Summary** 

**Sensitization** 

: Not available.

**Conclusion/Summary** 

: Not available.

**Mutagenicity** 

**Conclusion/Summary** 

: Not available.

Carcinogenicity

**Conclusion/Summary** 

: Not available.

Reproductive toxicity

Conclusion/Summary

: Not available.

**Teratogenicity** 

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

| Product/ingredient name        | Category   | Route of exposure | Target organs                |
|--------------------------------|------------|-------------------|------------------------------|
| Isobornyl methacrylate         | Category 3 | -                 | Respiratory tract irritation |
| Ethylene glycol dimethacrylate | Category 3 | -                 | Respiratory tract irritation |

#### Specific target organ toxicity (repeated exposure)

Not available.

#### **Aspiration hazard**

Fiber Gel - Bridal

### **SECTION 11: Toxicological information**

Not available.

Information on the likely

routes of exposure

: Not available.

#### Potential acute health effects

Eye contact : Causes serious eye irritation.Inhalation : May cause respiratory irritation.

**Skin contact**: Causes skin irritation. May cause an allergic skin reaction.

**Ingestion**: No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact**: Adverse symptoms may include the following:

pain or irritation watering redness

**Inhalation** : Adverse symptoms may include the following:

respiratory tract irritation

coughing

**Skin contact**: Adverse symptoms may include the following:

irritation redness

Ingestion : No specific data.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

**Short term exposure** 

**Potential immediate** 

effects

: Not available.

Potential delayed effects : Not available.

**Long term exposure** 

**Potential immediate** 

: Not available.

effects

Potential delayed effects : Not available.

#### Potential chronic health effects

Not available.

**Conclusion/Summary**: Not available.

General : Once sensitized, a severe allergic reaction may occur when subsequently exposed

to very low levels.

Carcinogenicity: No known significant effects or critical hazards.

Mutagenicity: No known significant effects or critical hazards.

Reproductive toxicity: No known significant effects or critical hazards.

#### 11.2 Information on other hazards

#### 11.2.1 Endocrine disrupting properties

Not available.

11.2.2 Other information

Not available.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

| Product/ingredient name     | Result                                | Species  | Exposure |
|-----------------------------|---------------------------------------|--|----------|
| 2-hydroxyethyl methacrylate | Acute LC50 227000 μg/l Fresh water    | Fish - Pimephales promelas -<br>Juvenile (Fledgling, Hatchling,<br>Weanling) | 96 hours |
| titanium dioxide            | Acute LC50 3 mg/l Fresh water         | Crustaceans - Ceriodaphnia dubia - Neonate                                   | 48 hours |
|                             | Acute LC50 6.5 mg/l Fresh water       | Daphnia - Daphnia pulex -<br>Neonate   | 48 hours |
|                             | Acute LC50 >1000000 µg/l Marine water | Fish - Fundulus heteroclitus   | 96 hours |

**Conclusion/Summary**: Not available.

#### 12.2 Persistence and degradability

**Conclusion/Summary**: Not available.

#### 12.3 Bioaccumulative potential

| Product/ingredient name     | LogPow | BCF      | Potential |
|-----------------------------|--------|----------|-----------|
| 2-hydroxyethyl methacrylate | 0.42   | -        | low       |
| Isobornyl methacrylate      | 5.09   | -        | high      |
| TPO                         | -      | 53 to 72 | low       |
| Ethylene glycol             | 1.87   | -        | low       |
| dimethacrylate              |        |          |           |

#### 12.4 Mobility in soil

Soil/water partition coefficient (K<sub>oc</sub>)

: Not available.

Mobility : Not available.

#### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

#### 12.6 Endocrine disrupting properties

Not available.

#### 12.7 Other adverse effects

No known significant effects or critical hazards.

# **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 13.1 Waste treatment methods

#### **Product**

**Methods of disposal** 

: The generation of waste should be avoided or minimized wherever possible.

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste**: The classification of the product may meet the criteria for a hazardous waste.

# **SECTION 13: Disposal considerations**

#### **Packaging**

**Methods of disposal** 

: The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Special precautions** 

: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

| SECTION 14: Transport information  |                |                |                |                |  |
|------------------------------------|----------------|----------------|----------------|----------------|--|
|                                    | ADR/RID        | ADN            | IMDG           | IATA           |  |
| 14.1 UN number or ID number        | Not regulated. | Not regulated. | Not regulated. | Not regulated. |  |
| 14.2 UN proper shipping name       | -              | -              | -              | -              |  |
| 14.3 Transport<br>hazard class(es) | -              | -              | -              | -              |  |
| 14.4 Packing group                 | -              | -              | -              | -              |  |
| 14.5<br>Environmental<br>hazards   | No.            | No.            | No.            | No.            |  |

14.6 Special precautions for user

: **Transport within user's premises**: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in bulk according to IMO instruments

: Not available.

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorization

**Annex XIV** 

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Other EU regulations

Industrial emissions (integrated pollution prevention and control) -Air : Not listed

: Not applicable.

Fiber Gel - Bridal

# **SECTION 15: Regulatory information**

Industrial emissions : Not listed

(integrated pollution prevention and control) -

Water

Ozone depleting substances (1005/2009/EU)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

**Persistent Organic Pollutants** 

Not listed.

**Seveso Directive** 

This product is not controlled under the Seveso Directive.

**National regulations** 

**International regulations** 

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

**Montreal Protocol** 

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

**UNECE Aarhus Protocol on POPs and Heavy Metals** 

Not listed.

**Inventory list** 

Australia : All components are listed or exempted.

Canada : At least one component is not listed.

China : All components are listed or exempted.

**Eurasian Economic Union**: Russian Federation inventory: Not determined.

Japan : Japan inventory (CSCL): Not determined.

**Japan inventory (ISHL)**: Not determined.

New Zealand : Not determined.

**Philippines** : All components are listed or exempted.

Republic of Korea : Not determined.
Taiwan : Not determined.
Thailand : Not determined.
Turkey : Not determined.
United States : Not determined.
Viet Nam : Not determined.

15.2 Chemical Safety

: This product contains substances for which Chemical Safety Assessments are still

Assessment required.

#### **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and

: ATE = Acute Toxicity Estimate

acronyms

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008]

DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

vPvB = Very Persistent and Very Bioaccumulative

#### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

| Classification      | Justification      |
|---------------------|--------------------|
| Skin Irrit. 2, H315 | Calculation method |
| Eye Irrit. 2, H319  | Calculation method |
| Skin Sens. 1, H317  | Calculation method |
| STOT SE 3, H335     | Calculation method |

#### Full text of abbreviated H statements

| H315  | Causes skin irritation.                          |
|-------|--|
| H317  | May cause an allergic skin reaction.             |
| H319  | Causes serious eye irritation.                   |
| H335  | May cause respiratory irritation.                |
| H351  | Suspected of causing cancer.                     |
| H361f | Suspected of damaging fertility.                 |
| H411  | Toxic to aquatic life with long lasting effects. |

#### Full text of classifications [CLP/GHS]

| Aquatic Chronic 2 | AQUATIC HAZARD (LONG-TERM) - Category 2            |
|-------------------|--|
| Carc. 2           | CARCINOGENICITY - Category 2                       |
| Eye Irrit. 2      | SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2    |
| Repr. 2           | TOXIC TO REPRODUCTION - Category 2                 |
| Skin Irrit. 2     | SKIN CORROSION/IRRITATION - Category 2             |
| Skin Sens. 1      | SKIN SENSITIZATION - Category 1                    |
| Skin Sens. 1A     | SKIN SENSITIZATION - Category 1A                   |
| STOT SE 3         | SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) - |
|                   | Category 3   |

Date of printing : 1/11/2023

Date of issue/ Date of : 1/11/2023

revision

Date of previous issue : No previous validation

Version : 1

#### **Notice to reader**

\*Most Nailchemy gels are composed of oligomers made primarily from urethane (meth)acrylates. Nailchemy is using the designation di-HEMA trimethylhexyl dicarbamate, the official INCI name of urethane dimethacrylate, which is substantially the equivalent of polyurethane acrylate oligomer.

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Information contained within this SDS is only to be distributed as required by law.